

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: April 13, 2004, 09:22:17 ; Search time 43.6226 Seconds
(without alignments)
2202.208 Million cell updates/sec

Title: US-10-021-121-4
Perfect score: 1850
Sequence: 1 MGPPHSGPGGVVRVGALLLLG.....PVYIVQDGPPQSPPNIIYKV 340

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1586107 seqs, 282547505 residues

Total number of hits satisfying chosen parameters: 1586107

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_29Jan04:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

		Query					Description
Result No.	Score	Match	Length	DB	ID		
1	1850	100.0	340	2	AAW31544	Aaw31544 Human cyt	
2	1850	100.0	340	2	AAW33699	Aaw33699 AL-2-shor	
3	1850	100.0	340	2	AAW10637	Aaw10637 NLERK2 li	
4	1850	100.0	340	6	ABU07845	Abu07845 Human eph	
5	1844	99.7	340	2	AAW17081	Aaw17081 EPH famil	
6	1841	99.5	455	2	AAW33698	Aaw33698 AL-2-long	
7	1836	99.2	340	2	AAW46615	Aaw46615 Human tra	
8	1780	96.2	340	6	ABU07846	Abu07846 Mouse eph	
9	637.5	34.5	334	2	AAW00287	Aaw00287 Mouse Eph	

10	637.5	34.5	336	2	AAR92742	Aar92742	Murine he
11	635.5	34.4	336	6	ABU07844	Abu07844	Mouse eph
12	632	34.2	346	2	AAR55059	Aar55059	Elk tyros
13	632	34.2	346	2	AAR91930	Aar91930	Human cyt
14	632	34.2	346	2	AAW19249	Aaw19249	Human elk
15	632	34.2	346	2	AAW36055	Aaw36055	Human elk
16	632	34.2	346	2	AAW44323	Aaw44323	Human elk
17	632	34.2	346	6	ABU07841	Abu07841	Human eph
18	632	34.2	346	7	ABU62401	Abu62401	Human elk
19	631	34.1	346	2	AAR82606	Aar82606	Eph trans
20	630.5	34.1	331	2	AAW00288	Aaw00288	Chicken E
21	629.5	34.0	333	2	AAR94655	Aar94655	Ligand fo
22	629.5	34.0	333	2	AAR92743	Aar92743	Human hep
23	629.5	34.0	333	2	AAR89287	Aar89287	Human LER
24	629.5	34.0	333	2	AAW06337	Aaw06337	Full leng
25	629.5	34.0	333	2	AAW11308	Aaw11308	Receptor-
26	629.5	34.0	333	6	ABU07886	Abu07886	Novel hum
27	629.5	34.0	333	7	ADD89059	Add89059	TAT245. 1
28	619.5	33.5	308	2	AAR94656	Aar94656	Ligand fo
29	619.5	33.5	308	2	AAW06334	Aaw06334	Ligand #2
30	613.5	33.2	345	6	ABU07842	Abu07842	Mouse eph
31	492	26.6	89	3	AAY71438	Aay71438	Human eph
32	465	25.1	254	6	ABU07843	Abu07843	Human eph
33	453.5	24.5	658	3	AAY96782	Aay96782	Ephrin-B2
34	452.5	24.5	683	3	AAY96781	Aay96781	Ephrin-B1
35	447	24.2	229	5	AAE24019	Aae24019	Murine ep
36	443	23.9	229	5	AAE24020	Aae24020	Human eph
37	431.5	23.3	195	2	AAW06333	Aaw06333	Ligand #1
38	431.5	23.3	195	2	AAW11307	Aaw11307	Receptor-
39	284.5	15.4	92	4	AAM37671	Aam37671	Peptide #
40	284.5	15.4	92	5	ABG46524	Abg46524	Human pep
41	205.5	11.1	136	4	AAM37534	Aam37534	Peptide #
42	205.5	11.1	136	5	ABG46394	Abg46394	Human pep
43	204	11.0	82	3	AAY71437	Aay71437	Human eph
44	202.5	10.9	106	3	AAB54187	Aab54187	Human pan
45	201	10.9	82	3	AAY71436	Aay71436	Human eph

ALIGNMENTS

RESULT 1

AAW31544

ID AAW31544 standard; protein; 340 AA.

XX

AC AAW31544;

XX

DT 14-APR-1998 (first entry)

XX

DE Human cytokine Lerk-8.

XX

KW Lerk-8; cytokine; human; hek; elk; receptor tyrosine kinase; ligand;

KW neurodegenerative disease; wound healing; neovascularisation; diagnosis;

KW therapy.

XX

OS Homo sapiens.

XX

FH	Key	Location/Qualifiers
FT	Peptide	1. .27
FT		/label= Sig_peptide
FT	Protein	28. .340
FT		/label= Mat_protein
FT	Domain	28. .224
FT		/note= "extracellular domain"
FT	Modified-site	210. .212
FT		/note= "N-glycosylated"
FT	Domain	225. .251
FT		/note= "transmembrane domain"
FT	Domain	252. .340
FT		/note= "cytoplasmic domain"
FT	Misc-difference	325
FT		/note= "residue 325 is Leu in Lerk-8 variant"
XX		
PN	WO9736919-A2.	
XX		
PD	09-OCT-1997.	
XX		
PF	19-MAR-1997; 97WO-US004533.	
XX		
PR	21-MAR-1996; 96US-00621146.	
XX		
PA	(IMMV) IMMUNEX CORP.	
XX		
PI	Cerretti DP;	
XX		
DR	WPI; 1997-503043/46.	
DR	N-PSDB; AAT89519.	
XX		
PT	New isolated cytokine, Lerk-8 - binds to the hek and elk receptor	
PT	tyrosine kinases, used to develop products for diagnosis and therapy.	
XX		
PS	Claim 3; Page 32-33; 37pp; English.	
XX		
CC	This protein sequence comprises a novel human cytokine designated Lerk-8.	
CC	The amino acid sequence was deduced from a human foetal brain cDNA clone	
CC	(see AAT89519). Lerk-8 binds to the cell surface receptors hek and elk,	
CC	which are members of the eph/elk family of receptor tyrosine kinases.	
CC	Lerk-8 polypeptides, especially soluble polypeptides comprising amino	
CC	acid residues -27 to 142-197 of the full-length protein, can be expressed	
CC	in transformed host cells. These polypeptides can be used to purify hek	
CC	or elk proteins, and to purify or identify cells that express hek or elk	
CC	on the surface. Such cells can be used in various in vitro studies or in	
CC	vivo procedures, e.g. neural cells expressing elk can be administered to	
CC	a mammal afflicted with a neurodegenerative disorder. The Lerk-8	
CC	polypeptides can also be used to deliver diagnostic or therapeutic agents	
CC	to these cells (e.g. leukaemia cells). The Lerk-8 DNA and polypeptides	
CC	can also be used to: treat disorders mediated by defective or	
CC	insufficient amounts of Lerk-8; to treat disorders such as injury to	
CC	neural tissue or neurologic disease; to promote angiogenesis; and for	
CC	wound healing or stimulating neovascularisation of grafted tissues	
XX		
SQ	Sequence 340 AA;	

Query Match

100.0%; Score 1850; DB 2; Length 340;

Best Local Similarity 100.0%; Pred. No. 1.6e-142;
Matches 340; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

Qy      1 MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60
      |||
Db      1 MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60

Qy     61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEY 120
      |||
Db     61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEY 120

Qy    121 SPNLWGHEFRSHHDYIIATSDGTREGLESLOGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180
      |||
Db    121 SPNLWGHEFRSHHDYIIATSDGTREGLESLOGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180

Qy    181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
      |||
Db    181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240

Qy    241 GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGSGLGLGGGGMGMPREAEPEGELGIALRGG 300
      |||
Db    241 GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGSGLGLGGGGMGMPREAEPEGELGIALRGG 300

Qy    301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
      |||
Db    301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340

```

RESULT 2

AAW33699

ID AAW33699 standard; protein; 340 AA.

XX

AC AAW33699;

XX

DT 30-APR-1998 (first entry)

XX

DE AL-2-short (AL-2s) protein.

XX

KW AL-2s; AL-2; AL-2-short; human; treatment; neurological disorder; tumour;

KW rheumatoid arthritis; wound healing; paralysis; angiogenesis; leukaemia;

KW psoriasis; Alzheimer's disease; epilepsy.

XX

OS Homo sapiens.

XX

FH	Key	Location/Qualifiers
----	-----	---------------------

FT	Peptide	1. .26
----	---------	--------

FT		/note= "signal peptide"
----	--	-------------------------

FT	Protein	27. .340
----	---------	----------

FT		/note= "mature protein"
----	--	-------------------------

FT	Domain	27. .219
----	--------	----------

FT		/note= "extracellular domain"
----	--	-------------------------------

FT	Domain	220. .245
----	--------	-----------

FT		/note= "hydrophobic transmembrane domain"
----	--	---

XX

PN WO9740153-A1.

XX

PD 30-OCT-1997.

XX PF 17-APR-1997; 97WO-US006345.
XX
PR 19-APR-1996; 96US-00635130.
XX
PA (GETH) GENENTECH INC.
XX
PI Caras IW;
XX
DR WPI; 1997-535837/49.
DR N-PSDB; AAV06355.
XX
PT Human AL-2 neurotrophic factor and related DNA - used to develop products
PT for, e.g. treating neurologic disorders, angiogenesis disorders, tumours
PT or rheumatoid arthritis or for wound healing.
XX
PS Claim 20; Fig 2A-B; 86pp; English.
XX
CC This is a AL-2-short (AL-2s) protein. The AL-2 is a novel Eph-related
CC tyrosine kinase receptor ligand. AL-2 can be administered to patients in
CC whom the nervous system has been damaged by trauma, surgery, stroke,
CC ischaemia, infection, metabolic disease, nutritional deficiency,
CC malignancy, or toxic agents, to promote the survival or growth of
CC neurons. They can be used to treat motoneuron disorders such as
CC amyotrophic lateral sclerosis (Lou Gehrig's disease), Bell's palsy, and
CC various conditions involving spinal muscular atrophy, or paralysis. AL-2
CC can be used to treat human neurodegenerative disorders, such as
CC Alzheimer's disease, Parkinson's disease, epilepsy, demyelinating
CC diseases such as multiple sclerosis, Huntingtons chorea, Down's syndrome,
CC nerve deafness, Menier's disease, and other disorders of the cerebellum.
CC AL-2 can be used as cognitive enhancer, to enhance learning particularly
CC in dementias or trauma, since they can promote axonal outgrowth and
CC synaptic plasticity, particularly of hippocampal neurons that express AL-
CC 2 binding Eph-family receptors and cortical neurons that express AL-2. AL
CC -2 can also be used for wound healing, i.e. accelerating
CC neovascularisation of, e.g. burns and ulcers. The encoding nucleic acids
CC are useful in preparing antibodies that specifically bind to the AL-2
CC protein. The antibodies and the AL-2 antagonists are useful in diagnosing
CC and treating various neuronal disorders. AL-2 antagonists can be used for
CC modulating angiogenesis. They can also be used for the treatment of
CC tumours, acute myeloid leukaemia (AML), chronic myeloid leukaemia (CML),
CC myelodysplastic syndrome (MDS), diabetic retinopathy, neovascular
CC glaucoma, psoriasis and rheumatoid arthritis
XX
SQ Sequence 340 AA;

Qy	1	MGP	PHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRDL	60
Db	1	MGP	PHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRDL	60
Qy	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGR	RCEAPPAPNLLLTCDRPDLDRFTIKFQEY	120
Db	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGR	RCEAPPAPNLLLTCDRPDLDRFTIKFQEY	120

Qy	121	SPNLWGHEFRSHHDYIIATSDGTREGLES	LQGGVCLTRGMKVLLRVGQSPRGGAVPRKP	180
Db	121	SPNLWGHEFRSHHDYIIATSDGTREGLES	LQGGVCLTRGMKVLLRVGQSPRGGAVPRKP	180
Qy	181	VSEMPMERDRGAAHSLEPGKENLPGDPTS	SNATSRGAEGPLPPPSMPAVAGAAGGLALLL	240
Db	181	VSEMPMERDRGAAHSLEPGKENLPGDPTS	SNATSRGAEGPLPPPSMPAVAGAAGGLALLL	240
Qy	241	GVAGAGGAMCWRRRRRAKPSES	RHPGPGSFGRGGS	300
Db	241	GVAGAGGAMCWRRRRRAKPSES	RHPGPGSFGRGGS	300
Qy	301	GAADPPFCPHYEKVSGDYGHPVYIVQD	GPPQSPPNIYYKV	340
Db	301	GAADPPFCPHYEKVSGDYGHPVYIVQD	GPPQSPPNIYYKV	340

RESULT 3

AAW10637

ID AAW10637 standard; protein; 340 AA.

XX

AC AAW10637;

XX

DT 23-JUN-1997 (first entry)

XX

DE NLERK2 ligand for eph-related kinase.

XX

KW LERK; ligand for eph-related kinase; ERK; NLERK2;

KW receptor protein tyrosine kinase; cell proliferation;

KW cell differentiation; cell survival; nerve cell.

XX

OS Homo sapiens.

XX

FH	Key	Location/Qualifiers
FT	Peptide	1. .29
FT		/label= Sig_peptide
FT	Protein	30. .340
FT		/label= Mat_protein
FT	Modified-site	210
FT		/label= N-glycosylation_site
FT	Domain	227. .251
FT		/label= Transmembrane_domain

XX

PN WO9704091-A1.

XX

PD 06-FEB-1997.

XX

PF 19-JUL-1996; 96WO-AU000460.

XX

PR 20-JUL-1995; 95AU-00004263.

PR 27-NOV-1995; 95AU-00006847.

PR 22-DEC-1995; 95AU-00007299.

PR 05-FEB-1996; 96AU-00007890.

XX

PA (AMRA-) AMRAD OPERATIONS PTY LTD.

XX

PI Nicola NA;
 XX
 DR WPI; 1997-132632/12.
 DR N-PSDB; AAT60966.
 XX
 PT Nucleic acid mol. encoding ligand for eph-related kinase - useful for
 PT treatment of, pref. neuronal, cells to increase survival, proliferation
 PT and differentiation.
 XX
 PS Claim 16; Page 37-39; 71pp; English.
 XX
 CC A novel human ligand for eph-related kinase (LERK) is designated NLERK2
 CC (AAW10637). It is encoded by a cDNA clone (AAT60966) obtd. from a human
 CC foetal brain cDNA library. The novel receptor ligand can be expressed in
 CC transformed host cells and used in methods for regulating the
 CC development, maintenance or regeneration of different cells (e.g.
 CC neurons) and tissues in vivo and in vitro. Soluble NLERK2 peptides can be
 CC used to treat injury, disease or abnormality in the nervous system, and
 CC membrane-bound NLERK2 to modulate proliferation, different or survival
 CC e.g. in grafting procedures or transplantation. NLERK2 can also be used
 CC to raise antibodies for use in immunotherapy, and to detect anti-NLERK2
 CC antibodies that may occur in some autoimmune diseases
 XX
 SQ Sequence 340 AA;

Query Match 100.0%; Score 1850; DB 2; Length 340;
 Best Local Similarity 100.0%; Pred. No. 1.6e-142;
 Matches 340; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL	60
Db	1	MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL	60
Qy	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY	120
Db	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY	120
Qy	121	SPNLWGHEFRSHHDYIIATSDGTREGLESQGQVCLTRGMKVLLRVGQSPRGGAVPRKP	180
Db	121	SPNLWGHEFRSHHDYIIATSDGTREGLESQGQVCLTRGMKVLLRVGQSPRGGAVPRKP	180
Qy	181	VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL	240
Db	181	VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL	240
Qy	241	GVAGAGGAMCWRRRRRAKPSESRRHPGPGSFGRGGSGLGLGGGGMGPREAEPGELGIALRGG	300
Db	241	GVAGAGGAMCWRRRRRAKPSESRRHPGPGSFGRGGSGLGLGGGGMGPREAEPGELGIALRGG	300
Qy	301	GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIIYKV	340
Db	301	GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIIYKV	340

RESULT 4
 ABU07845
 ID ABU07845 standard; protein; 340 AA.

XX
 AC ABU07845;
 XX
 DT 10-MAY-2003 (first entry)
 XX
 DE Human ephrin-B3 ligand.
 XX
 KW Cytostatic; vasodilator; antiinflammatory; cardiant; gene therapy;
 KW ligand-receptor binding modulator; ephrin ligand; angiogenesis;
 KW lymphangiogenesis; aberrant Ephrin-Tie biology; cell growth disorder;
 KW cell migration disorder; cell proliferation disorder; neovascularisation;
 KW ischaemia; infarction; tissue graft; transplant; human; ephrin-B3;
 KW tie receptor tyrosine kinase; Eph receptor ligand.
 XX
 OS Homo sapiens.
 XX
 PN WO2003004529-A2.
 XX
 PD 16-JAN-2003.
 XX
 PF 02-JUL-2002; 2002WO-IB002524.
 XX
 PR 02-JUL-2001; 2001US-0302960P.
 XX
 PA (LICN) LICENTIA LTD.
 XX
 PI Alitalo K, Kubo H;
 XX
 DR WPI; 2003-210341/20.
 DR N-PSDB; ABX12546.
 XX
 PT Identifying modulators of binding between a Tie receptor tyrosine kinase
 PT and an Ephrin ligand, useful for promoting neovascularization, comprises
 PT contacting a Tie receptor with an Ephrin in the presence of a putative
 PT modulator.
 XX
 PS Disclosure; Page 117-119; 199pp; English.
 XX
 CC The invention describes a method of identifying a modulator of binding
 CC between a Tie receptor tyrosine kinase and an Ephrin ligand. The method
 CC comprises contacting a Tie receptor composition with an Ephrin
 CC composition in the presence and in the absence of a putative modulator
 CC compound, and detecting the binding between Tie receptor and the Ephrin
 CC in the presence and in the absence of the putative modulator. The method
 CC is useful for identifying a modulator of binding between a Tie receptor
 CC tyrosine kinase and an Ephrin ligand. Modulators identified from the
 CC method are useful in modulating angiogenic processes, including
 CC lymphangiogenesis, for treating diseases associated with aberrant Ephrin-
 CC Tie biology, aberrant growth, migration or proliferation of cells that
 CC express a Tie receptor, or for promoting growth of vessel or
 CC neovascularisation (e.g. ischaemic tissue, an infarction, a new or
 CC chronic compound, or a tissue graft or transplant). This is the amino
 CC acid sequence of human Ephrin-B3, a member of the Ephrin-B subclass of
 CC ligands that are bound to the membrane via a transmembrane domain and
 CC short cytoplasmic tail and function as Eph receptor ligands
 XX
 SQ Sequence 340 AA;

Query Match 100.0%; Score 1850; DB 6; Length 340;
 Best Local Similarity 100.0%; Pred. No. 1.6e-142;
 Matches 340; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

Qy      1 MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEAGGYVLYPQIGDRLDL 60
      |||
Db      1 MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEAGGYVLYPQIGDRLDL 60

Qy     61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEY 120
      |||
Db     61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEY 120

Qy    121 SPNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180
      |||
Db    121 SPNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180

Qy    181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
      |||
Db    181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240

Qy    241 GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGS LGLGGGGMGMPREAEPEGELGIALRGG 300
      |||
Db    241 GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGS LGLGGGGMGMPREAEPEGELGIALRGG 300

Qy    301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIIYKV 340
      |||
Db    301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIIYKV 340

```

RESULT 5

AAW17081

ID AAW17081 standard; protein; 340 AA.

XX

AC AAW17081;

XX

DT 09-AUG-1997 (first entry)

XX

DE EPH family ligand Efl-6.

XX

KW Efl-6; Eph; Elk; receptor tyrosine kinase; signal transduction; ligand;

KW neurological disease.

XX

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT Peptide 1. .24

FT /label= Sig_peptide

FT Protein 25. .340

FT /label= Mat_protein

FT Misc-difference 166

FT /label= Gln, Arg

FT Domain 225. .249

FT /label= Transmembrane_domain

XX

PN WO9715667-A1.

XX

PD 01-MAY-1997.
 XX
 PF 25-OCT-1996; 96WO-US017201.
 XX
 PR 25-OCT-1995; 95US-0007015P.
 XX
 PA (REGE-) REGENERON PHARM INC.
 XX
 PI Davis S, Gale NW, Yancopoulos GD;
 XX
 DR WPI; 1997-259021/23.
 DR N-PSDB; AAT69808.
 XX
 PT New nucleic acid encoding Efl-6 ligand protein - used for promoting
 PT growth and proliferation of neuronal cells and in drug screening.
 XX
 PS Claim 2; Fig 1; 36pp; English.
 XX
 CC A novel ligand (AAW17081), designated Efl-6 (or Eph transmembrane
 CC tyrosine kinase family ligand 6), binds to the Elk, Nuk/Cek5, Hek2/Sek4,
 CC Htk and Sek1 receptors on cells. Its amino acid sequence was deduced from
 CC a human frontal cortex cDNA clone (AAT69808). Recombinant Elf-6,
 CC truncated soluble polypeptides comprising the extracellular domain of Elf
 CC -6, and Efl-6 ligandbodies comprising soluble Efl-6 and the Fc portion of
 CC IgG can be expressed in host cells. These can be used to support neuronal
 CC and other Eph receptor-bearing cell populations for treatment of
 CC neurological disorders, in drug screening and to raise diagnostic
 CC antibodies
 XX
 SQ Sequence 340 AA;

Query Match 99.7%; Score 1844; DB 2; Length 340;
 Best Local Similarity 99.7%; Pred. No. 4.8e-142;
 Matches 339; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy	1	MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL	60
Db	1	MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL	60
Qy	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDPDLRLFTIKFQEY	120
Db	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDPDLRLFTIKFQEY	120
Qy	121	SPNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGGA VPRKP	180
Db	121	SPNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLXVGQSPRGGA VPRKP	180
Qy	181	VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL	240
Db	181	VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL	240
Qy	241	GVAGAGGAMCWRRRRRAKPSES RHPGPGSFGRGGS LGLGGGGMGPREAEPGELGIALRGG	300
Db	241	GVAGAGGAMCWRRRRRAKPSES RHPGPGSFGRGGS LGLGGGGMGPREAEPGELGIALRGG	300
Qy	301	GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV	340

RESULT 6

AAW33698

ID AAW33698 standard; protein; 455 AA.

XX

AC AAW33698;

XX

DT 30-APR-1998 (first entry)

XX

DE AL-2-long (AL-21) protein.

XX

KW AL-21; AL-2; AL-2-long; human; treatment; neurological disorder; tumour;

KW rheumatoid arthritis; wound healing; paralysis; angiogenesis; leukaemia;

KW psoriasis; Alzheimer's disease; epilepsy.

XX

OS Homo sapiens.

XX

FH	Key	Location/Qualifiers
----	-----	---------------------

FT	Peptide	1. .26
----	---------	--------

FT		/note= "signal peptide"
----	--	-------------------------

FT	Protein	27. .455
----	---------	----------

FT		/note= "mature protein"
----	--	-------------------------

FT	Domain	27. .219
----	--------	----------

FT		/note= "extracellular domain"
----	--	-------------------------------

FT	Domain	220. .245
----	--------	-----------

FT		/note= "hydrophobic transmembrane domain"
----	--	---

XX

PN WO9740153-A1.

XX

PD 30-OCT-1997.

XX

PF 17-APR-1997; 97WO-US006345.

XX

PR 19-APR-1996; 96US-00635130.

XX

PA (GETH) GENENTECH INC.

XX

PI Caras IW;

XX

DR WPI; 1997-535837/49.

DR N-PSDB; AAV06354.

XX

PT Human AL-2 neurotrophic factor and related DNA - used to develop products

PT for, e.g. treating neurologic disorders, angiogenesis disorders, tumours

PT or rheumatoid arthritis or for wound healing.

XX

PS Claim 20; Fig 1A-C; 86pp; English.

XX

CC This is a AL-2-long (AL-21) protein. The AL-2 is a novel Eph-related
 CC tyrosine kinase receptor ligand. AL-2 can be administered to patients in
 CC whom the nervous system has been damaged by trauma, surgery, stroke,
 CC ischaemia, infection, metabolic disease, nutritional deficiency,
 CC malignancy, or toxic agents, to promote the survival or growth of
 CC neurons. They can be used to treat motoneuron disorders such as
 CC amyotrophic lateral sclerosis (Lou Gehrig's disease), Bell's palsy, and

CC various conditions involving spinal muscular atrophy, or paralysis. AL-2
 CC can be used to treat human neurodegenerative disorders, such as
 CC Alzheimer's disease, Parkinson's disease, epilepsy, demyelinating
 CC diseases such as multiple sclerosis, Huntingtons chorea, Down's syndrome,
 CC nerve deafness, Menier's disease, and other disorders of the cerebellum.
 CC AL-2 can be used as cognitive enhancer, to enhance learning particularly
 CC in dementias or trauma, since they can promote axonal outgrowth and
 CC synaptic plasticity, particularly of hippocampal neurons that express AL-
 CC 2 binding Eph-family receptors and cortical neurons that express AL-2. AL
 CC -2 can also be used for wound healing, i.e. accelerating
 CC neovascularisation of, e.g. burns and ulcers. The encoding nucleic acids
 CC are useful in preparing antibodies that specifically bind to the AL-2
 CC protein. The antibodies and the AL-2 antagonists are useful in diagnosing
 CC and treating various neuronal disorders. AL-2 antagonists can be used for
 CC modulating angiogenesis. They can also be used for the treatment of
 CC tumours, acute myeloid leukaemia (AML), chronic myeloid leukaemia (CML),
 CC myelodysplastic syndrome (MDS), diabetic retinopathy, neovascular
 CC glaucoma, psoriasis and rheumatoid arthritis
 XX
 SQ Sequence 455 AA;

Query Match 99.5%; Score 1841; DB 2; Length 455;
 Best Local Similarity 100.0%; Pred. No. 1.2e-141;
 Matches 338; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1 MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60

 Qy 61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY 120
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY 120

 Qy 121 SPNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 121 SPNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180

 Qy 181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240

 Qy 241 GVAGAGGAMCWRRRRRAKPSES RHPGPGSFGRGGS LGLGGGGMGPREAEPGELGIALRGG 300
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 241 GVAGAGGAMCWRRRRRAKPSES RHPGPGSFGRGGS LGLGGGGMGPREAEPGELGIALRGG 300

 Qy 301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIIY 338
 ||||||||||||||||||||||||||||||||||||||||
 Db 301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIIY 338

RESULT 7
 AAW46615
 ID AAW46615 standard; protein; 340 AA.
 XX
 AC AAW46615;
 XX
 DT 06-JUL-1998 (first entry)

XX
DE Human transmembrane ligand Elk-L3.
XX
KW Elk-L3; Elk-related receptor tyrosine kinase; transmembrane ligand;
KW human; signal transduction; axonogenesis; nerve cell; neurone;
KW Alzheimer's disease; Parkinson's disease; Huntingdon's disease;
KW demyelination; multiple sclerosis; amyotrophic lateral sclerosis;
KW nervous system infection; Wernicke's disease; trauma; ischaemia; stroke;
KW nutritional polyneuropathy; progressive supranuclear palsy;
KW Shy Drager's syndrome; multistem degeneration;
KW olivo ponto cerebellar atrophy, peripheral nerve damage.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT Misc-difference 166
FT /label= Gln, Arg
FT Domain 225. .249
FT /note= "transmembrane domain"
XX
PN WO9801548-A1.
XX
PD 15-JAN-1998.
XX
PF 04-JUL-1997; 97WO-CA000473.
XX
PR 05-JUL-1996; 96US-0021272P.
XX
PA (MOUN) MOUNT SINAI HOSPITAL CORP.
XX
PI Holland S, Mbamalu G, Pawson T;
XX
DR WPI; 1998-101047/09.
DR N-PSDB; AAV16097.
XX
PT Modulating transmembrane ligand for an Elk-related receptor tyrosine
PT kinase - by formation of a complex between an oligomerised Elk-related
PT receptor tyrosine kinase and a transmembrane ligand.
XX
PS Disclosure; Fig 5A; 40pp; English.
XX
CC This polypeptide comprises human Elk-L3, a transmembrane ligand of Elk-
CC related receptor tyrosine kinase (ERRTK). A novel method of modulating
CC the biological activity of, or for affecting a pathway regulated by, a
CC transmembrane ligand for an ERRTK in a cell expressing the transmembrane
CC ligand comprises forming a complex between a purified and isolated
CC oligomerised ERRTK, or an isoform or an extracellular domain of the
CC ERRTK, and the transmembrane ligand expressed on the cell. The complex
CC can also be used for evaluating a substance for its ability to modulate
CC the biological activity of a transmembrane ligand for an ERRTK, and to
CC identify substances that affect or modulate a pathway regulated by a
CC ERRTK. A purified and isolated oligomerised ERRTK can be used in the
CC preparation of a medicament for modulating neuronal development or
CC regeneration in a subject, or in a medicament for modulating axonogenesis
CC in a subject (all claimed). The substances identified by the methods can
CC be used to modulate axonogenesis, nerve cell interactions and
CC regeneration, to treat diseases and conditions involving trauma and

CC injury to the nervous system, such as Alzheimer's disease, Parkinson's
 CC disease, Huntingdon's disease, demyelinating diseases, such as multiple
 CC sclerosis, amyotrophic lateral sclerosis, bacterial and viral infections
 CC of the nervous system, deficiency diseases, such as Wernicke's disease
 CC and nutritional polyneuropathy, progressive supranuclear palsy, Shy
 CC Drager's syndrome, multistem degeneration and olivo ponto cerebellar
 CC atrophy, peripheral nerve damage, trauma, and ischaemia resulting from
 CC stroke
 XX
 SQ Sequence 340 AA;

Query Match 99.2%; Score 1836; DB 2; Length 340;
 Best Local Similarity 99.4%; Pred. No. 2.2e-141;
 Matches 338; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy	1	MGPPHSGPGGVRVGALLLLGLVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL	60
Db	1	MGPPHSGPGGVRVGALLLLGLVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL	60
Qy	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEY	120
Db	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEY	120
Qy	121	SPNLWGHEFRSHHDYIIATSDGTREGLESQGQVCLTRGMKVLLRVGQSPRGGAVPRKP	180
Db	121	SPNLWGHEFRSHHDYIIATSDGTREGLESQGQVCLTRGMKVLLXVGQSPRGGAVPRKP	180
Qy	181	VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL	240
Db	181	VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL	240
Qy	241	GVAGAGGAMCWRRRRRAKPSESRRHPGPGSFGRGGSGLGLGGGGMGPREAEPGELGIALRGG	300
Db	241	GVAGAGGAMCWRRRRRAKPSESRRHPGPGSFGRGGSGLGLGGGGMGPREAEPGELGIALRGG	300
Qy	301	GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIIYKV	340
Db	301	GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPQNIYKV	340

RESULT 8

ABU07846

ID ABU07846 standard; protein; 340 AA.

XX

AC ABU07846;

XX

DT 10-MAY-2003 (first entry)

XX

DE Mouse ephrin-B3 ligand.

XX

KW Cytostatic; vasodilator; antiinflammatory; cardiant; gene therapy;

KW ligand-receptor binding modulator; ephrin ligand; angiogenesis;

KW lymphangiogenesis; aberrant Ephrin-Tie biology; cell growth disorder;

KW cell migration disorder; cell proliferation disorder; neovascularisation;

KW ischaemia; infarction; tissue graft; transplant; mouse; ephrin-B3;

KW tie receptor tyrosine kinase; Eph receptor ligand.

XX

OS Mus musculus.
 XX
 PN WO2003004529-A2.
 XX
 PD 16-JAN-2003.
 XX
 PF 02-JUL-2002; 2002WO-IB002524.
 XX
 PR 02-JUL-2001; 2001US-0302960P.
 XX
 PA (LICN) LICENTIA LTD.
 XX
 PI Alitalo K, Kubo H;
 XX
 DR WPI; 2003-210341/20.
 DR N-PSDB; ABX12547.
 XX
 PT Identifying modulators of binding between a Tie receptor tyrosine kinase
 PT and an Ephrin ligand, useful for promoting neovascularization, comprises
 PT contacting a Tie receptor with an Ephrin in the presence of a putative
 PT modulator.
 XX
 PS Disclosure; Page 121-122; 199pp; English.
 XX
 CC The invention describes a method of identifying a modulator of binding
 CC between a Tie receptor tyrosine kinase and an Ephrin ligand. The method
 CC comprises contacting a Tie receptor composition with an Ephrin
 CC composition in the presence and in the absence of a putative modulator
 CC compound, and detecting the binding between Tie receptor and the Ephrin
 CC in the presence and in the absence of the putative modulator. The method
 CC is useful for identifying a modulator of binding between a Tie receptor
 CC tyrosine kinase and an Ephrin ligand. Modulators identified from the
 CC method are useful in modulating angiogenic processes, including
 CC lymphangiogenesis, for treating diseases associated with aberrant Ephrin-
 CC Tie biology, aberrant growth, migration or proliferation of cells that
 CC express a Tie receptor, or for promoting growth of vessel or
 CC neovascularisation (e.g. ischaemic tissue, an infarction, a new or
 CC chronic compound, or a tissue graft or transplant). This is the amino
 CC acid sequence of mouse Ephrin-B3, a member of the Ephrin-B subclass of
 CC ligands that are bound to the membrane via a transmembrane domain and
 CC short cytoplasmic tail and function as Eph receptor ligands
 XX
 SQ Sequence 340 AA;

Query Match 96.2%; Score 1780; DB 6; Length 340;
 Best Local Similarity 95.6%; Pred. No. 8e-137;
 Matches 325; Conservative 7; Mismatches 8; Indels 0; Gaps 0;

Qy	1	MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL	60
		:	
Db	1	MGAPHFGPGGVQVGALLLLGFAGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL	60
Qy	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCAPPAPNLLLTCDRDLRFTIKFQEY	120
		:	
Db	61	LCPRARPPGPHSSPSYEFYKLYLVEGAQGRRCAPPAPNLLLTCDRDLRFTIKFQEY	120
Qy	121	SPNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGGA VPRKP	180

PT receptor, e.g. to prevent or treat tumour formation.

XX

PS Claim 6; Fig 1A-B; 50pp; English.

XX

CC Mouse Eph receptor ligand ELF-2 (AAW00287) is strongly expressed in the
CC anterior hindbrain and newly-forming somites of embryos at the early
CC organogenesis stage of development. It is important in cellular
CC communication during pattern formation. Its amino acid sequence was
CC deduced from a cDNA clone (AAT40230) isolated from a newborn mouse brain
CC cDNA library. The ELF-2 ligand can be used to alter neurological
CC development, oncogenesis and growth regulation, to modulate binding of
CC ELF-2 to the Eph receptor, and in diagnostic assays

XX

SQ Sequence 334 AA;

Query Match 34.5%; Score 637.5; DB 2; Length 334;
Best Local Similarity 42.1%; Pred. No. 1.2e-43;
Matches 139; Conservative 49; Mismatches 129; Indels 13; Gaps 5;

Qy 14 GALLLLGLVGLVSGLSLEPVYWNSSANKRFQAEAGGYVLYPQIGDRDLCLCPRARPPGPHSS 73
| |::| : : |||:||||:| :| | | | | | | | | | | | : : :
Db 15 GLLMVLCRTAISRSIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 71

Qy 74 PNYEFYKLYLVGGAQGRRCCEAPPAPNLLLLTCDRPDLDLRFTIKFQEYSPNLWGHEFRSHH 133
| |::|:|:| | | | | | | | | | | | | | | | | | | | : :
Db 72 GQYEYKVMVDKQADRCTIKKENTPLLNCRPDQDVKFTIKFQEFSPNLWGLEFQKNK 131

Qy 134 DYYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
| | | | | : | | : | | | : : | | | | | | | | | | | | : |
Db 132 DYYIIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSARNHGPTRRPELEAGTN 191

Qy 191 GAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
| : : | : | | : : : | : : | | | | : : : : :
Db 192 GRSSTTSFVKPNPGSSSTDGNSAGHSGNNLLGSEVALFAGIASGCIIFIVIIITLVVLLL 251

Qy 251 WRRRRRAKPSESRRHPGPGSFGRRGSLGLGGGGMGPREAEPGELGIALRGGGAADPPFCPH 310
| | | : : | : | : | | : | | : | | : | | | | | |
Db 252 KYRRRRHRKHSPQHHTTTLSTLATPKRGGNN---NGSEPSDVIPLR---TADSVFCPH 304

Qy 311 YEKVS GDYGHVPVYIVQDGPQSPPNIIYKV 340
| | | | | | | | | | | : | | | | | | | | | |
Db 305 YEKVS GDYGHVPVYIVQEMPPQSPANIYKV 334

RESULT 10

AAR92742

ID AAR92742 standard; protein; 336 AA.

XX

AC AAR92742;

XX

DT 21-MAY-1996 (first entry)

XX

DE Murine hepatoma transmembrane kinase receptor ligand.

XX

KW Hepatoma transmembrane kinase; Htk; receptor; ligand; tyrosine kinase;

KW neurodegenerative disease.

XX

OS Mus musculus.
 XX
 PN WO9602645-A2.
 XX
 PD 01-FEB-1996.
 XX
 PF 14-JUL-1995; 95WO-US008812.
 XX
 PR 20-JUL-1994; 94US-00277722.
 XX
 PA (GETH) GENENTECH INC.
 XX
 PI Bennett BD, Matthews W;
 XX
 DR WPI; 1996-105907/11.
 DR N-PSDB; AAT16470.
 XX
 PT Ligand for the hepatoma trans-membrane kinase receptor - useful for
 PT stimulating and inhibiting cells carrying the receptor, e.g. for treating
 PT neuro-degenerative disease.
 XX
 PS Claim 5; Fig 1(A-D); 88pp; English.
 XX
 CC Mouse (AAT16470) and human (AAT16471) Htk ligand which bind to, and
 CC activate, the Htk receptor, have been identified in a variety of tissues
 CC using a soluble Htk-Fc fusion protein. The predicted mol.wt. of the
 CC murine Htk ligand protein following a signal peptide cleavage is 34 kD
 CC with an estimated pI of 8.9. The murine and human ligands show 96%
 CC homology at the amino acid level. The DNA is used to produce recombinant
 CC ligands; for tissue- specific typing (partic. as a marker for breast
 CC cancer) and as a marker for human chromosome 13. The ligands (partic. in
 CC soluble form) are used to activate the tyrosine kinase domain of the Htk
 CC receptor, i.e. to stimulate or inhibit growth, differentiation, and/or
 CC activation of cells contg. the receptor, e.g. treatment of
 CC neurodegenerative diseases, since they are strongly expressed in the
 CC cerebral cortex, hippocampus, striatum and cerebellum. The ligands are
 CC also useful as a control or standard in assays, for generation of
 CC antibodies, as a mol. wt. marker, for growth in vitro of Htk-receptor
 CC positive cells, as research agent, in screening, etc
 XX
 SQ Sequence 336 AA;

Query Match 34.5%; Score 637.5; DB 2; Length 336;
 Best Local Similarity 42.1%; Pred. No. 1.2e-43;
 Matches 139; Conservative 49; Mismatches 129; Indels 13; Gaps 5;

QY 14 GALLLLGVGLVSGLSLEPVYWNSANKRFQAEAGGYVLYPQIGDRDLLCPRARPPGPHSS 73
 | |::| : : ||:||||:| :| | |||||:|::|: :
 Db 17 GLLMVLCRTAISRSIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 73
 QY 74 PNYEFYKLYLVGGAQGRRCEAPPAPNLLTCDRPDLRLFTIKFQEYSPNLWGHEFRSHH 133
 ||:|:|:| | || || | || |::|:|||||:|||| |:: :
 Db 74 GQYEYYKVYMKDKDQADRCTIKKENTPLNCPARPDQDVKFTIKFQEFSPNLWGLEFQKNK 133
 QY 134 DYYIIATSDGTREGLESQGQVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
 ||||:|:|:| ||:: :||| || |:::|:| | | | :|
 Db 134 DYYIISTNGSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSARNHGPTRRPELEAGTN 193

Qy 191 GAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
 | : : | : || | : : : | : || | : : : :
 Db 194 GRSSTTSPFVKPNPGSSTDGNSAGHSGNNLLGSEVALFAGIASGCIIFIVIIITLVLLLL 253
 Qy 251 WRRRRRAKPSESRHPGPGSFGRGGSLLGLGGGGMGPREAEPGELGIALRGGGAADPPFCPH 310
 ||| : :| | : || :|| :| || || |||
 Db 254 KYRRRHRKHSPQHTTTLSLSTLATPKRGGNN----NGSEPSDVIIPLR---TADSVFCPH 306
 Qy 311 YEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
 ||||| : |||| |||||
 Db 307 YEKVSGDYGHPVYIVQEMPPQSPANIYYKV 336

RESULT 11

ABU07844

ID ABU07844 standard; protein; 336 AA.

XX

AC ABU07844;

XX

DT 10-MAY-2003 (first entry)

XX

DE Mouse ephrin-B2 ligand.

XX

KW Cytostatic; vasodilator; antiinflammatory; cardiant; gene therapy;

KW ligand-receptor binding modulator; ephrin ligand; angiogenesis;

KW lymphangiogenesis; aberrant Ephrin-Tie biology; cell growth disorder;

KW cell migration disorder; cell proliferation disorder; neovascularisation;

KW ischaemia; infarction; tissue graft; transplant; mouse; ephrin-B2;

KW tie receptor tyrosine kinase; Eph receptor ligand.

XX

OS Mus musculus.

XX

PN WO2003004529-A2.

XX

PD 16-JAN-2003.

XX

PF 02-JUL-2002; 2002WO-IB002524.

XX

PR 02-JUL-2001; 2001US-0302960P.

XX

PA (LICN) LICENTIA LTD.

XX

PI Alitalo K, Kubo H;

XX

DR WPI; 2003-210341/20.

DR N-PSDB; ABX12545.

XX

PT Identifying modulators of binding between a Tie receptor tyrosine kinase

PT and an Ephrin ligand, useful for promoting neovascularization, comprises

PT contacting a Tie receptor with an Ephrin in the presence of a putative

PT modulator.

XX

PS Example 1; Page 113-114; 199pp; English.

XX

CC The invention describes a method of identifying a modulator of binding

CC between a Tie receptor tyrosine kinase and an Ephrin ligand. The method

XX
KW Vectors; elk-L protein; elk; ligands; cell growth; differentiation.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT Peptide 1. .24
FT /note= "signal peptide"
FT Protein 25. .346
FT /note= "mature elk-L protein"
XX
PN WO9411384-A1.
XX
PD 26-MAY-1994.
XX
PF 15-NOV-1993; 93WO-US010955.
XX
PR 13-NOV-1992; 92US-00977693.
XX
PA (IMMV) IMMUNEX CORP.
XX
PI Lyman S, Beckmann MP, Baum PR;
XX
DR WPI; 1994-183415/22.
DR N-PSDB; AAQ65486.
XX
PT New DNA encoding ligand for elk tyrosine kinase receptor - also related
PT polypeptides, vectors, antibodies and probes, useful e.g. in studying
PT cell differentiation or growth.
XX
PS Claim 7; Page 30; 35pp; English.
XX
CC The sequence is that of the elk-L protein able to bind elk, a tyrosine
CC kinase receptor. The DNA may be incorporated into vectors which can used
CC to study the role of elk and its ligands in cell growth and
CC differentiation. (Updated on 25-MAR-2003 to correct PN field.)
XX
SQ Sequence 346 AA;

Query Match 34.2%; Score 632; DB 2; Length 346;
Best Local Similarity 39.5%; Pred. No. 3.4e-43;
Matches 145; Conservative 48; Mismatches 116; Indels 58; Gaps 9;

QY 8 PGGVRVGALLLLGVLGLVSGL-----SLEPVYWNSANKRFQAEAGGYVLYPQIGDRDL 61
|| :| |: |: : | :||| |:| |:| :| |:|:|:|:|:|:
Db 4 PGQRWLKGWLVMVWALCRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDII 63
QY 62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLRLRFTIKFQEYS 121
|||| | ||:||||| | | ||:|:|:|:|:|:|:|:|:|:
Db 64 CPRAEAGRP-----YEYYKLYLVRPEQAAACSTVLDPNVLVTCNRPEQEIRFTIKFQEFS 118
QY 122 PNLWGHEFRSHHDYIIATSDGTRREGLESIQGGVCLTRGMKVLLRVGQSPRGGAVPRKPV 181
|| | |: ||||| |:|:|: ||||: :||| || ||:|:|:|:|:|:
Db 119 PNYMGLEFKKHHDYITSTSNGLSLEGLNREGGVCRTTRMKIIMKVGQDPNAVTPQEQLTT 178
QY 182 SEMPMERDRGAAHSLE-PGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLA---- 236
| | | : : || || : | | ||:|:|:

```

Db      179 SRPSKEADNTVKMATQAPGSRGSLGSDGKHETVNQEEKSGP-----GASGGSSGDPD 231
Qy      237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSESRRHPGPGSFGRGGSLLGL 277
      : |   |||   : | : | | : :   | : | |
Db      232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLLLLKLRKRHRKHTQQ-----RAAALSL 282
Qy      278 ----GGGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
      || |   || : : | ||   : : ||||| ||||| ||||| : |||||
Db      283 STLASPKGGSGTAGTEPSDIIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSP 339
Qy      334 PNIYYKV 340
      |||||
Db      340 ANIYYKV 346

```

RESULT 13

AAR91930

ID AAR91930 standard; protein; 346 AA.

XX

AC AAR91930;

XX

DT 25-MAR-2003 (revised)

DT 11-DEC-1996 (first entry)

XX

DE Human cytokine elk-ligand (elk-L).

XX

KW Human; cytokine; elk-ligand; elk-L; tyrosine kinase receptor;

KW neurotrophic; neuroprotective; placenta; radiolabelled probe; treatment;

KW neural tissue; excito-toxicity; injury; disorder; neural culture reagent;

KW immunogenic fragment; antibody.

XX

OS Homo sapiens.

XX

FH	Key	Location/Qualifiers
----	-----	---------------------

FT	Peptide	1. .24
----	---------	--------

FT		/label= sig_peptide
----	--	---------------------

FT	Peptide	25. .346
----	---------	----------

FT		/label= mat_peptide
----	--	---------------------

XX

PN US5512457-A.

XX

PD 30-APR-1996.

XX

PF 15-MAR-1994; 94US-00213403.

XX

PR 13-NOV-1992; 92US-00977693.

XX

PA (IMMV) IMMUNEX CORP.

XX

PI Carpenter MK, Lyman S, Beckmann MP, Baum PR;

XX

DR WPI; 1996-229866/23.

DR N-PSDB; AAT28770.

XX

PT DNA coding for neurotrophic human elk ligand cytokine - useful as probe

PT to isolate other elk ligand sequences.

XX

DE Human elk ligand protien.

XX

KW Human; elk; ligand; elk-L; cytokine; testing; measuring; purification;
KW neuroprotection; treatment; diabetic; hereditary; nutritional;
KW neuropathy; neurodegenerative disease; tissue culture.

XX

OS Homo sapiens.

XX

FH	Key	Location/Qualifiers
FT	Peptide	1. .24
FT		/label= sig_peptide
FT	Peptide	25. .346
FT		/label= mat_peptide

XX

PN US5627267-A.

XX

PD 06-MAY-1997.

XX

PF 01-JUN-1995; 95US-00458077.

XX

PR 13-NOV-1992; 92US-00977693.

PR 15-MAR-1994; 94US-00213403.

XX

PA (IMMV) IMMUNEX CORP.

XX

PI Beckmann MP, Lyman S, Baum PR;

XX

DR WPI; 1997-271366/24.

DR N-PSDB; AAT69766.

XX

PT Human elk ligand protein - for diagnostic or therapeutic use, e.g. as
PT neuro-protective agent.

XX

PS Claim 1; Col 29-32; 18pp; English.

XX

CC The present sequence is a human elk ligand (elk-L) protein, which binds
CC elk, has a calculated molecular weight of 35180 and an isoelectric point
CC of 9.006. Elk-L is a cytokine that can be used to test cells for elk
CC expression, measure the biological activity of elk, purify elk by
CC affinity chromatography and as a neuroprotective agent to treat diabetic,
CC hereditary and nutritional neuropathies and neurodegenerative diseases.
CC It may also be added to tissue cultures to prolong the life of neurons.
CC The elk-L cDNA was isolated from a human placental cDNA library, and is
CC present as a cDNA insert in the recombinant vector deposited in strain
CC ATCC 69085. (Updated on 25-MAR-2003 to correct PF field.)

XX

SQ Sequence 346 AA;

Query Match 34.2%; Score 632; DB 2; Length 346;

Best Local Similarity 39.5%; Pred. No. 3.4e-43;

Matches 145; Conservative 48; Mismatches 116; Indels 58; Gaps 9;

Qy 8 PGGVRVVGALLLLGVLGLVSGL-----SLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLL 61

Db 4 PGQRWLKGKWLVMVWALCRLATPLAKNLEPVSWSLNPKEFLSGKGLVIYPKIGDKLDII 63

Qy 62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRRCCEAPPAPNLLLTCDRPDLRLFTIKFQEYS 121


```

Db          64 CPRAEAGRP-----YEYYKLYLVRPEQAAACSTVLDPNVLVTCNRPEQEIRFTIKFQEFS 118
Qy          122 PNLWGHEFRSHHDYIIATSDGTREGLESLOGGVCLTRGMKVLLRVGQSPRGGA VPRKPV 181
Db          119 PNYMGLEFKKHHYITSTSNGLSLEGLNREGGVCRTTRTMKIIMKVGQDPNAVTP EQLT 178
Qy          182 SEMP MERDRGAAHSLE-PGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLA---- 236
Db          179 SRPSKEADNTVKMATQAPGSRGSLGSDSGKHETV NQEEKSGP-----GASGGSSGDPD 231
Qy          237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSES RHPGPGSFGRGGS LGL 277
Db          232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLL LKLRKRHRKHTQQ-----RAAALSL 282
Qy          278 ----GGGGGMGPRAEPEGELGIALRGGGAADPPFCPHYEKVSGDYGHVPVYIVQDGPPQSP 333
Db          283 STLASPKGGSGTAGTEPSDIIPLR---TTENNYCPHYEKVSGDYGHVPVYIVQEMP PQSP 339
Qy          334 PNIYYKV 340
Db          340 ANIYYKV 346

```

RESULT 15

AAW36055

ID AAW36055 standard; protein; 346 AA.

XX

AC AAW36055;

XX

DT 06-MAR-1998 (first entry)

XX

DE Human elk-L protein.

XX

KW Human; elk-L; cytokine; ligand; tyrosine kinase receptor; fusion protein;
 KW extracellular domain; immunoglobulin; neurological disease.

XX

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT Peptide 1. .24

FT /note= "signal peptide"

FT Protein 25. .346

FT /note= "mature protein"

FT Domain 25. .237

FT /note= "extracellular domain; this region is used to
 FT generate a fusion protein with the Fc portion of the
 FT human immunoglobulin G1"

FT Modified-site 139. .141

FT /note= "Asn is N-glycosylated"

FT Domain 238. .265

FT /note= "transmembrane domain"

FT Domain 266. .346

FT /note= "intracellular domain"

FT Cleavage-site 266. .267

FT /note= "KEX2 protease cleavage site"

FT Cleavage-site 267. .268

Qy 237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSES RHPGPGSFGRGGS LGL 277
: | | | : | : | : | : |
Db 232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLLLKLRLK RHRKHTQQ-----RAAALSL 282
Qy 278 ----GGGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
| | | | : : | | : : | | | | | | | | | | : | | | |
Db 283 STLASPKGSGTAGTEPSDIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSP 339
Qy 334 PNIYYKV 340
| | | | |
Db 340 ANIYYKV 346

Search completed: April 13, 2004, 09:24:16
Job time : 44.6226 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: April 13, 2004, 09:22:18 ; Search time 24.3774 Seconds
(without alignments)
720.046 Million cell updates/sec

Title: US-10-021-121-4
Perfect score: 1850
Sequence: 1 MGPPHSGPGGVRVGALLLG.....PVYIVQDGPPQSPPNIYYKV 340

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 389414 seqs, 51625971 residues

Total number of hits satisfying chosen parameters: 389414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query		DB	ID	Description
		Match	Length			
1	1846	99.8	340	4	US-09-214-631-3	Sequence 3, Appli
2	1844	99.7	340	4	US-09-051-994-2	Sequence 2, Appli
3	637.5	34.5	336	1	US-08-436-044-2	Sequence 2, Appli
4	637.5	34.5	336	2	US-08-436-054-2	Sequence 2, Appli
5	637.5	34.5	336	5	PCT-US95-08812-2	Sequence 2, Appli
6	632	34.2	346	1	US-08-213-403-2	Sequence 2, Appli
7	632	34.2	346	1	US-08-458-077-2	Sequence 2, Appli
8	632	34.2	346	1	US-08-460-741-2	Sequence 2, Appli
9	632	34.2	346	1	US-08-747-240-2	Sequence 2, Appli
10	632	34.2	346	1	US-08-299-567-6	Sequence 6, Appli
11	632	34.2	346	4	US-09-039-642B-2	Sequence 2, Appli

12	629.5	34.0	333	1	US-08-436-044-4	Sequence 4, Appli
13	629.5	34.0	333	2	US-08-436-054-4	Sequence 4, Appli
14	629.5	34.0	333	4	US-08-271-948-2	Sequence 2, Appli
15	629.5	34.0	333	4	US-08-739-333-2	Sequence 2, Appli
16	629.5	34.0	333	4	US-09-754-105-2	Sequence 2, Appli
17	629.5	34.0	333	4	US-09-978-339-2	Sequence 2, Appli
18	629.5	34.0	333	5	PCT-US95-08534-2	Sequence 2, Appli
19	629.5	34.0	333	5	PCT-US95-08812-4	Sequence 4, Appli
20	622.5	33.6	333	4	US-09-214-631-4	Sequence 4, Appli
21	608.5	32.9	345	4	US-09-214-631-5	Sequence 5, Appli
22	498	26.9	89	4	US-09-214-631-13	Sequence 13, Appl
23	201	10.9	82	4	US-09-214-631-11	Sequence 11, Appl
24	200.5	10.8	82	4	US-09-214-631-12	Sequence 12, Appl
25	179	9.7	234	1	US-08-299-567-5	Sequence 5, Appli
26	179	9.7	238	1	US-08-240-124-2	Sequence 2, Appli
27	179	9.7	238	1	US-08-453-943-2	Sequence 2, Appli
28	179	9.7	238	2	US-09-057-121-2	Sequence 2, Appli
29	179	9.7	238	3	US-09-358-734-2	Sequence 2, Appli
30	176.5	9.5	135	1	US-08-299-567-7	Sequence 7, Appli
31	176	9.5	184	1	US-09-609-324A-2	Sequence 2, Appli
32	176	9.5	184	2	US-08-920-440B-2	Sequence 2, Appli
33	176	9.5	184	3	US-09-173-492-2	Sequence 2, Appli
34	176	9.5	184	3	US-09-173-133-2	Sequence 2, Appli
35	176	9.5	184	3	US-09-165-533-2	Sequence 2, Appli
36	176	9.5	184	4	US-09-580-236A-2	Sequence 2, Appli
37	176	9.5	184	5	PCT-US95-12779-2	Sequence 2, Appli
38	176	9.5	184	5	PCT-US95-15781-2	Sequence 2, Appli
39	176	9.5	209	1	US-08-455-001-2	Sequence 2, Appli
40	176	9.5	209	3	US-08-308-814-2	Sequence 2, Appli
41	176	9.5	209	5	PCT-US95-11869-2	Sequence 2, Appli
42	175.5	9.5	213	1	US-09-609-324A-10	Sequence 10, Appl
43	175.5	9.5	213	2	US-08-920-440B-10	Sequence 10, Appl
44	175.5	9.5	213	3	US-09-173-492-10	Sequence 10, Appl
45	175.5	9.5	213	3	US-09-173-133-10	Sequence 10, Appl

ALIGNMENTS

RESULT 1

US-09-214-631-3

; Sequence 3, Application US/09214631

; Patent No. 6413730

; GENERAL INFORMATION:

; APPLICANT: Holland, Sacha

; APPLICANT: Mbamalu, Geraldine

; APPLICANT: Pawson, Tony

; TITLE OF INVENTION: OLIGOMERIZED RECEPTORS WHICH AFFECT PATHWAYS REGULATED

; TITLE OF INVENTION: BY TRANSMEMBRANE LIGANDS FOR ELK-RELATED RECEPTOR

; TITLE OF INVENTION: TYROSINE KINASES

; FILE REFERENCE: 11757.23USWO

; CURRENT APPLICATION NUMBER: US/09/214,631

; CURRENT FILING DATE: 1999-03-12

; EARLIER APPLICATION NUMBER: PCT/CA97/00473

; EARLIER FILING DATE: 1997-07-04

; EARLIER APPLICATION NUMBER: 60/021,272

; EARLIER FILING DATE: 1996-07-05

; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 3
; LENGTH: 340
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-214-631-3

Query Match 99.8%; Score 1846; DB 4; Length 340;
Best Local Similarity 99.7%; Pred. No. 2.2e-146;
Matches 339; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```
Qy      1 MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60

Qy     61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEY 120
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEY 120

Qy    121 SPNLWGHEFRSHHDYIIATSDGTREGLESQGQGVCLTRGMKVLLRVGQSPRGGA VPRKP 180
        ||||||||||||||||||||||||||||||||||||||||||||:|||||||
Db    121 SPNLWGHEFRSHHDYIIATSDGTREGLESQGQGVCLTRGMKVLLQVGQSPRGGA VPRKP 180

Qy    181 VSEMPMERDRGAAHSLEPGKENLPGDPTS NATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 VSEMPMERDRGAAHSLEPGKENLPGDPTS NATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240

Qy    241 GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGS LGLGGGGMGMPREAE PGELGIALRGG 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGS LGLGGGGMGMPREAE PGELGIALRGG 300

Qy    301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
        ||||||||||||||||||||||||||||||||||||||||
Db    301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
```

RESULT 2

US-09-051-994-2

; Sequence 2, Application US/09051994A
; Patent No. 6602683
; GENERAL INFORMATION:
; APPLICANT: REGENERON PHARMACEUTICALS, INC.
; TITLE OF INVENTION: BIOLOGICALLY ACTIVE EPH FAMILY LIGANDS
; FILE REFERENCE: REG-341-PCT-US
; CURRENT APPLICATION NUMBER: US/09/051,994A
; CURRENT FILING DATE: 1998-04-24
; EARLIER APPLICATION NUMBER: PCT/US96/17201
; EARLIER FILING DATE: 1996-10-25
; EARLIER APPLICATION NUMBER: 60/007,015
; EARLIER FILING DATE: 1995-10-25
; NUMBER OF SEQ ID NOS: 3
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 340
; TYPE: PRT
; ORGANISM: Homo sapiens

```
; FEATURE:
; NAME/KEY: site
; LOCATION: (166)
; OTHER INFORMATION: Xaa=Arg or Gln
US-09-051-994-2
```

```
Query Match          99.7%; Score 1844; DB 4; Length 340;
Best Local Similarity 99.7%; Pred. No. 3.3e-146;
Matches 339; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
```

```
Qy      1 MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60
        |||
Db      1 MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60

Qy     61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY 120
        |||
Db     61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY 120

Qy    121 SPNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180
        |||
Db    121 SPNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLXVGQSPRGGAVPRKP 180

Qy    181 VSEMPMERDRGAAHSLEPGKENLPGDPTS NATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
        |||
Db    181 VSEMPMERDRGAAHSLEPGKENLPGDPTS NATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240

Qy    241 GVAGAGGAMCWRRRRRAKPSES RHPGPGSFGRGGS LGLGGGGMGMPREAE PGELGIALRGG 300
        |||
Db    241 GVAGAGGAMCWRRRRRAKPSES RHPGPGSFGRGGS LGLGGGGMGMPREAE PGELGIALRGG 300

Qy    301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
        |||
Db    301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
```

RESULT 3

US-08-436-044-2

; Sequence 2, Application US/08436044

; Patent No. 5624899

; GENERAL INFORMATION:

; APPLICANT: Bennett, Brian D.

; APPLICANT: Matthews, William

; TITLE OF INVENTION: HTK LIGAND

; NUMBER OF SEQUENCES: 7

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Genentech, Inc.

; STREET: 460 Point San Bruno Blvd

; CITY: South San Francisco

; STATE: California

; COUNTRY: USA

; ZIP: 94080

; COMPUTER READABLE FORM:

; MEDIUM TYPE: 5.25 inch, 360 Kb floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: patin (Genentech)

; CURRENT APPLICATION DATA:

```

; APPLICATION NUMBER: US/08/436,044
; FILING DATE: 05-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/277722
; FILING DATE: 20-JUL-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Lee, Wendy M.
; REGISTRATION NUMBER: 00,000
; REFERENCE/DOCKET NUMBER: 902D3
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415/225-1994
; TELEFAX: 415/952-9881
; TELEX: 910/371-7168
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 336 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
US-08-436-044-2

```

```

Query Match          34.5%; Score 637.5; DB 1; Length 336;
Best Local Similarity 42.1%; Pred. No. 1.7e-45;
Matches 139; Conservative 49; Mismatches 129; Indels 13; Gaps 5;

```

```

Qy      14 GALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLLCPRARPPGPHSS 73
      | |::| : : |||:||||:| :| | |||||:|::||: :
Db      17 GLLMVLCRTAISRSIVLEPIYWNSSNSKFLPGQGVLVLYPQIGDKLDIICPKV---DSKTV 73

Qy      74 PNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLRLRFTIKFQEYSPNLWGHEFRSHH 133
      ||::||:| | || || | || |::|:|||||:||||| ||: :
Db      74 GQYEYKVMVDKDDQADRCTIKKENTPLLNCARPDQDVKFTIKFQEFSPNLWGLEFQKNK 133

Qy     134 DYYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
      |||||:|:|: |||: :||| || ||:|:| || | | | :|
Db     134 DYYIISTSNGLGLDNQEGGVCQTRAMKILMKVGQDASSAGSARNHGPTRRPELEAGTN 193

Qy     191 GAAHSLEPGKENLPGDPTSNATSRGAEGPLPPSPMPAVAGAAGGLALLLLGVAGAGGAMC 250
      | : : | : || | :: : | : || | : :: : :
Db     194 GRSSTTSPFVKPNPGSSTDGNSAGHSGNNLLGSEVALFAGIASGCIIFIVIIITLVVLLL 253

Qy     251 WRRRRRAKPSESRHPGPSFGRGGSGLGSGGGMGMPREAEPEGELGIALRGGGAADPPFCPH 310
      ||| : :| | : || :|| :: | || || |||
Db     254 KYRRRHRKHSPQHHTTTLSTLATPKRGNN----NGSEPSDVIIPLR---TADSVFCPH 306

Qy     311 YEKVSGDYGHPVYIVQDGPPQSPPNIIYKV 340
      |||||:|||||: |||| |||||
Db     307 YEKVSGDYGHPVYIVQEMPPQSPANIIYKV 336

```

RESULT 4

US-08-436-054-2

```

; Sequence 2, Application US/08436054
; Patent No. 5864020
; GENERAL INFORMATION:
; APPLICANT: Bennett, Brian D.
; APPLICANT: Matthews, William

```



```

; TITLE OF INVENTION: HTK LIGAND
; NUMBER OF SEQUENCES: 7
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 460 Point San Bruno Blvd
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 5.25 inch, 360 Kb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: patin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/436,054
; FILING DATE: 05-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/277722
; FILING DATE: 20-JUL-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Lee, Wendy M.
; REGISTRATION NUMBER: 00,000
; REFERENCE/DOCKET NUMBER: 902D1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415/225-1994
; TELEFAX: 415/952-9881
; TELEX: 910/371-7168
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 336 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
US-08-436-054-2

```

```

Query Match          34.5%; Score 637.5; DB 2; Length 336;
Best Local Similarity 42.1%; Pred. No. 1.7e-45;
Matches 139; Conservative 49; Mismatches 129; Indels 13; Gaps 5;

```

```

Qy      14 GALLLLGVLGLVSGLSLEPVYWSANKRFQAEAGGYVLYPQIGDRDLLCPRARPPGPHSS 73
      | |::| : : ||:||||:| :| | |||||:|::|: : :
Db      17 GLLMVLCRTAISRSIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 73

Qy      74 PNYEFYKLYLVGGAQGRRC EAPPAPNLLLTCDRPDLDLRFTIKFQEYSPNLWGHEFRSHH 133
      ||:|:|:| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db      74 GQYEYYKVYMVDKQADRCTIKKENTPLLNCARPDQDVKFTIKFQEYSPNLWGLEFQKNK 133

Qy     134 DYYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
      ||||:|:|:|: ||::: :||| | | ||:|:|:| | | | | :|
Db     134 DYYIIISTSNGLSLEGLDNQEGGVCQTRAMKIIMKVGQDASSAGSARNHGPTRRPELEAGTN 193

Qy     191 GAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
      | : : | : | | : : : | : : | | | : : : : :
Db     194 GRSSTTSPFVKPNPGSSTDGNSAGHSGNNLLGSEVALFAGIASGCIIFIVIIITLVVLLL 253

Qy     251 WRRRRRAKPSESRHPGPGSFGRGGS LGLGGGGMGMPREAEPEGELGIALRGGGAADPPFCPH 310

```

```

      ||| :   :|   |   :   ||   :|| :: | ||   ||   |||
Db      254 KYRRRHRKHSPQHTTTLSLSTLATPKRGGNN----NGSEPSDVIIPLR---TADSVFCPH 306

Qy      311 YEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
      ||||| : ||||| |||||
Db      307 YEKVSGDYGHPVYIVQEMPPQSPANIYYKV 336

```

RESULT 5

PCT-US95-08812-2

; Sequence 2, Application PC/TUS9508812

; GENERAL INFORMATION:

; APPLICANT: Genentech, Inc.

; TITLE OF INVENTION: HTK LIGAND

; NUMBER OF SEQUENCES: 7

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Genentech, Inc.

; STREET: 460 Point San Bruno Blvd

; CITY: South San Francisco

; STATE: California

; COUNTRY: USA

; ZIP: 94080

; COMPUTER READABLE FORM:

; MEDIUM TYPE: 5.25 inch, 360 Kb floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: patin (Genentech)

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: PCT/US95/08812

; FILING DATE:

; CLASSIFICATION:

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER:

; FILING DATE:

; ATTORNEY/AGENT INFORMATION:

; NAME: Lee, Wendy M.

; REGISTRATION NUMBER: 00,000

; REFERENCE/DOCKET NUMBER: 902PCT

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 415/225-1994

; TELEFAX: 415/952-9881

; TELEX: 910/371-7168

; INFORMATION FOR SEQ ID NO: 2:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 336 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

PCT-US95-08812-2

Query Match 34.5%; Score 637.5; DB 5; Length 336;

Best Local Similarity 42.1%; Pred. No. 1.7e-45;

Matches 139; Conservative 49; Mismatches 129; Indels 13; Gaps 5;

```

Qy      14 GALLLLGVLGLVSGLSLEPVYWNSSANKRFQAEAGGYVLYPQIGDRDLDCPRARPPGPHSS 73
      | |::|   :   : ||::|||:| :|   | |||||:|::|:| :
Db      17 GLLMVLCRTAISRSIVLEPIYWNSSNSKFLPGQGLVLPQIGDKLDIICPKV---DSKTV 73

```

Qy 74 PNYEFYKLYLVGGAQGRCEAPPAPNLLLLTCDRPDLRLRFTIKFQEYSPNLWGHEFRSHH 133
 ||:|:|:| | | | | | | | | | | | | | | | | | :
 Db 74 GQYEYYKVYMVVDKQADRCTIKKENTPLLNCARPDQDVKFTIKFQEFSPNLWGLEFQKNK 133

Qy 134 DYYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
 ||||:|:|:| | | : | | | | | | | | | | | | :|
 Db 134 DYYIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSARNHGPTRRPELEAGTN 193

Qy 191 GAAHSLEPGKENLPGDPTSNAISRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
 | : : | : | | : : | : | | : : : : :
 Db 194 GRSSTTSPFVKPNPGSSSTDGNSAGHSGNNLLGSEVALFAGIASGCIIFIVIIITLVVLLL 253

Qy 251 WRRRRRAKPSESRRHPGPGSFGRGGSLLGLGGGGMGPREAEPGELGIALRGGAADPPFCPH 310
 ||| : : | : | : || : || : | || || |||
 Db 254 KYRRRRHRKHSPQHSTTSLSTLATPKRGGNN---NGSEPSDVIIPLR---TADSVFCPH 306

Qy 311 YEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
 ||||| ||||| ||||| ||||| ||||| |||||
 Db 307 YEKVSGDYGHPVYIVQEMPPQSPANIYYKV 336

RESULT 6

US-08-213-403-2

; Sequence 2, Application US/08213403

; Patent No. 5512457

; GENERAL INFORMATION:

; APPLICANT: Lyman, Stewart D.

; APPLICANT: Beckmann, M. Patricia

; APPLICANT: Baum, Peter R

; APPLICANT: Carpenter, Melissa

; TITLE OF INVENTION: No. 5512457el Cytokine Designated elk Ligand

; NUMBER OF SEQUENCES: 2

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Immunex Corporation

; STREET: 51 University Street

; CITY: Seattle

; STATE: Washington

; COUNTRY: USA

; ZIP: 98101

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: Apple Macintosh

; OPERATING SYSTEM: Apple System 7.1

; SOFTWARE: Microsoft Word for Apple, Version 5.1a

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/213,403

; FILING DATE: 15-MAR-1994

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 07/977,693

; FILING DATE: 13-NOV-1992

; ATTORNEY/AGENT INFORMATION:

; NAME: Seese, Kathryn A.

; REGISTRATION NUMBER: 32,172

; REFERENCE/DOCKET NUMBER: 2807-A

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (206) 587-0430

; TELEFAX: (206) 233-0644
 ; INFORMATION FOR SEQ ID NO: 2:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 346 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 US-08-213-403-2

Query Match 34.2%; Score 632; DB 1; Length 346;
 Best Local Similarity 39.5%; Pred. No. 5e-45;
 Matches 145; Conservative 48; Mismatches 116; Indels 58; Gaps 9;

```

Qy      8 PGGVRVGALLLLGVLGLVSG-----SLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLL 61
      ||  :|  |:  |:  :  |  :|||  |:|  |:|  :  |  |:|:|:|:|:|:|
Db      4 PGQRWLGKWLVAWVWALCRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDII 63

Qy     62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRRC EAPPAPNLLLTCDRDLRFTIKFQEYS 121
      |||  |  ||:|||||  |  |  ||:|:|:|:|:|  :|:|:|:|:|:|
Db     64 CPRAEAGRP-----YEYKLYLV RPEQAAACSTVLDPNVLVTCNRPEQEIRFTIKFQEFS 118

Qy    122 PNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGA VPRKPV 181
      ||  |  ||:  |||:|  :|:|:|  |||:  :|||  ||  ||:|:|:|  |  :
Db    119 PNYMGLEFKKHHDYITSTSNGLSLEGLNREGGVCRTRTMKIIMKVGQDPNAVTP EQLT 178

Qy    182 SEMP MERDRGA AHSLE-PGKENLP GDPTS NATSRGAEGPLPPPSMPAVAGAAGGLA---- 236
      |  |  |  :  :  ||  ||  :  |  |  ||:|  :
Db    179 SRPSKEADNTVKMATQAPGSRGSLGDS DGKHETVNQE EKS GP-----GASGGSSGDPD 231

Qy    237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSES RHPGPGSFGRGGS LGL 277
      :  |  ||  :  |:|  |  :  |  :|  |
Db    232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLLLKLRKRHRKHTQQ-----RAAALSL 282

Qy    278 ----GGGGGMGPRAEPGELGIALRG GGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
      ||  |  ||  :  :  ||  :  :|:|:|:|:|:|:|:|:|:|:|:|:|
Db    283 STLASPKGSGTAGTEPSDIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSP 339

Qy    334 PNIYYKV 340
      |||||
Db    340 ANIYYKV 346
  
```

RESULT 7

US-08-458-077-2

; Sequence 2, Application US/08458077

; Patent No. 5627267

; GENERAL INFORMATION:

; APPLICANT: Lyman, Stewart D.

; APPLICANT: Beckmann, M. Patricia

; APPLICANT: Baum, Peter R

; APPLICANT: Carpenter, Melissa

; TITLE OF INVENTION: No. 5627267el Cytokine Designated elk Ligand

; NUMBER OF SEQUENCES: 2

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Immunex Corporation

; STREET: 51 University Street

; CITY: Seattle

```

; STATE: Washington
; COUNTRY: USA
; ZIP: 98101
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: Apple Macintosh
; OPERATING SYSTEM: Apple System 7.1
; SOFTWARE: Microsoft Word for Apple, Version 5.1a
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/458,077
; FILING DATE: 01-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/213,403
; FILING DATE: 15-MAR-1994
; APPLICATION NUMBER: US 07/977,693
; FILING DATE: 13-NOV-1992
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Seese, Kathryn A.
; REGISTRATION NUMBER: 32,172
; REFERENCE/DOCKET NUMBER: 2807-A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206) 587-0430
; TELEFAX: (206) 233-0644
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 346 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-458-077-2

```

```

Query Match          34.2%; Score 632; DB 1; Length 346;
Best Local Similarity 39.5%; Pred. No. 5e-45;
Matches 145; Conservative 48; Mismatches 116; Indels 58; Gaps 9;

```

```

Qy      8 PGGVRVGGALLLLGVLGLVSGL-----SLEPVYWN SANKRFQAEGGYVLYPQIGDRLDLL 61
      ||  :|  |:  |:  :  |      :|||  |:|  |:|  :  |  |:|:|:|:|:|:|
Db      4 PGQRWLKGKLVAMVVWALCRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDII 63

Qy     62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDPDLRLFTIKFQEYS 121
      |||  |  ||:|||||  |  |  ||:|:|:|:|:|:|:|:|:|:|
Db     64 CPRAEAGRP-----YEYKLYLVRPEQAAACSTVLDPNVLVTCNRPEQEIRFTIKFQEFS 118

Qy    122 PNLWGHEFRSHHDYIIATSDGTREGLESIQGGVCLTRGMKVLLRVGQSPRGGA VPRKPV 181
      ||  |  ||: |||||  :||:|:  |||:  :|||  ||  ||:~:~|  |  :
Db    119 PNYMGLEFKKHHDYITSTSNGLSLEGLNREGGVCRTMTMKIIMKVGQDPNAVTP EQLT 178

Qy    182 SEMPMERDRGAAHSLE-PGKENLPGDPTS NATSRGAEGPLPPPSMPAVAGAAGGLA---- 236
      |  |  |  :  :  ||  ||  :  |  |  ||:|  :
Db    179 SRPSKEADNTVKMATQAPGSRGSLGSDGKHETVNQEEKSGP-----GASGGSSGDPD 231

Qy    237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSERHPGPGSFGRGGS LGL 277
      :  |  |||  :  |:|  |  :  :  |  :|  |
Db    232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLLLLKLRKHRKHTQQ-----RAAALSL 282

```

Qy 278 ----GGGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
 || | || :: | | : : ||||| : |||||
 Db 283 STLASPKGSGTAGTEPSDIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSP 339
 Qy 334 PNIYYKV 340
 |||||
 Db 340 ANIYYKV 346

RESULT 8

US-08-460-741-2

; Sequence 2, Application US/08460741

; Patent No. 5670625

; GENERAL INFORMATION:

; APPLICANT: Lyman, Stewart D.

; APPLICANT: Beckmann, M. Patricia

; APPLICANT: Baum, Peter R

; APPLICANT: Carpenter, Melissa

; TITLE OF INVENTION: No. 5670625el Cytokine Designated elk Ligand

; NUMBER OF SEQUENCES: 2

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Immunex Corporation

; STREET: 51 University Street

; CITY: Seattle

; STATE: Washington

; COUNTRY: USA

; ZIP: 98101

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: Apple Macintosh

; OPERATING SYSTEM: Apple System 7.1

; SOFTWARE: Microsoft Word for Apple, Version 5.1a

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/460,741

; FILING DATE: 02-JUN-1995

; CLASSIFICATION: 530

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/213,403

; FILING DATE: 15-MAR-1994

; APPLICATION NUMBER: US 07/977,693

; FILING DATE: 13-NOV-1992

; CLASSIFICATION: 530

; ATTORNEY/AGENT INFORMATION:

; NAME: Seese, Kathryn A.

; REGISTRATION NUMBER: 32,172

; REFERENCE/DOCKET NUMBER: 2807-A

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (206) 587-0430

; TELEFAX: (206) 233-0644

; INFORMATION FOR SEQ ID NO: 2:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 346 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-08-460-741-2

Query Match 34.2%; Score 632; DB 1; Length 346;
 Best Local Similarity 39.5%; Pred. No. 5e-45;
 Matches 145; Conservative 48; Mismatches 116; Indels 58; Gaps 9;

```

Qy      8 PGGVRVGGALLLGLVLSGL-----SLEPVYWNSANKRFQAEAGGYVLYPQIGDRDL 61
      ||  :| |: |: : |      :||| |:| |:| : | |:|:|:|:|:|:|
Db      4 PGQRWLGKWLAMVWVWALCRLATPLAKNLEPVSWSLNPFLSGKGLVIYPKIGDKLDII 63

Qy     62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRCEAPPAPNLLTCDRDLRFTIKFQEYS 121
      ||||  |  ||:|||||  |  |  ||:|:|:|:|:|:|:|:|:|
Db     64 CPRAEAGRP-----YEYKLYLVRPEQAAACSTVLDPNVLVTNCRPEQEIRFTIKFQEFS 118

Qy    122 PNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGGAVPRKPV 181
      || | ||: ||||| :||:|: ||||: :||| || ||:|:|:| |  :
Db    119 PNYMGLEFKKHHDYITSTSNGLSLEGLNREGGVCRTRTMKIIMKVGQDPNAVTPQLTT 178

Qy    182 SEMPMERDRGAHSL-PGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLA---- 236
      |  |  |  : : ||  ||  :  |  |  |  ||:| |  :
Db    179 SRPSKEADNTVKMATQAPGSRGSLGSDGKHETVNQEEKSGP-----GASGGSSGDPD 231

Qy    237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSESRRHPGPGSFGRGGSGL 277
      : |  |||  : |:| | :|  | :| |
Db    232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLLLLKLRKRHRKHTQQ-----RAAALSL 282

Qy    278 ----GGGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
      || |  || :| ||  : : ||||| ||||| ||||| : |||||
Db    283 STLASPKGGSGTAGTEPSDIIPLR--TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSP 339

Qy    334 PNIYYKV 340
      |||||
Db    340 ANIYYKV 346
  
```

RESULT 9

US-08-747-240-2

; Sequence 2, Application US/08747240

; Patent No. 5728813

; GENERAL INFORMATION:

; APPLICANT: Lyman, Stewart D.

; APPLICANT: Beckmann, M. Patricia

; APPLICANT: Baum, Peter R

; APPLICANT: Carpenter, Melissa

; TITLE OF INVENTION: No. 5728813el Cytokine Designated elk Ligand

; NUMBER OF SEQUENCES: 2

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Immunex Corporation

; STREET: 51 University Street

; CITY: Seattle

; STATE: Washington

; COUNTRY: USA

; ZIP: 98101

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: Apple Macintosh

; OPERATING SYSTEM: Apple System 7.1

; SOFTWARE: Microsoft Word for Apple, Version 5.1a

; CURRENT APPLICATION DATA:

```

; APPLICATION NUMBER: US/08/747,240
; FILING DATE: 12-NOV-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/213,403
; FILING DATE: 15-MAR-1994
; APPLICATION NUMBER: US 07/977,693
; FILING DATE: 13-NOV-1992
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Seese, Kathryn A.
; REGISTRATION NUMBER: 32,172
; REFERENCE/DOCKET NUMBER: 2807-A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206) 587-0430
; TELEFAX: (206) 233-0644
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 346 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-747-240-2

```

```

Query Match          34.2%; Score 632; DB 1; Length 346;
Best Local Similarity 39.5%; Pred. No. 5e-45;
Matches 145; Conservative 48; Mismatches 116; Indels 58; Gaps 9;

```

```

Qy      8 PGGVRVGALLLLGVLGLVSGL-----SLEPVYWNSANKRFQAEAGGYVLYPQIGDRDL 61
      || :| |: |: : | :||| |:| |:| : | |:|:|:|:|:|:
Db      4 PGQRWLKGKWLWAMVWALCRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDII 63

Qy     62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEYS 121
      ||| | | :|:|:|:| | | | :|:|:|:|:|:|:|:|:|:|
Db     64 CPRAEAGRP-----YEYYKLYLVRPEQAAACSTVLDPNVLVTCNRPEQEIRFTIKFQEFS 118

Qy    122 PNLWGHEFRSHHDYIIATSDGTREGLES LQGVC LTRGMKVLLRVGQSPRGGA VPRKPV 181
      || | |:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|
Db    119 PNYMGLEFKKHHDYIITSTSNGLSLEGLNREGGVCRTMTMKIIMKVGQDPNAVTPQLTT 178

Qy    182 SEMPMERDRGAAHSLE-PGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLA----- 236
      | | | : : || | | : | | | :|:|:|:
Db    179 SRPSKEADNTVKMATQAPGSRGSLGDSGKHETVNQEEKSGP-----GASGGSSGDPD 231

Qy    237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSES RHPGPSFGRGGS LGL 277
      : | | | : |:| | : : | :| |
Db    232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLLLKLKRHRKHTQQ-----RAAALSL 282

Qy    278 ----GGGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPQPSP 333
      || | | : : | | : :|:|:|:|:|:|:|:|:|:|:|:|:|
Db    283 STLASPKGGSGTAGTEPSDIIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPQPSP 339

Qy    334 PNIYYKV 340
      |||||
Db    340 ANIYYKV 346

```


RESULT 10

US-08-299-567-6

; Sequence 6, Application US/08299567

; Patent No. 5747033

; GENERAL INFORMATION:

; APPLICANT: Davis, et al.

; TITLE OF INVENTION: METHOD OF ENHANCING THE BIOLOGICAL

; TITLE OF INVENTION: ACTIVITY OF EPH FAMILY LIGANDS

; NUMBER OF SEQUENCES: 8

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Regeneron Pharmaceuticals, Inc.

; STREET: 777 Old Saw Mill River Road

; CITY: Tarrytown

; STATE: New York

; COUNTRY: U.S.A.

; ZIP: 10591-6707

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.30

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/299,567

; FILING DATE: 01-SEP-1994

; CLASSIFICATION: 435

; ATTORNEY/AGENT INFORMATION:

; NAME: Kempner, Gail M.

; REGISTRATION NUMBER: 32,143

; REFERENCE/DOCKET NUMBER: REG 290

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 914-345-7400

; TELEFAX: 914-345-7721

; INFORMATION FOR SEQ ID NO: 6:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 346 amino acids

; TYPE: amino acid

; STRANDEDNESS:

; TOPOLOGY: unknown

; MOLECULE TYPE: protein

US-08-299-567-6

Query Match 34.2%; Score 632; DB 1; Length 346;

Best Local Similarity 39.5%; Pred. No. 5e-45;

Matches 145; Conservative 48; Mismatches 116; Indels 58; Gaps 9;

```

QY      8 PGGVRVGALLLLGVLGLVSGL-----SLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLL 61
      ||  :| |: |: : |      :||| |:| | :| : | |:|:|:|:|:|:
Db      4 PGQRWLKGWLVAMVVWALCRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDII 63

QY     62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRRC EAPPAPNLLLTCDRPDLDLRFTIKFQEYS 121
      |||| |      ||:||||| | |      ||:|:|:|:|:|:|:|:|:|:|:|:|:
Db     64 CPRAEAGRP-----YEYKLYLVRPEQAAACSTVLDPNVLVTCNRPEQEIRFTIKFQEFS 118

QY    122 PNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKPV 181
      || | |:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:
Db    119 PNYMGLEFKKHHDYITSTSNGLSLEGLNREGGVCRTMTMKIIMKVGQDPNAVTPPEQLTT 178

```

Qy 182 SEMPMERDRGAHSLE-PGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLA---- 236
 | | : : | | : | | :
 Db 179 SRPSKEADNTVKMATQAPGSRGSLGSDGKHETVNQEEKSGP-----GASGGSSGDPD 231
 Qy 237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSESRRHPGPGSFGRGGSGLGL 277
 : | || : | : | : | :
 Db 232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLLKLKRHRKHTQQ-----RAAALSL 282
 Qy 278 ----GGGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
 || | || : : | | : : ||||| : ||||
 Db 283 STLASPKGSGTAGTEPSDIIPLR--TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSP 339
 Qy 334 PNIIYKV 340
 |||||
 Db 340 ANIIYKV 346

RESULT 11

US-09-039-642B-2

; Sequence 2, Application US/09039642B

; Patent No. 6540992

; GENERAL INFORMATION:

; APPLICANT: Lyman, Stewart D.

; APPLICANT: Beckmann, M. Patricia

; APPLICANT: Baum, Peter R.

; APPLICANT: Carpenter, Melissa K.

; TITLE OF INVENTION: NOVEL CYTOKINE DESIGNATED ELK LIGAND

; FILE REFERENCE: GENENT.67CPDV3

; CURRENT APPLICATION NUMBER: US/09/039,642B

; CURRENT FILING DATE: 1998-03-16

; PRIOR APPLICATION NUMBER: 08/213,403

; PRIOR FILING DATE: 1994-03-15

; PRIOR APPLICATION NUMBER: 07/977,693

; PRIOR FILING DATE: 1992-11-13

; PRIOR APPLICATION NUMBER: 08/747,240

; PRIOR FILING DATE: 1996-10-12

; PRIOR APPLICATION NUMBER: 08/460,741

; PRIOR FILING DATE: 1995-06-02

; NUMBER OF SEQ ID NOS: 5

; SOFTWARE: FastSEQ for Windows Version 4.0

; SEQ ID NO 2

; LENGTH: 346

; TYPE: PRT

; ORGANISM: Homo sapiens

US-09-039-642B-2

Query Match 34.2%; Score 632; DB 4; Length 346;

Best Local Similarity 39.5%; Pred. No. 5e-45;

Matches 145; Conservative 48; Mismatches 116; Indels 58; Gaps 9;

Qy 8 PGGVRVGALLLLGVGLVSGL-----SLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLL 61
 || :| |: | : | :||| |:| :| : | |:|:|:|:|:|:
 Db 4 PGQRWLKWLAVMVWALCRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDII 63
 Qy 62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRRCCEAPPAPNLLLTCDRPDLDLRFTIKFQEYS 121
 |||| | ||:|||| | | ||:|:|:|:|:|:|:|:|:
 Db 64 CPRAEAGRP-----YEEYKLYLVRPEQAAACSTVLDPNVLVTCNRPEQEIRFTIKFQEFS 118

Qy 122 PNLWGHEFRSHHDYIIATSDGTREGLESLOGGVCLTRGMKVLLRVGQSPRGGAVPRKPV 181
 || | ||: ||||| :||:|: ||||: :||| | ||:::| | :
 Db 119 PNYMGLEFKKHHDYIITSTSNGLGLENREGGVCRTMTMKIIMKVGQDPNAVTPQLTT 178
 Qy 182 SEMPMERDRGAAHSLE-PGKENLPGDPTSNAISRGAEGPLPPPSMPAVAGAAGGLA----- 236
 | | | : : || || : | | ||:| :
 Db 179 SRPSKEADNTVKMATQAPGSRGSLGSDGKHETVNQEEKSGP-----GASGGSSGDPD 231
 Qy 237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSESRRHPGPGSFRGGSLGL 277
 : | || : | : | : | : |
 Db 232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLLKLRKRHRKHTQQ-----RAAALSL 282
 Qy 278 ----GGGGMGPREAEPGELGIALRGGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
 || | || : : || : : ||||| : ||||
 Db 283 STLASPKGSGTAGTEPSDIIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPQSP 339
 Qy 334 PNIYYKV 340
 |||||
 Db 340 ANIYYKV 346

RESULT 12

US-08-436-044-4

; Sequence 4, Application US/08436044

; Patent No. 5624899

; GENERAL INFORMATION:

; APPLICANT: Bennett, Brian D.

; APPLICANT: Matthews, William

; TITLE OF INVENTION: HTK LIGAND

; NUMBER OF SEQUENCES: 7

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Genentech, Inc.

; STREET: 460 Point San Bruno Blvd

; CITY: South San Francisco

; STATE: California

; COUNTRY: USA

; ZIP: 94080

; COMPUTER READABLE FORM:

; MEDIUM TYPE: 5.25 inch, 360 Kb floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: patin (Genentech)

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/436,044

; FILING DATE: 05-MAY-1995

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: 08/277722

; FILING DATE: 20-JUL-1994

; ATTORNEY/AGENT INFORMATION:

; NAME: Lee, Wendy M.

; REGISTRATION NUMBER: 00,000

; REFERENCE/DOCKET NUMBER: 902D3

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 415/225-1994

; TELEFAX: 415/952-9881

```
;      TELEX:  910/371-7168
;  INFORMATION FOR SEQ ID NO:  4:
;      SEQUENCE CHARACTERISTICS:
;          LENGTH:  333 amino acids
;          TYPE:    amino acid
;          TOPOLOGY: linear
US-08-436-044-4
```

```
Query Match          34.0%;  Score 629.5;  DB 1;  Length 333;
Best Local Similarity 40.9%;  Pred. No. 7.8e-45;
Matches 135;  Conservative 52;  Mismatches 130;  Indels 13;  Gaps 5;
```

```
Qy      14  GALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLLCPRARPPGPHSS 73
      | |::|      :      : | | | : | | | : | : |      | | | | | | | : | | : | :      :
Db      14  GVLMVLCRTAISKSIVLEPIYWNSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 70

Qy      74  PNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEYSPNLWGHEFRSHH 133
      | | : | | : | |      | |      | | | : | | | : | | | | | | | | | | | | : | :
Db      71  GQYEYYKVYMDKQADRCTIKKENTPLLNCAKPDQDIKFTIKFQEFSNWLWGLEFQKNK 130

Qy     134  DYYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
      | | | | : | | : | | | : | | | | | | | | | | | | | | | | | : | : |
Db     131  DYYIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSTRNKDPTRRPELEAGTN 190

Qy     191  GAAHSLEPGKENLPGDPTSNAATSRGAEGPLPPPSPMPAVAGAAGGLALLLLGVAGAGGAMC 250
      | : : | : | | | : : : : : : : | | | | : : : : : : :
Db     191  GRSSTTSPFVKPNPGSSTDGNSAGHSGNINILGSEVALFAGIASGCIIFIVIIITLVVLLL 250

Qy     251  WRRRRRAKPSESRRHPGPGSFGRGGSGLGLGGGGMGPREAEPGELGIALRGGGAADPPFCPH 310
      | | | : : | | | : : | : : | | | : : | | | | | |
Db     251  KYRRRRHRKHSPQHTTTLSLSTLATPKRSGNN---NGSEPSDIIIPLR---TADSVFCPH 303

Qy     311  YEKVSGDYGHPVYIVQDGPPQSPPNIIYKV 340
      | | | | | | | | | | : | | | | | | |
Db     304  YEKVSGDYGHPVYIVQEMPPQSPANIYKV 333
```

RESULT 13

US-08-436-054-4

```
; Sequence 4, Application US/08436054
; Patent No. 5864020
;  GENERAL INFORMATION:
;      APPLICANT:  Bennett, Brian D.
;      APPLICANT:  Matthews, William
;      TITLE OF INVENTION:  HTK LIGAND
;      NUMBER OF SEQUENCES:  7
;      CORRESPONDENCE ADDRESS:
;          ADDRESSEE:  Genentech, Inc.
;          STREET:    460 Point San Bruno Blvd
;          CITY:      South San Francisco
;          STATE:     California
;          COUNTRY:   USA
;          ZIP:       94080
;      COMPUTER READABLE FORM:
;          MEDIUM TYPE:  5.25 inch, 360 Kb floppy disk
;          COMPUTER:    IBM PC compatible
;          OPERATING SYSTEM:  PC-DOS/MS-DOS
```

```

;   SOFTWARE:  patin (Genentech)
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/436,054
;   FILING DATE:  05-MAY-1995
;   CLASSIFICATION:  435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:  08/277722
;   FILING DATE:  20-JUL-1994
;   ATTORNEY/AGENT INFORMATION:
;   NAME:  Lee, Wendy M.
;   REGISTRATION NUMBER:  00,000
;   REFERENCE/DOCKET NUMBER:  902D1
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  415/225-1994
;   TELEFAX:  415/952-9881
;   TELEX:  910/371-7168
;   INFORMATION FOR SEQ ID NO:  4:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH:  333 amino acids
;   TYPE:  amino acid
;   TOPOLOGY:  linear
US-08-436-054-4

```

```

Query Match          34.0%;  Score 629.5;  DB 2;  Length 333;
Best Local Similarity 40.9%;  Pred. No. 7.8e-45;
Matches 135;  Conservative 52;  Mismatches 130;  Indels 13;  Gaps 5;

```

```

Qy      14  GALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRDLLCPRARPPGPHSS 73
      | |::|      :      |||:||||:| :|      | |||||::|:|:|:|      :
Db      14  GVLMLCRTAISKSIIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 70

Qy      74  PNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLLRFTIKFQEYSPNLWGHEFRSHH 133
      ||:|:|:|      |      ||      || | :|| |:| |||||:| ||||| ||: |
Db      71  GQYEEYKVMVDKDQADRCTIKKENTPLLNCAKPDQDIKFTIKFQEFSPNLWGLEFQKNK 130

Qy     134  DYYIIATSDGTREGLESIQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
      |||||:|:|:| |||:| :||| || |:|:| || | |      : |      :|
Db     131  DYYIISTSNGLSLEGLDNQEGGVCQTRAMKIILMKVGQDASSAGSTRNKDPTRRPELEAGTN 190

Qy     191  GAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
      | : : | : || |      :: : : : : : || | | : : : : :
Db     191  GRSSTTSPFVKPNPGSSTDGNSAGHSGNNILGSEVALFAGIASGCIIFIVIIITLVVLLL 250

Qy     251  WRRRRRAKPSESRHPGPGSFGRGGSGLGLGGGGMGPREAEPGELGIALRGGGAADPPFCPH 310
      ||| :      :|      |      :      |      :|| :| ||      || |||
Db     251  KYRRRHRKHSPQHTTTLSLSTLATPKRSGNN----NGSEPSDIIIPLR---TADSVFCPH 303

Qy     311  YEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
      ||||| ||||| |||||: |||| |||||
Db     304  YEKVSGDYGHPVYIVQEMPPQSPANIYYKV 333

```

RESULT 14

US-08-271-948-2

; Sequence 2, Application US/08271948

; Patent No. 6303769

; GENERAL INFORMATION:

```

; APPLICANT: Cerretti, Douglas P.
; APPLICANT: Reddy, Pranhitha
; TITLE OF INVENTION: No. 6303769e1 Cytokine Designated Lerk-5
; NUMBER OF SEQUENCES: 3
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Immunex Corporation
; STREET: 51 University Street
; CITY: Seattle
; STATE: Washington
; COUNTRY: US
; ZIP: 98101
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: Apple Macintosh
; OPERATING SYSTEM: Apple 7.1
; SOFTWARE: Microsoft Word, Version 5.1a
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/271,948
; FILING DATE:
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Seese, Kathryn A.
; REGISTRATION NUMBER: 32,172
; REFERENCE/DOCKET NUMBER: 2823
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206) 587-0430
; TELEFAX: (206) 233-0644
; TELEX: 756822
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 333 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-271-948-2

```

```

Query Match          34.0%;  Score 629.5;  DB 4;  Length 333;
Best Local Similarity 40.9%;  Pred. No. 7.8e-45;
Matches 135;  Conservative 52;  Mismatches 130;  Indels 13;  Gaps 5;

```

```

Qy      14 GALLLLGVLGLVSGLSLEPVYWSANKRFQAEAGGYVLYPQIGDRDLLCPRARPPGPHSS 73
      | |::| : : |||:||||:| :| | |||||:|::|: : :
Db      14 GVLMLCRTAISKSIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 70

Qy      74 PNYEFYKLYLVGGAQGRRC EAPPAPNLLLLTCDRPDLDLRFTIKFQEYSPNLWGHEFRSHH 133
      ||:|:|:| | | || | :|| |::|:|:|:|:|:|:| |: :
Db      71 GQY EYKVMVDKDQADRCTIKKENTPLLNCAPDQDIKFTIKFQEYSPNLWGLEFQKNK 130

Qy     134 DYYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
      ||||:|:|:|: ||::: :||| || ||:|:|:| | | : | :|
Db     131 DYYIIISTNGSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSTRNKDPTRRPELEAGTN 190

Qy     191 GAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
      | : : | : || | :: : : : : || | | : : : : :
Db     191 GRSSTTSPFVKPNPGSSTDGNSAGHSGNNILGSEVALFAGIASGCIIFIVIIITLVVLLL 250

Qy     251 WRRRRRAKPSES RHPGPGSFGRGGS LGLGGGGMGMPREAE PGELGIALRGGGAADPPFCPH 310

```

```

Db      251 KYRRRHRKHSPQHTTTLSLSTLATPKRSGNN----NGSEPSDIIIPLR---TADSVFCPH 303
QY      311 YEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
        |||||:|||||
Db      304 YEKVSGDYGHPVYIVQEMPPQSPANIYYKV 333

```

RESULT 15

US-08-739-333-2

```

; Sequence 2, Application US/08739333
; Patent No. 6479459
; GENERAL INFORMATION:
;   APPLICANT: Cerretti, Douglas P.
;   APPLICANT: Reddy, Pranhitha
;   TITLE OF INVENTION: No. 6479459el Cytokine Designated Lerk-5
;   NUMBER OF SEQUENCES: 3
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Immunex Corporation
;     STREET: 51 University Street
;     CITY: Seattle
;     STATE: Washington
;     COUNTRY: US
;     ZIP: 98101
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Floppy disk
;     COMPUTER: Apple Macintosh
;     OPERATING SYSTEM: Apple 7.1
;     SOFTWARE: Microsoft Word, Version 5.1a
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/739,333
;     FILING DATE: 29-OCT-1996
;     CLASSIFICATION: 536
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: US 08/271,948
;     FILING DATE: 08-JUL-1994
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Seese, Kathryn A.
;     REGISTRATION NUMBER: 32,172
;     REFERENCE/DOCKET NUMBER: 2823
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: (206) 587-0430
;     TELEFAX: (206) 233-0644
;     TELEX: 756822
;   INFORMATION FOR SEQ ID NO: 2:
;     SEQUENCE CHARACTERISTICS:
;       LENGTH: 333 amino acids
;       TYPE: amino acid
;       TOPOLOGY: linear
;     MOLECULE TYPE: protein
US-08-739-333-2

```

```

Query Match          34.0%;  Score 629.5;  DB 4;  Length 333;
Best Local Similarity 40.9%;  Pred. No. 7.8e-45;
Matches 135;  Conservative 52;  Mismatches 130;  Indels 13;  Gaps 5;

```

QY 14 GALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRDLLCPRARPPGPHSS 73

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: April 13, 2004, 09:22:17 ; Search time 14.5409 Seconds
(without alignments)
2249.184 Million cell updates/sec

Title: US-10-021-121-4
Perfect score: 1850
Sequence: 1 MGPPHSGPGGVRVGALLLG.....PVYIVQDGPPQSPPNIYYKV 340

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283366 seqs, 96191526 residues

Total number of hits satisfying chosen parameters: 283366

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_78:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	637.5	34.5	336	2	I49766	hepatoma transmembr
2	632	34.2	346	2	S46993	elk ligand - human
3	629.5	34.0	333	2	I84743	hepatoma transmembr
4	613.5	33.2	345	2	I48780	Stral/Eplg2 protei
5	608.5	32.9	345	2	I58406	LERK-2 - rat
6	214.5	11.6	237	2	T19914	hypothetical prote
7	179	9.7	238	2	I38849	LERK-3 - human
8	176	9.5	209	2	A54984	ELF-1 protein prec
9	175.5	9.5	213	2	JE0322	ephrin-A2 - human
10	170.5	9.2	228	2	A57084	repulsive axon gui
11	169.5	9.2	201	2	I38850	LERK-4 - human
12	167.5	9.1	228	2	I58170	LERK-7 precursor -
13	166	9.0	205	2	A36377	B61 protein precur

14	159	8.6	680	2	S31216	collagen alpha 1(X
15	154.5	8.4	1049	1	CGBO7S	collagen alpha 1(I
16	153.5	8.3	1670	1	CGHU3B	collagen alpha 3(I
17	151.5	8.2	301	2	B31219	collagen 2 - Caeno
18	149	8.1	325	2	T32248	hypothetical prote
19	149	8.1	569	2	S42886	collagen - silkwor
20	148.5	8.0	316	2	T20497	hypothetical prote
21	148	8.0	921	2	S42617	collagen alpha 1(I
22	146.5	7.9	1315	2	A56101	collagen alpha 1(X
23	146.5	7.9	1492	2	A40333	collagen alpha 1'(
24	146.5	7.9	1774	2	B56101	collagen alpha 1(X
25	146	7.9	675	2	S20819	collagen alpha 3(I
26	145.5	7.9	305	2	T20906	hypothetical prote
27	145	7.8	674	2	S13301	collagen alpha 1(X
28	145	7.8	931	2	S13580	collagen alpha 1(I
29	144.5	7.8	438	2	S53787	collagen alpha cha
30	144	7.8	1027	2	S28774	collagen alpha cha
31	143	7.7	1747	2	A54121	collagen alpha-4 c
32	142.5	7.7	743	1	S23779	collagen alpha 1(V
33	142.5	7.7	1496	1	CGHU2V	collagen alpha 2(V
34	142	7.7	744	2	S15435	collagen alpha 1(V
35	142	7.7	1029	1	S21369	collagen alpha 2(V
36	142	7.7	1763	2	S16366	collagen alpha 2(I
37	141.5	7.6	1466	1	CGHU7L	collagen alpha 1(I
38	141	7.6	319	2	T32250	hypothetical prote
39	141	7.6	744	1	A34246	collagen alpha 1(V
40	141	7.6	744	1	S23298	collagen alpha 1(V
41	140.5	7.6	305	2	T30165	hypothetical prote
42	140	7.6	304	2	T22482	hypothetical prote
43	140	7.6	680	1	CGHU1D	collagen alpha 1(X
44	139.5	7.5	210	2	B44984	collagen - nematod
45	139	7.5	940	2	JE0291	FB19 protein - hum

ALIGNMENTS

RESULT 1

I49766

hepatoma transmembrane kinase ligand - mouse

C;Species: Mus musculus (house mouse)

C;Date: 02-Jul-1996 #sequence_revision 02-Jul-1996 #text_change 05-Nov-1999

C;Accession: I49766

R;Bennett, B.D.; Zeigler, F.C.; Gu, Q.; Fendly, B.; Goddard, A.D.; Gillett, N.; Matthews, W.

Proc. Natl. Acad. Sci. U.S.A. 92, 1866-1870, 1995

A;Title: Molecular cloning of a ligand for the EPH-related receptor protein-tyrosine kinase Htk.

A;Reference number: I49766; MUID:95199254; PMID:7534404

A;Accession: I49766

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-336 <RES>

A;Cross-references: GB:L38847; NID:g769677; PIDN:AAC42052.1; PID:g769678

C;Genetics:

A;Gene: HTK

Query Match 34.5%; Score 637.5; DB 2; Length 336;
 Best Local Similarity 42.1%; Pred. No. 1.8e-37;
 Matches 139; Conservative 49; Mismatches 129; Indels 13; Gaps 5;

```

Qy      14 GALLLLGVLGLVSGLSLEPVYWSANKRFQAEGGYVLYPQIGDRLDLLCPRARPPGPHSS 73
      | |::| : : |||:||||:| :| | |||||:|::|: : :
Db      17 GLLMVLCRTAISRSIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 73

Qy      74 PNYEFYKLYLVGGAQGRRCAPPAPNLLLTCDRDLRFTIKFQEYSPNLWGHEFRSHH 133
      ||::|:|:| | || || | || |::|:|||||:||||| ||: :
Db      74 GQYEYKVMVDKQADRCTIKKENTPLLNCARPDQDVKFTIKFQEFSPNLWGLEFQKNK 133

Qy     134 DYYIIATSDGTREGLESLOGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
      ||||:|:|:| |||: : ||| || ||:|:| || | | | :|
Db     134 DYYIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSARNHGPTRRPELEAGTN 193

Qy     191 GAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
      | : : | : || | : : | : | : : : : :
Db     194 GRSSTTSPFVKPNPGSSDTGNSAGHSGNNLLGSEVALFAGIASGCIIFIVIIITLVVLLL 253

Qy     251 WRRRRRAKPSESRHPGPGSFGRRGSLGLGGGGMGPREAEPGELGIALRGGGAADPPFCPH 310
      ||| : :| | : || : || :|| :| || || |||
Db     254 KYRRRHRKHSPQHTTTLSTLATPKRGGNN----NGSEPSDVIIPLR---TADSVFCPH 306

Qy     311 YEKVS GDYGHVPYIVQDGPSPQSPNIYYKV 340
      |||||:|||||: |||| |||||
Db     307 YEKVS GDYGHVPYIVQEMPPQSPANIYYKV 336

```

RESULT 2

S46993

elk ligand - human

C;Species: Homo sapiens (man)

C;Date: 15-Jul-1995 #sequence_revision 10-Nov-1995 #text_change 28-May-1999

C;Accession: S46993

R;Beckmann, M.P.; Cerretti, D.P.; Baum, P.; vanden Bos, T.; James, L.; Farrah, T.; Kozlosky, C.; Hollingsworth, T.; Shilling, H.; Maraskovsky, E.; Fletcher, F.A.; Lhotak, V.; Pawson, T.; Lyman, S.D.

EMBO J. 13, 3757-3762, 1994

A;Title: Molecular characterization of a family of ligands for eph-related tyrosine kinase receptors.

A;Reference number: S46993; MUID:94349923; PMID:8070404

A;Accession: S46993

A;Status: preliminary

A;Molecule type: mRNA

A;Residues: 1-346 <BEC>

A;Cross-references: GB:U09304; NID:g538366; PIDN:AAA53093.1; PID:g538367

Query Match 34.2%; Score 632; DB 2; Length 346;
 Best Local Similarity 39.5%; Pred. No. 4.4e-37;
 Matches 145; Conservative 48; Mismatches 116; Indels 58; Gaps 9;

```

Qy      8 PGGVRVGALLLLGVLGLVSGL-----SLEPVYWSANKRFQAEGGYVLYPQIGDRLDLL 61
      || :| |: : | :||| |:| |:| :| |:|:|:|:|:|
Db      4 PGQRWLKGWLVAMVWALCRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDII 63

Qy     62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRRCAPPAPNLLLTCDRDLRFTIKFQEYS 121

```

```

      |||| | ||:|||| | | ||:||||: ||: |||||:|
Db      64 CPRAEAGRP-----YEYYKLYLVRPEQAAACSTVLDPNVLVTCNRPEQEIRFTIKFQEFS 118
Qy      122 PNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGGA VPRKPV 181
      || | ||: ||||| :||:| | ||: | | ||: ||| |
Db      119 PNYMGLEFKKHHDYITSTSNGLSLEGLNREGGVCRTRTMKIIMKVGQDPNAVTPPEQLTT 178
Qy      182 SEMPMERDRGAAHSLE-PGKENLPGDPTSNATSRGAEGPLPPSPMPAVAGAAGGLA---- 236
      | | | : : || | | : | | | ||: || :
Db      179 SRPSKEADNTVKMATQAPGSRGSLGDSGKHETVNQEEKSGP-----GASGGSSGDPD 231
Qy      237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSESRRHPGPGSFGRGSLGL 277
      : | || | : || | : | | : | | |
Db      232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLLKLRKRRKHTQQ-----RAAALSL 282
Qy      278 ----GGGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
      || | || : | || : : ||||| ||||| : |||||
Db      283 STLASPKGSGTAGTEPSDIIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSP 339
Qy      334 PNIYYKV 340
      |||||
Db      340 ANIYYKV 346

```

RESULT 3

I84743

hepatoma transmembrane kinase ligand - human

C;Species: Homo sapiens (man)

C;Date: 24-May-1996 #sequence_revision 24-May-1996 #text_change 05-Nov-1999

C;Accession: I84743

R;Bennett, B.D.; Zeigler, F.C.; Gu, Q.; Fendly, B.; Goddard, A.D.; Gillett, N.; Matthews, W.

Proc. Natl. Acad. Sci. U.S.A. 92, 1866-1870, 1995

A;Title: Molecular cloning of a ligand for the EPH-related receptor protein-tyrosine kinase Htk.

A;Reference number: I49766; MUID:95199254; PMID:7534404

A;Accession: I84743

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-333 <RES>

A;Cross-references: GB:L38734; NID:g769675; PIDN:AAC41752.1; PID:g769676

C;Genetics:

A;Gene: GDB:EPLG5; LERK5

A;Cross-references: GDB:438338; OMIM:600527

A;Map position: 13q33-13q33

```

Query Match          34.0%;  Score 629.5;  DB 2;  Length 333;
Best Local Similarity 40.9%;  Pred. No. 6.4e-37;
Matches 135;  Conservative 52;  Mismatches 130;  Indels 13;  Gaps 5;

```

```

Qy      14 GALLLLGVGLVSGLSLEPVYWN SANKRFQ AEGGYVLYPQIGDRLDLLCPRARPPGPHSS 73
      | ||:| : : ||:||||: | | ||||| ||: ||: :
Db      14 GVLMVLCRTAISK SIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 70
Qy      74 PNYEFYKLYLVGGAQGRRC EAPPAPNLLLTCDRPDLRLRFTIKFQEYSPNLWGHEFRSHH 133
      ||:||||:| | || | | || ||: ||||| ||: ||:
Db      71 GQY EYYKVYMV DDKDQADRCTIKKENTPLL NCAKPDQDIKFTIKFQEFS PNLWGLEFQKNK 130

```

Qy 134 DYYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
 |||||:|:|: |||:::|||| || ||:|:| || | : | :|
 Db 131 DYYIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSTRNKDPTRRPELEAGTN 190
 Qy 191 GAAHSLEPGKENLPGDPTS NATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
 | : : | : || | : : : : : || | | : : : : :
 Db 191 GRSSTTSPFVKPNPGSS TDGNSAGHSGNNILGSEVALFAGIASGCIIFIVIIIITLVVLLL 250
 Qy 251 WRRRRRAKPSESRHPGPGSFGRGGS LGLGGGGMGPREAEPGELGIALRGGAADPPFCPH 310
 ||| : :| | : | : || :| :| || || |||
 Db 251 KYRRRHRKHSPQH TTTLSLSTLATPKRSGNN---NGSEPSDIIIPLR---TADSVFCPH 303
 Qy 311 YEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
 ||||| ||||| ||||| : |||| |||||
 Db 304 YEKVSGDYGHPVYIVQEMPPQSPANIYYKV 333

RESULT 4

I48780

Stral/Eplg2 protein - mouse

C;Species: Mus musculus (house mouse)

C;Date: 02-Jul-1996 #sequence_revision 02-Jul-1996 #text_change 05-Nov-1999

C;Accession: I48780; A55507; A55062; S52670

R;Bouillet, P.; Oulad-Abdelghani, M.; Vicaire, S.; Garnier, J.M.; Schuhbaur, B.;
 Dolle, P.; Chambon, P.

Dev. Biol. 170, 420-433, 1995

A;Title: Efficient cloning of cDNAs of retinoic acid-responsive genes in P19
 embryonal carcinoma cells and characterization of a novel mouse gene, Stral
 (mouse LERK-2/Eplg2).

A;Reference number: I48780; MUID:95377533; PMID:7649373

A;Accession: I48780

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-345 <RES>

A;Cross-references: EMBL:Z48781; NID:g747858; PIDN:CAA88695.1; PID:g747859

R;Fletcher, F.A.; Renshaw, B.; Hollingsworth, T.; Baum, P.; Lyman, S.D.;

Jenkins, N.A.; Gilbert, D.J.; Copeland, N.G.; Davison, B.L.

Genomics 24, 127-132, 1994

A;Title: Genomic organization and chromosomal localization of mouse Eplg2, a
 gene encoding a binding protein for the receptor tyrosine kinase Elk.

A;Reference number: A55507; MUID:95203867; PMID:7896266

A;Accession: A55507

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-345 <FLE>

A;Cross-references: GB:U07598

R;Shao, H.; Lou, L.; Pandey, A.; Pasquale, E.B.; Dixit, V.M.

J. Biol. Chem. 269, 26606-26609, 1994

A;Title: cDNA cloning and characterization of a ligand for the Cek5 receptor
 protein-tyrosine kinase.

A;Reference number: A55062; MUID:95014510; PMID:7929389

A;Accession: A55062

A;Status: preliminary; not compared with conceptual translation

A;Molecule type: mRNA

A;Residues: 1-89, 'T', 91-345 <SHA>

A;Cross-references: GB:U12983; NID:g575928; PIDN:AAA53231.1; PID:g575929

C;Genetics:
A;Gene: EPLG2

Query Match 33.2%; Score 613.5; DB 2; Length 345;
Best Local Similarity 38.2%; Pred. No. 8.7e-36;
Matches 138; Conservative 51; Mismatches 107; Indels 65; Gaps 10;

Qy 15 ALLLLGVLGLVSGL--SLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLLCPRARPPGPHS 72
|:::| : | : | :||| |:| | :| : | :||:||||:|||| |
Db 15 AMVVLTLCLRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDIICPRAEAGRP-- 72

Qy 73 SPNYEFYKLYLVGGAQGRRCCEAPPAPNLLLTCDRDLRFTIKFQEYSPNLWGHEFRSH 132
||:||||| | | ||:|:|:| :|||:||||:|||| | ||: :
Db 73 ---YEYYKLYLVRPEQAAACSTVLDPNVLVTCKNPHQEIRFTIKFQEFSPNYMGLEFKKY 129

Qy 133 HDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGAVPRKPVSEMPMERDRGA 192
||||| :||:|: ||||: :|||| || ||:::|||| | : : | :
Db 130 HDYIITSTSNGLSLEGLNREGGVCRTMTMKIVMKVGQDP-NAVTPEQLTTSRPSKESDNT 188

Qy 193 AHSLEPGKENLPGDPTSNAATSRGAEGP-----LPPPSMPAVAGAAGG-----LA 236
: : | ||:| | | | |
Db 189 VKT-----ATQAPGRGSQGDSDGKHETVNQEEKSGPGAGGGGSGDSDSFFNSK 236

Qy 237 LLLLGVAAGAGGA-----MCWRRRRRAKPSESRRHPGPGSFGRGGSLSGL----GG 279
: | ||| : |:| | : : | :| |
Db 237 VALFAAVGAGCVIFLLIIIFLTVLLKLRKRHRKHTQQ-----RAAALSSTLASP 287

Qy 280 GGGMGPREAEPGELGIALRGGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIIYK 339
|| | || :| || : :|||:|||||:||||| |||||
Db 288 KGGSGTAGTEPSDIIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSPANIIYK 344

Qy 340 V 340
|
Db 345 V 345

RESULT 5

I58406

LERK-2 - rat

C;Species: Rattus norvegicus (Norway rat)

C;Date: 26-Jul-1996 #sequence_revision 26-Jul-1996 #text_change 05-Nov-1999

C;Accession: I58406

R;Fletcher, F.A.; Carpenter, M.; Shilling, H.; Baum, P.; Ziegler, S.; Gimpel, S.; Hollingsworth, T.; VandenBos, T.; Davison, B.L.; Lyman, S.D.; Beckmann, M.P. Oncogene 9, 3241-3248, 1994

A;Title: LERK-2, a ligand for the receptor tyrosine kinase ELK, is evolutionarily conserved and expressed in a developmentally regulated pattern.

A;Reference number: I58406; MUID:95022634; PMID:7936648

A;Accession: I58406

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-345 <RES>

A;Cross-references: EMBL:U07560; NID:g563118; PIDN:AAA53092.1; PID:g563119

C;Genetics:

A;Gene: Eplg2

Query Match 32.9%; Score 608.5; DB 2; Length 345;

Best Local Similarity 38.0%; Pred. No. 1.9e-35;
Matches 137; Conservative 52; Mismatches 107; Indels 65; Gaps 10;

```

Qy      15 ALLLLGLVGLVSG--SLEPVYWNANKRFQAEAGGYVLYPQIGDRLDLLCPRARPPGPHS 72
      |::| : | : | :||| |:| | :| : | |::|::|::|::|::| |
Db      15 AMVVLTLCLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDIICPRAEAGRP-- 72

Qy      73 SPNYEFYKLYLVGGAQGRCEAPPAPNLLLTCDRDLRFTIKFQEYSPNLWGHEFRSH 132
      ||:||||| | | ||:|::|:| ::|||::|::|::| | ||: :
Db      73 ---YEYYKLYLVRPEQAAACSTVLDPNVLVTCNKPQQEIRFTIKFQEFSPNYMGLEFKKY 129

Qy     133 HDYYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGAVPRKPVSEMPMERDRGA 192
      ||||| :||:|: ||||: :||| | | |:::| | | : : | :
Db     130 HDYYITSTSNGLSLEGLNREGGVCRTMTKIVMKVGQDP-NAVTPEQLTTSRPSKESDNT 188

Qy     193 AHSLEPGKENLPGDPTSNATSRGAEGP-----LPPPSMPAVAGAAGG-----LA 236
      : : : | ||::| | | | : |
Db     189 VKT-----ATQAPGRGSQGDSDGKHETVNQQEKSQPGAGGSGSGDTSFFNSK 236

Qy     237 LLLLGAVAGAGGA-----MCWRRRRRAKPSERHPGPGSFGRGGSGLGL----GG 279
      : | ||| : | | | : : | : |
Db     237 VALFAAVGAGCVIFLLIIIFLTVLLLLKLRKRHRKHTQQ-----RAAALSSTLASP 287

Qy     280 GGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPNIIYYK 339
      | | || : | | : : |||||::|::|::|::|::|::|::|::|::|
Db     288 KGDSGTAGTEPSDIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSPANIIYYK 344

Qy     340 V 340
      |
Db     345 V 345

```

RESULT 6

T19914

hypothetical protein C43F9.8 - *Caenorhabditis elegans*

C;Species: *Caenorhabditis elegans*

C;Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999

C;Accession: T19914

R;Mortimore, B.

submitted to the EMBL Data Library, November 1996

A;Reference number: Z19195

A;Accession: T19914

A;Status: preliminary; translated from GB/EMBL/DBJ

A;Molecule type: DNA

A;Residues: 1-237 <WIL>

A;Cross-references: EMBL:Z82262; PIDN:CAB54195.1; GSPDB:GN00022; CESP:C43F9.8

A;Experimental source: clone C43F9

C;Genetics:

A;Gene: CESP:C43F9.8

A;Map position: 4

A;Introns: 32/2; 96/3; 214/1

Query Match 11.6%; Score 214.5; DB 2; Length 237;

Best Local Similarity 25.7%; Pred. No. 4.6e-08;

Matches 53; Conservative 41; Mismatches 83; Indels 29; Gaps 6;

```

Qy      11 VRVGALLLLGVLGLVS-GLSLEPVYWNANKRFQAEAG-GYVLYPQIGDRLDLLCPRARPP 68

```

```

      :::  :|| :  :  :  : | || |  :||  ||||: : ||::
Db      1 MQIATFILLSLFPFIGWARKIPDINWISSNPIFDVSNTHVISVHIGDRVSIRCPKSD 60
Qy      69 GPHSSPNYEFYKLYLVGGAQGRRCAPPAPNLLLTCDRPDLRLRFTIKFQEYSPNLWGHE 128
      |      ||:  :||:  :  |  |  |  |  |  |  |  |  |  |  |  |
Db      61 G-----KYEYSYIYMVSDDEYDHCFL-SKPRLVGACDNQTINASINIVFRSFTPTPGGFE 114
Qy      129 FRSHHDYIIA-----TSDGTREGLES LQGGVCLTRGMKVLLRVGQ 169
      |:  :||:|:  ||||  ||::  :  |:|  :  ||:  ||
Db      115 FQPGKNYFLISKSEVDALIIYETANQIFPGTSDGTLEGIDRKKDGLCTAKQMKIKFEVGQ 174
Qy      170 SPRGGAVPRKPVSEMPMERDRGAAHS 195
      ||  |:  :  :::||  ||
Db      175 DRRGIENPK--FAATLKKDRDAEHS 198

```

RESULT 7

I38849

LERK-3 - human

C;Species: Homo sapiens (man)

C;Date: 29-May-1998 #sequence_revision 29-May-1998 #text_change 29-Sep-1999

C;Accession: I38849

R;Kozlosky, C.J.; Maraskovsky, E.; McGrew, J.T.; VandenBos, T.; Teepe, M.;

Lyman, S.D.; Srinivasan, S.; Fletcher, F.A.; Gayle, R.B.

Oncogene 10, 299-306, 1995

A;Title: Ligands for the receptor tyrosine kinases hek and elk: isolation of cDNAs encoding a family of proteins.

A;Reference number: I38849; MUID:95140419; PMID:7838529

A;Accession: I38849

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-238 <RES>

A;Cross-references: EMBL:U14187; NID:g642832; PIDN:AAC50078.1; PID:g642833

C;Genetics:

A;Gene: GDB:EPLG3

A;Cross-references: GDB:438336; OMIM:601381

A;Map position: 1q21-1q22

C;Superfamily: axon guidance signal protein

Query Match 9.7%; Score 179; DB 2; Length 238;

Best Local Similarity 28.4%; Pred. No. 1.4e-05;

Matches 65; Conservative 24; Mismatches 80; Indels 60; Gaps 12;

```

Qy      7 GPGGVRVGALLLLGVLGLVSGLSLEPVYWN SANKRFQAEGGYVLYPQIGDRLDLLCP--R 64
      |||      |  ||  :  ||||:|:  :  |  ||  :  :  |  ||:  ||
Db      24 GPG-----GALG-----NRHAVYWNSSNQHLRRE-GYTVQVNVNDYLDIYCPHYN 67
Qy      65 ARPPGPHSSP----NYEFYKLYLVGGAQGRRCAPPAPNLLLTCDRPDL---DLRFTIKF 117
      :  ||  :  |  |  ||:|  |  |  |  |  |  |  |  |  |  |  |  |
Db      68 SSGVGPGAGPGPGGGAEQYVLYMVSRNGYRTCNASQGFK-RWECNRP HAPHSP IKFSEKF 126
Qy      118 QEYSPNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVP 177
      |  ||  |:||  :  |:||  |:|  ||  |||  :  :  |
Db      127 QRYSAFSLGYEFHAGHEYIYISTPTHNLH-----WKCLR--MKV FVCCASTSHSG--- 174
Qy      178 RKPVSEMP-----MERDRGAAHSLE-----PGKENLP 204
      |||  :|  |  :  ||  |  :||

```


Db 175 EKPVPTLPQFTMGPNVKINVLEDFEGENPQVPKLEKSISGTSPKREHLP 223

RESULT 8

A54984

ELF-1 protein precursor - mouse

N;Alternate names: Cek7 ligand

C;Species: Mus musculus (house mouse)

C;Date: 11-Nov-1994 #sequence_revision 11-Nov-1994 #text_change 29-Sep-1999

C;Accession: A54984; A55873

R;Cheng, H.J.; Flanagan, J.G.

Cell 79, 157-168, 1994

A;Title: Identification and cloning of ELF-1, a developmentally expressed ligand for the Mek4 and Sek receptor tyrosine kinases.

A;Reference number: A54984; MUID:95007776; PMID:7522971

A;Accession: A54984

A;Status: preliminary

A;Molecule type: mRNA

A;Residues: 1-209 <CHE>

A;Cross-references: GB:U14941; NID:g558836; PIDN:AAA53636.1; PID:g558837

R;Shao, H.; Lou, L.; Pandey, A.; Verderame, M.F.; Siever, D.A.; Dixit, V.M.

J. Biol. Chem. 270, 3467-3470, 1995

A;Title: cDNA cloning and characterization of a Cek7 receptor protein-tyrosine kinase ligand that is identical to the ligand (ELF-1) for the Mek-4 and Sek receptor protein-tyrosine kinases.

A;Reference number: A55873; MUID:95181289; PMID:7876076

A;Accession: A55873

A;Status: preliminary

A;Molecule type: mRNA

A;Residues: 1-209 <SHA>

A;Cross-references: GB:U14752; NID:g681886; PIDN:AAA68520.1; PID:g681887

C;Superfamily: axon guidance signal protein

C;Keywords: lipoprotein; membrane protein

Query Match 9.5%; Score 176; DB 2; Length 209;
Best Local Similarity 29.3%; Pred. No. 2e-05;
Matches 58; Conservative 19; Mismatches 69; Indels 52; Gaps 7;

```
QY      33 VYWNSANKRFQAE-----GGYVLYPQIGDRLLCPRARPPGPHSSPNYEFYKLYLVGGA 87
      |||| :| |||      ||| :  || ||: ||  || :  || ||:| |
Db      35 VYWNRSNPRFQVSAVGDDGGGYTVEVSINDYLDIYCPHYGAPLP-PAERMERYILYMNVE 93

QY      88 QGRRCEAPPAPNLLLTCDRPDL---DLRFTIKFQEYSPNLWGHEFRSHHDYIIATSDGT 144
      |:      |:||      |:|: ||| ::|  | ||| |:|| |: :
Db      94 GHASCDHRQRGFKRWCENRPAAPGGPLKFSEKFQLFTPFSLGFEPGHEYYYISATP-- 151

QY     145 REGLESLQGGVCLTRGMKVLLRVGQSPRGGA VPRKPVSEMPMERDRGAHSLPEPGKENLP 204
      :|      ||      :|| :|
Db     152 ----PNLVDRPCLR--LKVVYR-----PTNETLY 174

QY     205 GDP----TSNATSRGAEG 218
      |      |||::  | |
Db     175 EAPEPIFTSNSSCSGLGG 192
```

RESULT 9

JE0322

ephrin-A2 - human

C;Species: Homo sapiens (man)

C;Date: 05-Feb-1999 #sequence_revision 05-Feb-1999 #text_change 21-Jul-2000

C;Accession: JE0322

R;Aasheim, H.; Pedeutour, F.; Grosgeorge, J.; Logtenberg, T.

Biochem. Biophys. Res. Commun. 252, 378-382, 1998

A;Title: Cloning, chromosomal mapping, and tissue expression of the gene encoding the human Eph-family kinase ligand ephrin-A2.

A;Reference number: JE0322; MUID:99045414; PMID:9826538

A;Accession: JE0322

A;Status: preliminary

A;Molecule type: mRNA

A;Residues: 1-213 <AAS>

A;Cross-references: GB:AJ007292; NID:g3688367; PIDN:CAA07435.1; PID:g3688368

C;Superfamily: axon guidance signal protein

Query Match 9.5%; Score 175.5; DB 2; Length 213;
Best Local Similarity 36.8%; Pred. No. 2.2e-05;
Matches 43; Conservative 14; Mismatches 51; Indels 9; Gaps 3;

```
Qy      33 VYWN SANKRFQA-----EGGYVLYPQIGDRLDLLCPRARPPGPHSSPNYEFYKLYLVGGA 87
          |||| :| || |      ||| :  | | ||: ||  | | :  | | ||: | |
Db      39 VYWNRSNPRFHAGAGDDGGGYTVEVSINDYLDIYCPHYGAPLP-PAERMEHYVLYMVNGE 97

Qy      88 QGRRCEAPPAPNLLLLTCDRPDL---DLRFTIKFQEYSPNLWGHEFRSHHDYIIATS 141
          |:      |:| |      |:|: ||| ::|  | ||| |:| | |: :
Db      98 GHASCDHRQRGFKRWECNRPAAPGGPLKFSEKFQLFTPFSLGFEFRPGHEYYYYISAT 154
```

RESULT 10

A57084

repulsive axon guidance signal protein RAGS precursor - chicken

C;Species: Gallus gallus (chicken)

C;Date: 03-Nov-1995 #sequence_revision 03-Nov-1995 #text_change 20-Jun-2000

C;Accession: A57084

R;Drescher, U.; Kremoser, C.; Handweker, C.; Loeschinger, J.; Noda, M.;
Bonhoeffer, F.

Cell 82, 359-370, 1995

A;Title: In vitro guidance of retinal ganglion cell axons by RAGS, a 25 kDa tectal protein related to ligands for Eph receptor tyrosine kinases.

A;Reference number: A57084; MUID:95360980; PMID:7634326

A;Accession: A57084

A;Status: preliminary; not compared with conceptual translation

A;Molecule type: mRNA

A;Residues: 1-228 <DRE>

A;Cross-references: GB:X90377; NID:g1061113; PIDN:CAA62027.1; PID:g984118

C;Superfamily: axon guidance signal protein

C;Keywords: glycoprotein; membrane protein; phosphatidylinositol linkage

F;1-20/Domain: signal sequence #status predicted <SIG>

Query Match 9.2%; Score 170.5; DB 2; Length 228;
Best Local Similarity 28.9%; Pred. No. 5.3e-05;
Matches 73; Conservative 30; Mismatches 91; Indels 59; Gaps 13;

```
Qy      16 LLLLGVVLGL-VSGLSLEP-----VYWN SANKRFQAEGGYVLYPQIGDRLDLLCPR 64
          :||| |  | |      ||      |||| | ||| :| | :  | | ||: ||
Db      6 MLLLAVALWVCVRGQEPGRKAVADRYAVYWNSTNPRFQ-QGDYHIDVCINDYLDVFCPH 64
```

Qy 65 ARPPGPHSSPNYEFYKLYLVG-----GAQGRRCEAPPAPNLLLTCDRPDLDLR 112
 | | | | | : | | : | | :
 Db 65 YEDSVPEDKT--ERYVLYMVNFDGYSSCDHISKGFKRWECNRPHSPN-----GPLK 113

Qy 113 FTIKFQEYSPNLWGHEFRSHHDYIIATS---DGTREGLESQGGVCLTRGMKVLLRVGQ 169
 | : | | : : | | | | : : | : : : | | : | | : |
 Db 114 FSEKFQLFTPFSLGFEPFRPGREYFYISSAIPDNGRRS-----CLK--LKVFVR--- 159

Qy 170 SPRGGAVPRKPVSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMP--A 227
 | : | : : : | | | : : | | | | : |
 Db 160 -PANSCMKTIGVHDRVFDVNDKVENSLPADDTV---RESAEPSRG-ENAAQTPIRPIRL 214

Qy 228 VAGAAGGLALLLL 240
 : | | : | :
 Db 215 LATLLFLLAMLLI 227

RESULT 11

I38850

LERK-4 - human

C;Species: Homo sapiens (man)

C;Date: 29-May-1998 #sequence_revision 29-May-1998 #text_change 29-Sep-1999

C;Accession: I38850

R;Kozlosky, C.J.; Maraskovsky, E.; McGrew, J.T.; VandenBos, T.; Teepe, M.;
 Lyman, S.D.; Srinivasan, S.; Fletcher, F.A.; Gayle, R.B.

Oncogene 10, 299-306, 1995

A;Title: Ligands for the receptor tyrosine kinases hek and elk: isolation of
 cDNAs encoding a family of proteins.

A;Reference number: I38849; MUID:95140419; PMID:7838529

A;Accession: I38850

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-201 <RES>

A;Cross-references: EMBL:U14188; NID:g642834; PIDN:AAC50079.1; PID:g642835

C;Genetics:

A;Gene: GDB:EPLG4

A;Cross-references: GDB:438337; OMIM:601380

A;Map position: 1q21-1q22

C;Superfamily: axon guidance signal protein

Query Match 9.2%; Score 169.5; DB 2; Length 201;

Best Local Similarity 29.9%; Pred. No. 5.4e-05;

Matches 66; Conservative 18; Mismatches 82; Indels 55; Gaps 10;

Qy 24 LVSGLSL-EPVYWNSANKRFQAEGGYVLYPQIGDRDLLCPRARPPGPHSSPNYEFYKLY 82
 | | | | | | | | : | | : | | : | | | | | : | |
 Db 20 LRGGSSLRHVYWNSSNPRL-LRGDAVVELGLNDYLDIVCPHYEGPGPPEGP--ETFALY 76

Qy 83 LVGGAQGRRCEAP-PAPNLLLTCDRPDLDLRFTIKFQEYSPNLWGHEFRSHHDYIIATS 141
 : | | | | | : : : | | : : | | | | : :
 Db 77 MVDWPGYESCQAEGPRAYKRWVCSLPFGHVQFSEKIQRFTPFSLGFELPGETYYYYISVP 136

Qy 142 DGTREGLESQGGVCLTRGMKVLLRVGQSPRGGAVPRKPVSEMPMERDRGAAHSLEPGKE 201
 | | | | | | | | : | : :
 Db 137 --TPE-----SSGQCL-----RLQVSVCCKERKSESAHPV----- 164

```

Qy      202 NLPGDPTSNATS--RGAEGPLPPPSMPAVAGAAGGLALLLL 240
      | | : | | | | : | | | | | | | |
Db      165 ---GSPGESGTSGWRGGDTSP-----LCLLLL 189

```

RESULT 12

I58170

LERK-7 precursor - human

N;Alternate names: AL-1

C;Species: Homo sapiens (man)

C;Date: 02-Jul-1996 #sequence_revision 02-Jul-1996 #text_change 29-Sep-1999

C;Accession: I58170; G01812

R;Winslow, J.W.; Moran, P.; Valverde, J.; Shih, A.; Yuan, J.Q.; Wong, S.C.; Tsai, S.P.; Goddard, A.; Henzel, W.J.; Hefti, F.

Neuron 14, 973-981, 1995

A;Title: Cloning of AL-1, a ligand for an Eph-related tyrosine kinase receptor involved in axon bundle formation.

A;Reference number: I58170; MUID:95267434; PMID:7748564

A;Accession: I58170

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-228 <RES>

A;Cross-references: GB:S77167; NID:g914184; PID:g914185

R;Kozlosky, C.J.; VandenBos, T.; Park, L.S.; Cerretti, D.P.; Carpenter, M.K. submitted to the EMBL Data Library, May 1995

A;Reference number: G08477

A;Accession: G01812

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-228 <KOZ>

A;Cross-references: EMBL:U26403; NID:g1019430; PIDN:AAB60377.1; PID:g1019431

C;Genetics:

A;Gene: GDB:EPLG7; AF1; LERK7

A;Cross-references: GDB:568757; OMIM:601535

A;Map position: 13q33-13q33

C;Superfamily: axon guidance signal protein

```

Query Match          9.1%; Score 167.5; DB 2; Length 228;
Best Local Similarity 28.8%; Pred. No. 8.5e-05;
Matches 65; Conservative 29; Mismatches 81; Indels 51; Gaps 11;

```

```

Qy      33 VYWNSANKRFQAEGGYVLYPQIGDRDLLCPRARPPGPHSSPNYEFYKLYLVG----- 85
      | | | | | : | | | | | : | | | | | : | | | | |
Db      34 VYWNSSNPRFQ-RGDYHIDVCINDYLDVFCPHYEDSVPEDKT--ERYVLYMVNFDGYSAC 90

Qy      86 -----GAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEYSPNLWGHEFRSHHDYIIAT 140
      | : | | | : | | | | | : | | | | | : | | | | |
Db      91 DHTSKGFKRWECNRPHSPN-----GPLKFSEKFQLFTPFSLGFEFRPGREYFYISS 141

Qy     141 S---DGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKPVSEMPMERDRGAAHSLE 197
      : : | | | | | : | | | | | : | | | | | : | | | | |
Db     142 AIPDNGRRS-----CLK--LKVFVR---PTNSCMKTIGVHDRVFDVNDKVENSL 186

Qy     198 PGKENLPGDPTSNATS RGAEGPLPPPSMPAVAGAAGGLALLLLGVA 243
      | : : | | | | | : | | | | | : | | | | |
Db     187 PADDTV---HESAEPSRG-ENAAQTPRIPSRL-----LAILLFLLA 223

```

RESULT 13

A36377

B61 protein precursor - human

C;Species: Homo sapiens (man)

C;Date: 28-Mar-1991 #sequence_revision 28-Mar-1991 #text_change 29-Sep-1999

C;Accession: A36377

R;Holzman, L.B.; Marks, R.M.; Dixit, V.M.

Mol. Cell. Biol. 10, 5830-5838, 1990

A;Title: A novel immediate-early response gene of endothelium is induced by cytokines and encodes a secreted protein.

A;Reference number: A36377; MUID:91042512; PMID:2233719

A;Accession: A36377

A;Status: preliminary

A;Molecule type: mRNA

A;Residues: 1-205 <HOL>

A;Cross-references: GB:M57730; GB:M37476; NID:g179320; PIDN:AAA58388.1;

PID:g179321

C;Superfamily: axon guidance signal protein

Query Match 9.0%; Score 166; DB 2; Length 205;

Best Local Similarity 27.5%; Pred. No. 9.7e-05;

Matches 46; Conservative 31; Mismatches 74; Indels 16; Gaps 5;

```

Qy      18 LLGVLGLVSGLSLEPVYWN SANKRFQ AEGGYVLYPQIGDRLDLLCPRARPPGPHSSPN-- 75
      |||:  ::      |:|||:| |:| | | :: |: | :|::||      || :
Db      8 LLGLCCSLAAADRHTVFWNSSNP KFRNE-DYTIHVQLNDYVDIICPHYE---DHSVADAA 63

Qy      76 YEFYKLYLVGGAQGRRC EAPPAPNLLLTCDRPDL---DLRFTIKFQEYSPNLWGHEFRSH 132
      | | |||| : : |:      :      |:||      : : ||| :| | ||:
Db      64 MEQYILYLVEHEEYQLCQPQSKDQVRWQCNRPSAKHGPEKLSEKFQRFPTFTLGKEFKEG 123

Qy      133 HDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGA VPRK 179
      | || |:      |      || : | : : ||:      |:
Db      124 HSYYYISKPIHQHEDR-----CLRLKVTVSGKITHSPQAHVNPQE 163

```

RESULT 14

S31216

collagen alpha 1(X) chain precursor - mouse

C;Species: Mus musculus (house mouse)

C;Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 13-Aug-1999

C;Accession: S31216; S28807; S22215; S30127; I48299; S26397; S31830

R;Kong, R.Y.C.; Kwan, K.M.; Lau, E.T.; Thomas, J.T.; Boot-Handford, R.P.; Grant, M.E.; Cheah, K.S.E.

Eur. J. Biochem. 213, 99-111, 1993

A;Title: Intron-exon structure, alternative use of promoter and expression of the mouse collagen X gene, Coll10a-1.

A;Reference number: S31216; MUID:93238750; PMID:8477738

A;Accession: S31216

A;Molecule type: DNA

A;Residues: 1-680 <KON>

A;Cross-references: EMBL:Z21610; NID:g49793; PIDN:CAA79736.1; PID:g49794

R;Elima, K.; Eerola, I.; Rosati, R.; Metsaeranta, M.; Garofalo, S.; Peraelae, M.; de Crombrughe, B.; Vuorio, E.

Biochem. J. 289, 247-253, 1993

A;Title: The mouse collagen X gene: complete nucleotide sequence, exon structure and expression pattern.
 A;Reference number: S28807; MUID:93143676; PMID:8424763
 A;Accession: S28807
 A;Molecule type: DNA
 A;Residues: 1-285,'A',287-680 <ELI>
 A;Cross-references: EMBL:X67348; NID:g50480; PIDN:CAA47763.1; PID:g50481
 R;Elima, K.; Metsaeranta, M.; Kallio, J.; Peraelae, M.; Eerola, I.; Garofalo, S.; de Crombrughe, B.; Vuorio, E.
 Biochim. Biophys. Acta 1130, 78-80, 1992
 A;Title: Specific hybridization probes for mouse alpha-2(IX) and alpha-1(X) collagen mRNAs.
 A;Reference number: S22215; MUID:92182017; PMID:1543751
 A;Accession: S22215
 A;Status: preliminary
 A;Molecule type: mRNA
 A;Residues: 385-450,'K',452-627 <ELA>
 A;Cross-references: EMBL:X63013; NID:g49795; PIDN:CAA44741.1; PID:g49796
 R;Apte, S.S.; Olsen, B.R.
 Matrix 13, 165-179, 1993
 A;Title: Characterization of the mouse type X collagen gene.
 A;Reference number: S30127; MUID:93261348; PMID:8492743
 A;Accession: S30127
 A;Status: preliminary
 A;Molecule type: mRNA
 A;Residues: 1-12,'F',14-26,'S',28-247,'L',249-285,'A',287-305,'F',307-416,'S',418-499,'L',501-566,'C',568,'H',570,'IY',573-634,'T',636-680 <APT>
 R;Apte, S.S.; Seldin, M.F.; Hayashi, M.; Olsen, B.R.
 Eur. J. Biochem. 206, 217-224, 1992
 A;Title: Cloning of the human and mouse type X collagen genes and mapping of the mouse type X collagen gene to chromosome 10.
 A;Reference number: I48299; MUID:92267014; PMID:1587271
 A;Accession: I48299
 A;Status: preliminary; translated from GB/EMBL/DDBJ
 A;Molecule type: DNA
 A;Residues: 52-247,'L',249-285,'A',287-305,'F',307-416,'S',418-499,'L',501-566,'C',568,'H',570,'IY',573-634,'T',636-680 <RES>
 A;Cross-references: EMBL:X65121; NID:g50482; PIDN:CAA46237.1; PID:g667031
 R;Summers, T.A.; Irwin, M.H.; Mayne, R.; Balian, G.
 J. Biol. Chem. 263, 581-587, 1988
 A;Title: Monoclonal antibodies to type X collagen. Biosynthetic studies using an antibody to the amino-terminal domain.
 A;Reference number: S26397; MUID:88087150; PMID:2826450
 A;Accession: S26397
 A;Molecule type: protein
 A;Residues: 'SDGYFSQ',24-26,'KQ' <SUM>
 C;Genetics:
 A;Gene: Coll10a-1
 A;Map position: 10
 A;Introns: 51/3
 C;Superfamily: collagen alpha 1(VIII) chain; complement Clq carboxyl-terminal homology
 C;Keywords: coiled coil; extracellular matrix; glycoprotein; homotrimer
 F;1-18/Domain: signal sequence #status predicted <SIG>
 F;19-680/Product: collagen alpha 1(X) chain #status predicted <MAT>
 F;553-679/Domain: complement Clq carboxyl-terminal homology <ClQ>

Query Match 8.6%; Score 159; DB 2; Length 680;
 Best Local Similarity 25.5%; Pred. No. 0.0011;
 Matches 97; Conservative 30; Mismatches 108; Indels 146; Gaps 24;

```

Qy      1 MGPPHSGPGGV-RVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLD 59
      :||| || || | | | | : : | | |
Db      211 IGPP--GPSGVGRRGENGFPGQPGI-----KGDRGFPGEMG----- 244

Qy      60 LLCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQE 119
      : |||| | | || | | : : : | :
Db      245 ----PSGPPGPQGP-----GKQGR--EGIGKPGAIGSPGQPGI----- 277

Qy      120 YSPNLWGHEFRSHHDYIIATSDGT----REGLESLOGGVCLTRGMKVLLRVGQSPRGGA 175
      | | | | | | | : || | : | | | |
Db      278 --PGEKGHPGSPG-----IAGPPGAPGFGKQGLPGLRG---QRG-----PAG-- 314

Qy      176 VPRKPVSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGL 235
      : | | : : : || | | : | : || | : || | :
Db      315 LPGAPGA----KGERGPAG--HPGEPGLPGSP----GNMGPGQPKGIPGNHGIPGAKGEI 364

Qy      236 ALLLLGVAGAGGAMCWRRRRAKP---SESRHPG-----PGSFGRGGSGLGLGGGGG 282
      : | || || | | | : : || | | : | | : || | |
Db      365 G--LVGPAGPPGA---RGARGPPGLDGKTGYPGEPGLNGPKGNPLPGQKGDPGVGGTPG 419

Qy      283 M-----GPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVY 323
      : | | | | | | | | | : | | | |
Db      420 LRGPVGPVGAKGVPGHNGEAGPR--GEPGIPGTR---GPTGPPGVPGFPGSKGDPGNP-- 472

Qy      324 IVQDGP-----PQSPP 334
      || | |
Db      473 -GAPGPAGIATKGLNGPTGPP 492

```

RESULT 15

CGBO7S

collagen alpha 1(III) chain - bovine

C;Species: Bos primigenius taurus (cattle)

C;Date: 04-Dec-1986 #sequence_revision 04-Dec-1986 #text_change 07-May-1999

C;Accession: A02862; A38001; A38002; A38003; A38004; A38005; S71946

R;Fietzek, P.P.; Allmann, H.; Rauterberg, J.; Henkel, W.; Wachter, E.; Kuehn, K.
 Hoppe-Seyler's Z. Physiol. Chem. 360, 809-820, 1979

A;Title: The covalent structure of calf skin type III collagen. I. The amino
 acid sequence of the amino terminal region of the alpha1(III) chain (position 1-
 222).

A;Reference number: A02862; MUID:80026026; PMID:488906

A;Accession: A02862

A;Molecule type: protein

A;Residues: 1-242 <FIE>

R;Dewes, H.; Fietzek, P.P.; Kuehn, K.

Hoppe-Seyler's Z. Physiol. Chem. 360, 821-832, 1979

A;Title: The covalent structure of calf skin type III collagen. II. The amino
 acid sequence of the cyanogen bromide peptide alpha1(III)CB1,8,10,2 (positions
 223-402).

A;Reference number: A38001; MUID:80026027; PMID:488907

A;Accession: A38001

A;Molecule type: protein

A;Residues: 243-422 <DEW1>

R;Bentz, H.; Fietzek, P.P.; Kuehn, K.
 Hoppe-Seyler's Z. Physiol. Chem. 360, 833-840, 1979
 A;Title: The covalent structure of calf skin type III collagen. III. The amino acid sequence of the cyanogen bromide peptide alphas(III)CB4 (positions 403-551).
 A;Reference number: A38002; MUID:80026028; PMID:488908
 A;Accession: A38002
 A;Molecule type: protein
 A;Residues: 423-571 <BEN>
 R;Lang, H.; Glanville, R.W.; Fietzek, P.P.; Kuehn, K.
 Hoppe-Seyler's Z. Physiol. Chem. 360, 841-850, 1979
 A;Title: The covalent structure of calf skin type III collagen. IV. The amino acid sequence of the cyanogen bromide peptide alphas(III)CB5 (positions 552-788).
 A;Reference number: A38003; MUID:80026029; PMID:488909
 A;Accession: A38003
 A;Molecule type: protein
 A;Residues: 572-808 <LAN>
 R;Dewes, H.; Fietzek, P.P.; Kuehn, K.
 Hoppe-Seyler's Z. Physiol. Chem. 360, 851-860, 1979
 A;Title: The covalent structure of calf skin type III collagen. V. The amino acid sequence of the cyanogen bromide peptide alphas(III)CB9A (position 789 to 927).
 A;Reference number: A38004; MUID:80026030; PMID:488910
 A;Accession: A38004
 A;Molecule type: protein
 A;Residues: 809-947 <DEW2>
 R;Allmann, H.; Fietzek, P.P.; Glanville, R.W.; Kuehn, K.
 Hoppe-Seyler's Z. Physiol. Chem. 360, 861-868, 1979
 A;Title: The covalent structure of calf skin type III collagen. VI. The amino acid sequence of the carboxyterminal cyanogen bromide peptide alphas(III)CB9B (position 928-1028).
 A;Reference number: A38005; MUID:80026031; PMID:488911
 A;Accession: A38005
 A;Molecule type: protein
 A;Residues: 948-1049 <ALL>
 A;Experimental source: skin
 R;Henkel, W.
 Biochem. J. 318, 497-503, 1996
 A;Title: Cross-link analysis of the C-telopeptide domain from type III collagen.
 A;Reference number: S71946; MUID:96404897; PMID:8809038
 A;Accession: S71946
 A;Molecule type: protein
 A;Residues: 87-106;1017-1029;1037-1049 <HEN>
 C;Comment: Prolines at the third position of the tripeptide repeating unit (G-X-Y) are hydroxylated in some or all of the chains.
 C;Comment: The type III collagen molecule is a trimer of identical chains, linked to each other by interchain disulfide bonds. Trimers are also cross-linked by allysines forming desmosine.
 C;Superfamily: collagen alpha 1(I) chain; fibrillar collagen carboxyl-terminal homology; von Willebrand factor type C repeat homology
 C;Keywords: coiled coil; extracellular matrix; glycoprotein; hydroxylysine; hydroxyproline; skin; trimer; triple helix
 F;1-1049/Product: collagen alpha 1(III) chain #status experimental <CAB>
 F;1-14/Region: amino-terminal nonhelical telopeptide
 F;15-1040/Region: helical
 F;587-589/Region: cell attachment (R-G-D) motif

F;752-754/Region: cell attachment (R-G-D) motif
 F;875-877/Region: cell attachment (R-G-D) motif
 F;878-880/Region: cell attachment (R-G-D) motif
 F;935-937/Region: cell attachment (R-G-D) motif
 F;1041-1049/Region: carboxyl-terminal nonhelical telopeptide
 F;95,107,119,938,950/Modified site: 5-hydroxylysine (Lys) #status experimental
 F;107,950/Modified site: allysine (Lys) #status predicted
 F;107/Binding site: carbohydrate (Lys) (covalent) #status experimental
 F;1040,1041/Disulfide bonds: interchain #status predicted

Query Match 8.4%; Score 154.5; DB 1; Length 1049;
 Best Local Similarity 26.5%; Pred. No. 0.0036;
 Matches 60; Conservative 9; Mismatches 74; Indels 83; Gaps 8;

```

Qy      171 PRGGAVPRKPVSEMPMERDRGA-----AHSLEPGKEN 202
          | | | : | |      :: : | |
Db      688 PAGGSGPAGPPGPQGVKGERGSPGGPGAAGFPGGRGPPGPPGSNGNPGPPGSSGAPGKDG 747

Qy      203 LPGDPTSNAT-----SRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGA 245
          || | | |      || | | | | | | | | | | | |
Db      748 PPGPPGSNGAPGSPGISGPKGDSGPPGERGAPGPQGGPPGAPGPLGIAG-----LTGARGL 802

Qy      246 GGAMCWRRRRRAKP-----SES RHPGP-----GSFGRGSSLGLGGGGMGPREAEPGE 292
          |      | | |      | : | | |      | | | | | | | | : | |
Db      803 AGPPGMFGARGSPGPQGIKGENGKPGPSGQNGERGPPGPQGLPGLAGTAGEPGRDGNPGS 862

Qy      293 LGIALRGG-----GAADPPFCPHYEKVSGDYGHPVYIVQDGPP 330
          | : | |      | | |      | | | | | | | | |
Db      863 DGLPGRDGAPGAKGDRGENGSPGAP-----GAPGHP-----GPP 896
  
```

Search completed: April 13, 2004, 09:25:01
 Job time : 15.5409 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: April 13, 2004, 09:26:02 ; Search time 32.0755 Seconds
(without alignments)
2787.142 Million cell updates/sec

Title: US-10-021-121-4
Perfect score: 1850
Sequence: 1 MGPPHSGPGGVRVGALLLLG.....PVYIVQDGGPPQSPPNIYYKV 340

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1073127 seqs, 262937947 residues

Total number of hits satisfying chosen parameters: 1073127

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published Applications_AA:*

- 1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
- 2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
- 3: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
- 4: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
- 5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
- 6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
- 7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
- 8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
- 9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
- 10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
- 11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
- 12: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
- 13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
- 14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
- 15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
- 16: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
- 17: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
- 18: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	DB ID	Description
------------	-------	-------	--------	-------	-------------

1	1850	100.0	340	13	US-10-021-121-4	Sequence 4, Appli
2	1846	99.8	340	13	US-10-138-787-3	Sequence 3, Appli
3	1844	99.7	340	15	US-10-417-924A-2	Sequence 2, Appli
4	1841	99.5	455	13	US-10-021-121-2	Sequence 2, Appli
5	632	34.2	346	13	US-10-021-121-9	Sequence 9, Appli
6	632	34.2	346	16	US-10-356-289-2	Sequence 2, Appli
7	629.5	34.0	333	9	US-09-754-105-2	Sequence 2, Appli
8	629.5	34.0	333	9	US-09-978-339-2	Sequence 2, Appli
9	629.5	34.0	333	13	US-10-021-121-10	Sequence 10, Appl
10	629.5	34.0	333	15	US-10-331-496A-63	Sequence 63, Appl
11	622.5	33.6	333	13	US-10-138-787-4	Sequence 4, Appli
12	608.5	32.9	345	13	US-10-138-787-5	Sequence 5, Appli
13	498	26.9	89	9	US-09-862-179A-17	Sequence 17, Appl
14	498	26.9	89	13	US-10-138-787-13	Sequence 13, Appl
15	284.5	15.4	92	9	US-09-864-761-48262	Sequence 48262, A
16	205.5	11.1	136	9	US-09-864-761-48257	Sequence 48257, A
17	202.5	10.9	106	9	US-09-925-297-639	Sequence 639, App
18	201	10.9	82	9	US-09-862-179A-15	Sequence 15, Appl
19	201	10.9	82	13	US-10-138-787-11	Sequence 11, Appl
20	200.5	10.8	82	9	US-09-862-179A-16	Sequence 16, Appl
21	200.5	10.8	82	13	US-10-138-787-12	Sequence 12, Appl
22	179	9.7	238	9	US-09-904-954-2	Sequence 2, Appli
23	179	9.7	238	10	US-09-733-756-2	Sequence 2, Appli
24	179	9.7	238	14	US-10-241-220-72	Sequence 72, Appl
25	179	9.7	238	15	US-10-295-027-130	Sequence 130, App
26	176	9.5	209	9	US-09-921-984-2	Sequence 2, Appli
27	174.5	9.4	233	13	US-10-138-787-7	Sequence 7, Appli
28	172.5	9.3	218	9	US-09-925-297-510	Sequence 510, App
29	169.5	9.2	201	9	US-09-904-954-4	Sequence 4, Appli
30	169	9.1	201	13	US-10-138-787-8	Sequence 8, Appli
31	168.5	9.1	209	13	US-10-138-787-6	Sequence 6, Appli
32	167.5	9.1	228	8	US-08-578-684-4	Sequence 4, Appli
33	166	9.0	205	13	US-10-138-787-10	Sequence 10, Appl
34	166	9.0	205	14	US-10-171-311-50	Sequence 50, Appl
35	166	9.0	205	15	US-10-372-683-34	Sequence 34, Appl
36	164.5	8.9	204	12	US-10-147-493-288	Sequence 288, App
37	164.5	8.9	204	12	US-10-145-127-288	Sequence 288, App
38	164.5	8.9	204	12	US-10-160-503-288	Sequence 288, App
39	164.5	8.9	204	12	US-10-143-118-288	Sequence 288, App
40	164.5	8.9	204	12	US-10-144-993-288	Sequence 288, App
41	164.5	8.9	204	12	US-10-158-787-288	Sequence 288, App
42	164.5	8.9	204	12	US-10-140-024-288	Sequence 288, App
43	164.5	8.9	204	13	US-10-001-054-48	Sequence 48, Appl
44	164.5	8.9	204	14	US-10-028-072-288	Sequence 288, App
45	164.5	8.9	204	14	US-10-121-049-288	Sequence 288, App

ALIGNMENTS

RESULT 1
 US-10-021-121-4
 ; Sequence 4, Application US/10021121
 ; Publication No. US20020142444A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Caras, Ingrid W

```

; TITLE OF INVENTION: A2-1 Neurotrophic Factor
; NUMBER OF SEQUENCES: 10
; CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Genentech, Inc.
;     STREET: 1 DNA Way
;     CITY: South San Francisco
;     STATE: California
;     COUNTRY: USA
;     ZIP: 94080
; COMPUTER READABLE FORM:
;     MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/10/021,121
;     FILING DATE: 06-Dec-2001
;     CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: US/08/635,130
;     FILING DATE: 19-Mar-1996
; ATTORNEY/AGENT INFORMATION:
;     NAME: Torchia, PhD., Timothy E.
;     REGISTRATION NUMBER: 36,700
;     REFERENCE/DOCKET NUMBER: P1001
; TELECOMMUNICATION INFORMATION:
;     TELEPHONE: 650/225-8674
;     TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 4:
;     SEQUENCE CHARACTERISTICS:
;         LENGTH: 340 amino acids
;         TYPE: Amino Acid
;         TOPOLOGY: Linear
;     SEQUENCE DESCRIPTION: SEQ ID NO: 4:
US-10-021-121-4

```

```

Query Match          100.0%;  Score 1850;  DB 13;  Length 340;
Best Local Similarity 100.0%;  Pred. No. 7.3e-136;
Matches 340;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

```

```

Qy      1 MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60

Qy     61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY 120
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY 120

Qy    121 SPNLWGHEFRSHHDYIIATSDGTREGLESLQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 SPNLWGHEFRSHHDYIIATSDGTREGLESLQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180

Qy    181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240

Qy    241 GVAGAGGAMCWRRRRAKPSERHPGPGSFGRGGSGLGSGGGGGMGPRAEPGELGIALRGG 300

```

```

Db      241  GVAGAGGAMCWRRRRAKPSERHPGPSFGRGSSLGLGGGGMGMPREAEPEGELGIALRGG 300
Qy      301  GAADPPFCPHYEKVSGDYGHPVYIVQDGGPPQSPPNIYYKV 340
Db      301  GAADPPFCPHYEKVSGDYGHPVYIVQDGGPPQSPPNIYYKV 340

```

RESULT 2

US-10-138-787-3

```

; Sequence 3, Application US/10138787
; Publication No. US20020172984A1
; GENERAL INFORMATION:
; APPLICANT: Holland, Sacha
; APPLICANT: Mbamalu, Geraldine
; APPLICANT: Pawson, Tony
; TITLE OF INVENTION: OLIGOMERIZED RECEPTORS WHICH AFFECT PATHWAYS REGULATED
; TITLE OF INVENTION: BY TRANSMEMBRANE LIGANDS FOR ELK-RELATED RECEPTOR
; TITLE OF INVENTION: TYROSINE KINASES
; FILE REFERENCE: 11757.23USWO
; CURRENT APPLICATION NUMBER: US/10/138,787
; CURRENT FILING DATE: 2002-05-03
; PRIOR APPLICATION NUMBER: US/09/214,631
; PRIOR FILING DATE: 1999-03-12
; PRIOR APPLICATION NUMBER: PCT/CA97/00473
; PRIOR FILING DATE: 1997-07-04
; PRIOR APPLICATION NUMBER: 60/021,272
; PRIOR FILING DATE: 1996-07-05
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 3
; LENGTH: 340
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-138-787-3

```

```

Query Match          99.8%; Score 1846; DB 13; Length 340;
Best Local Similarity 99.7%; Pred. No. 1.5e-135;
Matches 339; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1  MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRDL 60
Db      1  MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRDL 60

Qy     61  LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY 120
Db     61  LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY 120

Qy    121  SPNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180
Db    121  SPNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180

Qy    181  VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
Db    181  VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240

Qy    241  GVAGAGGAMCWRRRRAKPSERHPGPSFGRGSSLGLGGGGMGMPREAEPEGELGIALRGG 300

```

```

Db          241  GVAGAGGAMCWRRRRAKPSERHPGPGSFGRGSSLGLGGGGMGMPREAEPEGELGIALRGG 300
Qy          301  GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
Db          301  GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340

```

RESULT 3

US-10-417-924A-2

```

; Sequence 2, Application US/10417924A
; Publication No. US20030215918A1
; GENERAL INFORMATION:
; APPLICANT: Samuel Davis, et al.
; TITLE OF INVENTION: BIOLOGICALLY ACTIVE EPH FAMILY LIGANDS
; FILE REFERENCE: REG-341Z
; CURRENT APPLICATION NUMBER: US/10/417,924A
; CURRENT FILING DATE: 2003-04-17
; PRIOR APPLICATION NUMBER: 09/051,994
; PRIOR FILING DATE: 1998-04-24
; PRIOR APPLICATION NUMBER: PCT/US96/17201
; PRIOR FILING DATE: 1996-10-25
; PRIOR APPLICATION NUMBER: 60/007,015
; PRIOR FILING DATE: 1995-10-25
; NUMBER OF SEQ ID NOS: 3
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 340
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: Misc. feature
; LOCATION: (166)
; OTHER INFORMATION: Xaa = unknown or other
US-10-417-924A-2

```

```

Query Match          99.7%; Score 1844; DB 15; Length 340;
Best Local Similarity 99.7%; Pred. No. 2.1e-135;
Matches 339; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy          1  MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRDL 60
Db          1  MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRDL 60
Qy          61  LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLRLFTIKFQEY 120
Db          61  LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLRLFTIKFQEY 120
Qy          121 SPNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGAVPRKP 180
Db          121 SPNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLXVGQSPRGAVPRKP 180
Qy          181 VSEMPMERDRGAHAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
Db          181 VSEMPMERDRGAHAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
Qy          241 GVAGAGGAMCWRRRRAKPSERHPGPGSFGRGSSLGLGGGGMGMPREAEPEGELGIALRGG 300

```


Qy	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY	120
Db	61	LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY	120
Qy	121	SPNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGGAVPRKP	180
Db	121	SPNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGGAVPRKP	180
Qy	181	VSEMPMERDRGAAHSLEPGKENLPGDPTS NATSRGAEGPLPPPSMPAVAGAAGGLALLL	240
Db	181	VSEMPMERDRGAAHSLEPGKENLPGDPTS NATSRGAEGPLPPPSMPAVAGAAGGLALLL	240
Qy	241	GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGS LGLGGGGMGPREAEPGELGIALRGG	300
Db	241	GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGS LGLGGGGMGPREAEPGELGIALRGG	300
Qy	301	GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYY	338
Db	301	GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYY	338

RESULT 5

US-10-021-121-9

; Sequence 9, Application US/10021121

; Publication No. US20020142444A1

; GENERAL INFORMATION:

; APPLICANT: Caras, Ingrid W

; TITLE OF INVENTION: A2-1 Neurotrophic Factor

; NUMBER OF SEQUENCES: 10

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Genentech, Inc.

; STREET: 1 DNA Way

; CITY: South San Francisco

; STATE: California

; COUNTRY: USA

; ZIP: 94080

; COMPUTER READABLE FORM:

; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: WinPatin (Genentech)

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/10/021,121

; FILING DATE: 06-Dec-2001

; CLASSIFICATION: <Unknown>

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US/08/635,130

; FILING DATE: 19-Mar-1996

; ATTORNEY/AGENT INFORMATION:

; NAME: Torchia, PhD., Timothy E.

; REGISTRATION NUMBER: 36,700

; REFERENCE/DOCKET NUMBER: P1001

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 650/225-8674

; TELEFAX: 650/952-9881

; INFORMATION FOR SEQ ID NO: 9:


```
; PRIOR APPLICATION NUMBER: 07/977,693
; PRIOR FILING DATE: 1992-11-13
; PRIOR APPLICATION NUMBER: 08/747,240
; PRIOR FILING DATE: 1996-10-12
; PRIOR APPLICATION NUMBER: 08/460,741
; PRIOR FILING DATE: 1995-06-02
; NUMBER OF SEQ ID NOS: 5
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 2
; LENGTH: 346
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-356-289-2
```

```
Query Match          34.2%; Score 632; DB 16; Length 346;
Best Local Similarity 39.5%; Pred. No. 4.4e-41;
Matches 145; Conservative 48; Mismatches 116; Indels 58; Gaps 9;
```

```
Qy      8 PGGVRVVGALLLLGLVLGLVSG-----SLEPVYWNSANKRFQAEGGYVLYPQIGDRDL 61
      ||  :|  |:  |:  :  |  :||||  |:|  |  :|  :  |  |:||:||||:|:
Db      4 PGQRWLKGKWLVMVWALCRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDII 63

Qy     62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEYS 121
      ||||  |  ||:|||||  |  |  ||:|:|:|:|:  ::|||||||:|
Db     64 CPRAEAGRP-----YEYYKLYLVRPEQAAACSTVLDPNVLVTCNRPEQEIRFTIKFQEFS 118

Qy    122 PNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKPV 181
      ||  |  ||:  |||||  :|:|:  ||||:  :|||  ||  ||:::|  |  :
Db    119 PNYMGLEFKKHHDYIITSTSNGLSLEGLNREGGVCRTRTMKIIMKVGQDPNAVTPPEQLTT 178

Qy    182 SEMPMERDRGAAHSLE-PGKENLPGDPTSNA TSGAEGPLPPPSMPAVAGAAGGLA---- 236
      |  |  |  :  :  ||  ||  :  |  |  ||:|  :
Db    179 SRPSKEADNTVKMATQAPGSRGSLGSDGKHETVNQEEKSGP-----GASGGSSGDPD 231

Qy    237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSES RHPGPGSFGRGGS LGL 277
      :  |  |||  :  |:|  |  ::  |  :|  |
Db    232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLL LKLRKRHRKHTQQ-----RAAALSL 282

Qy    278 ----GGGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
      ||  |  ||  ::  |  ||  :  :  |||||  |||||  ||||:  ||||
Db    283 STLASPKGGSGTAGTEPSDIIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSP 339

Qy    334 PNIYYKV 340
      |||||
Db    340 ANIYYKV 346
```

RESULT 7

US-09-754-105-2

```
; Sequence 2, Application US/09754105
; Patent No. US20010009768A1
; GENERAL INFORMATION:
; APPLICANT: Cerretti, Douglas
; APPLICANT: Reddy, Pranhitha
; TITLE OF INVENTION: POLYNUCLEOTIDES ENCODING CYTOKINE DESIGNATED LERK-5
; FILE REFERENCE: 28232
; CURRENT APPLICATION NUMBER: US/09/754,105
```

; CURRENT FILING DATE: 2001-01-03
; PRIOR APPLICATION NUMBER: 09/329,531
; PRIOR FILING DATE: 1999-06-10
; NUMBER OF SEQ ID NOS: 3
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 2
; LENGTH: 333
; TYPE: PRT
; ORGANISM: homo sapiens
US-09-754-105-2

Query Match 34.0%; Score 629.5; DB 9; Length 333;
Best Local Similarity 40.9%; Pred. No. 6.6e-41;
Matches 135; Conservative 52; Mismatches 130; Indels 13; Gaps 5;

Qy 14 GALLLLGVLGLVSGLSLEPVYWSANKRFQAEGGYVLYPQIGDRDL DLCPRARPPGPHSS 73
| |::| : : |||:||||:| :| | |||||:|:|:|: :
Db 14 GVLMLCRTAISKSIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 70

Qy 74 PNYEFYKLYLVGGAQGRRC EAPPAENLLLLTCDRPDLRLRFTIKFQEYSPNLWGHEFRSHH 133
||:|:|:|:| | | | | :|| |:| |||||:| ||||| ||: :
Db 71 GQYEYYKVYMDKDQADRCTIKKENTPLLNCAKPDQDIKFTIKFQEFSPNLWGLEFQKNK 130

Qy 134 DYYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
||||:|:|:| |||: :||| | | |:|:| | | | : | :|
Db 131 DYYIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSTRNKDPTRRPELEAGTN 190

Qy 191 GAAHSLEPGKENLPGDPTS NATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
| : : | : || | : : : : : || | | : : : : :
Db 191 GRSSTTSPFVKPNPGSSSTDGNSAGHSGN NILGSEVALFAGIASGCII FIVIIITLVVLLL 250

Qy 251 WRRRRRAKPSES RHPGPGSFGRGGS LGLGGGGMGPREAEPGELGIALRGGGAADPPFCPH 310
||| : :| | : | : || :| :| || || |||
Db 251 KYRRRHRKHSPQH TTTLSLSTLATPKRSGNN----NGSEPSDII IPLR---TADSVFCPH 303

Qy 311 YEKVSGDYGHPVYIVQD GPPQSPPNIIYYKV 340
||||| ||||| ||||| : ||||| |||||
Db 304 YEKVSGDYGHPVYIVQ EPPQSPANIYYKV 333

RESULT 8

US-09-978-339-2

; Sequence 2, Application US/09978339

; Patent No. US20020103358A1

; GENERAL INFORMATION:

; APPLICANT: Cerretti, Douglas P.

; Reddy, Pranhitha

; TITLE OF INVENTION: No. US20020103358A1el Cytokine Designated Lerk-5

; NUMBER OF SEQUENCES: 3

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Immunex Corporation

; STREET: 51 University Street

; CITY: Seattle

; STATE: Washington

; COUNTRY: US

; ZIP: 98101

; COMPUTER READABLE FORM:

```

;           MEDIUM TYPE: Floppy disk
;           COMPUTER: Apple Macintosh
;           OPERATING SYSTEM: Apple 7.1
;           SOFTWARE: Microsoft Word, Version 5.1a
;
CURRENT APPLICATION DATA:
;           APPLICATION NUMBER: US/09/978,339
;           FILING DATE: 15-Oct-2001
;           CLASSIFICATION: <Unknown>
;
PRIOR APPLICATION DATA:
;           APPLICATION NUMBER: 08/271,948
;           FILING DATE: <Unknown>
;
ATTORNEY/AGENT INFORMATION:
;           NAME: Seese, Kathryn A.
;           REGISTRATION NUMBER: 32,172
;           REFERENCE/DOCKET NUMBER: 2823
;
TELECOMMUNICATION INFORMATION:
;           TELEPHONE: (206) 587-0430
;           TELEFAX: (206) 233-0644
;           TELEX: 756822
;
INFORMATION FOR SEQ ID NO: 2:
;           SEQUENCE CHARACTERISTICS:
;           LENGTH: 333 amino acids
;           TYPE: amino acid
;           TOPOLOGY: linear
;           MOLECULE TYPE: protein
;           SEQUENCE DESCRIPTION: SEQ ID NO: 2:
US-09-978-339-2

```

```

Query Match           34.0%; Score 629.5; DB 9; Length 333;
Best Local Similarity 40.9%; Pred. No. 6.6e-41;
Matches 135; Conservative 52; Mismatches 130; Indels 13; Gaps 5;

```

```

Qy      14 GALLLLGLVGLIVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLLCPRARPPGPHSS 73
      | |::| : : |||:||||:| :| | |||||::|::|::| :
Db      14 GVLMLCRTAISKSIVLEPIYWNSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 70

Qy      74 PNYEFYKLYLVGGAQGRRCAPPAPNLLLTCDRPDLRLRFTIKFQEYSPNLWGHEFRSHH 133
      ||::|::|:| | || || | :|| |::| |||||:||||| ||: :
Db      71 GQYEEYKVMVDKQADRCTIKKENTPLLNCAKPDQDIKFTIKFQEFSPNLWGLEFQKNK 130

Qy     134 DYYIIATSDGTREGLESLOGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
      |||||:|::|: |||:: :||| || ||:|::| || | | : | :|
Db     131 DYYIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSTRNKDPTRRPELEAGTN 190

Qy     191 GAAHSLEPGKENLPGDPTSNAISRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
      | : : | : || | : : : : : || | | : : : : :
Db     191 GRSSTTSFVKPNPGSSSTDGNSAGHSGNNILGSEVALFAGIASGCIIFIVIIITLVVLLL 250

Qy     251 WRRRRRAKPSESRHPGPGSFGRGGSGLGLGGGGMGPREAEPGELGIALRGGAADPPFCPH 310
      ||| : :| | : : | :|| :::| || || |||
Db     251 KYRRRRHRKHSPQHHTTSLSTLATPKRSGNN----NGSEPSDIIIPLR---TADSVFCPH 303

Qy     311 YEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
      ||||| ||||| ||||| : ||||| |||||
Db     304 YEKVSGDYGHPVYIVQEMPPQSPANIYYKV 333

```

RESULT 9

US-10-021-121-10

; Sequence 10, Application US/10021121

; Publication No. US20020142444A1

; GENERAL INFORMATION:

; APPLICANT: Caras, Ingrid W

; TITLE OF INVENTION: A2-1 Neurotrophic Factor

; NUMBER OF SEQUENCES: 10

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Genentech, Inc.

; STREET: 1 DNA Way

; CITY: South San Francisco

; STATE: California

; COUNTRY: USA

; ZIP: 94080

; COMPUTER READABLE FORM:

; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: WinPatin (Genentech)

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/10/021,121

; FILING DATE: 06-Dec-2001

; CLASSIFICATION: <Unknown>

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US/08/635,130

; FILING DATE: 19-Mar-1996

; ATTORNEY/AGENT INFORMATION:

; NAME: Torchia, PhD., Timothy E.

; REGISTRATION NUMBER: 36,700

; REFERENCE/DOCKET NUMBER: P1001

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 650/225-8674

; TELEFAX: 650/952-9881

; INFORMATION FOR SEQ ID NO: 10:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 333 amino acids

; TYPE: Amino Acid

; TOPOLOGY: Linear

; SEQUENCE DESCRIPTION: SEQ ID NO: 10:

US-10-021-121-10

Query Match 34.0%; Score 629.5; DB 13; Length 333;

Best Local Similarity 40.9%; Pred. No. 6.6e-41;

Matches 135; Conservative 52; Mismatches 130; Indels 13; Gaps 5;

Qy 14 GALLLLGVLGLVSGLSLEPVYWNSANKRFQAEAGGYVLYPQIGDRDLLCPRARPPGPHSS 73
| |::| : : ||:||||:| :| | |||||::|::|::| :

Db 14 GVLMLCRTAISKSIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 70

Qy 74 PNYEFYKLYLVGGAQGRRCCEAPPAPNLLLTCDRDLRLFTIKFQEYSPNLWGHEFRSHH 133
||:|::|:| | || || :|| |::| |||||:| ||||| ||: :

Db 71 GQYEYYKVYMDKDKQADRCTIKKENTPLLNCAKPDQDIKFTIKFQEFSPNLWGLEFQKNK 130

Qy 134 DYYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
||||:|::|:| ||::: :||| || ||:|::| || | :| :| :

Db 131 DYYIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSTRNKDPTRRPELEAGTN 190

Qy 191 GAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
| : : | : || | : : : : : || | | : : : : :
Db 191 GRSSTTSPFVKPNPGSSTDGNSAGHSGNNILGSEVALFAGIASGCIIFIVIITLVVLLL 250
Qy 251 WRRRRRAKPSESRHPGPGSFGRGSSLGLGGGGMGPREAEPGELGIALRGGGAADPPFCPH 310
||| : : | | : | : || : : | || || |||
Db 251 KYRRRRHRKHSPQHTTTLSLSTLATPKRSGNN----NGSEPSDIIPLR---TADSVFCPH 303
Qy 311 YEKVSGDYGHPVYIVQDGPQSPNNIYYKV 340
||||||| : |||||
Db 304 YEKVSGDYGHPVYIVQEMPQSPANNIYYKV 333

RESULT 10

US-10-331-496A-63
; Sequence 63, Application US/10331496A
; Publication No. US20030228305A1
; GENERAL INFORMATION:
; APPLICANT: FRANTZ, GRETCHEN
; APPLICANT: HILLAN, KENNETH J.
; APPLICANT: PHILLIPS, HEIDI S.
; APPLICANT: POLAKIS, PAUL
; APPLICANT: SMITH, VICTORIA
; APPLICANT: SPENCER, SUSAN D.
; APPLICANT: WILLIAMS, P. MICKEY
; APPLICANT: WU, THOMAS D.
; APPLICANT: ZHANG, ZEMIN
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE DIAGNOSIS AND
; TITLE OF INVENTION: TREATMENT OF TUMOR
; FILE REFERENCE: P5014R1-PCT
; CURRENT APPLICATION NUMBER: US/10/331,496A
; CURRENT FILING DATE: 2002-12-30
; PRIOR APPLICATION NUMBER: US 60/345,444
; PRIOR FILING DATE: 2002-01-02
; PRIOR APPLICATION NUMBER: US 60/351,885
; PRIOR FILING DATE: 2002-01-25
; PRIOR APPLICATION NUMBER: US 60/360,066
; PRIOR FILING DATE: 2002-02-25
; PRIOR APPLICATION NUMBER: US 60/362,004
; PRIOR FILING DATE: 2002-03-05
; PRIOR APPLICATION NUMBER: US 60/366,869
; PRIOR FILING DATE: 2002-03-20
; PRIOR APPLICATION NUMBER: US 60/366,284
; PRIOR FILING DATE: 2002-03-21
; PRIOR APPLICATION NUMBER: US 60/368,679
; PRIOR FILING DATE: 2002-03-28
; PRIOR APPLICATION NUMBER: US 60/404,809
; PRIOR FILING DATE: 2002-08-19
; PRIOR APPLICATION NUMBER: US 60/405,645
; PRIOR FILING DATE: 2002-08-21
; NUMBER OF SEQ ID NOS: 95
; SEQ ID NO 63
; LENGTH: 333
; TYPE: PRT
; ORGANISM: Homo sapien
US-10-331-496A-63

Query Match 34.0%; Score 629.5; DB 15; Length 333;
 Best Local Similarity 40.9%; Pred. No. 6.6e-41;
 Matches 135; Conservative 52; Mismatches 130; Indels 13; Gaps 5;

```

Qy      14 GALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLLCPRARPPGPHSS 73
      | |::| : : |||:||||:| :| | |||||:|::|: : :
Db      14 GVLMVLCRTAISKIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 70

Qy      74 PNYEFYKLYLVGGAQGRRCAPPAPNLLLTCDRDLRFTIKFQEYSPNLWGHEFRSHH 133
      ||::|:|:| | || || | :|| :::| |||||:| ||||| ||: :
Db      71 GQYEYYKVYMVDDKDQADRCTIKKENTPLLNCAKPDQDIKFTIKFQEFSPNLWGLEFQKNK 130

Qy     134 DYYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQ--SPRGGAVPRKPVSEMPMER-DR 190
      |||||:|:|:| |||:: :||| || |||:|:| || | : | : |
Db     131 DYYIIISTNGSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSTRNKDPTRRPELEAGTN 190

Qy     191 GAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
      | : : | : || | : : : : || | | : : : : :
Db     191 GRSSTTSPFVKPNPGSSTDGNSAGHSGNNILGSEVALFAGIASGCIIFIVIIITLVVLLL 250

Qy     251 WRRRRRAKPSESRRHPGPSFGRGGSLLGLGGGGMGPREAEPGELGIALRGGAADPPFCPH 310
      ||| : :| | : | : || :| :| || || |||
Db     251 KYRRRRHRKHSPQHTTTLSTLATPKRSGNN---NGSEPSDIIIPLR---TADSVFCPH 303

Qy     311 YEKVSGDYGHPVYIVQDGPPQSPNNIYYKV 340
      ||||| |||||: |||| |||||
Db     304 YEKVSGDYGHPVYIVQEMPPQSPANIYYKV 333
  
```

RESULT 11

US-10-138-787-4

; Sequence 4, Application US/10138787

; Publication No. US20020172984A1

; GENERAL INFORMATION:

; APPLICANT: Holland, Sacha

; APPLICANT: Mbamalu, Geraldine

; APPLICANT: Pawson, Tony

; TITLE OF INVENTION: OLIGOMERIZED RECEPTORS WHICH AFFECT PATHWAYS REGULATED

; TITLE OF INVENTION: BY TRANSMEMBRANE LIGANDS FOR ELK-RELATED RECEPTOR

; TITLE OF INVENTION: TYROSINE KINASES

; FILE REFERENCE: 11757.23USWO

; CURRENT APPLICATION NUMBER: US/10/138,787

; CURRENT FILING DATE: 2002-05-03

; PRIOR APPLICATION NUMBER: US/09/214,631

; PRIOR FILING DATE: 1999-03-12

; PRIOR APPLICATION NUMBER: PCT/CA97/00473

; PRIOR FILING DATE: 1997-07-04

; PRIOR APPLICATION NUMBER: 60/021,272

; PRIOR FILING DATE: 1996-07-05

; NUMBER OF SEQ ID NOS: 13

; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 4

; LENGTH: 333

; TYPE: PRT

; ORGANISM: Homo sapiens

US-10-138-787-4

Query Match 33.6%; Score 622.5; DB 13; Length 333;
 Best Local Similarity 40.9%; Pred. No. 2.3e-40;
 Matches 135; Conservative 54; Mismatches 128; Indels 13; Gaps 6;

```

Qy      14 GALLLLGLVGLVSGLSLEPVYWSANKRFQAEGGYVLYPQIGDRLDLLCPRARPPGPHSS 73
      | |::| : : ||:| ||:| :| | |||||::||::||: :
Db      14 GVLMVLCRTAISKIVLEPIYMNSSNSKFLPGQGLVLYPQIGDKLDIICPKV---DSKTV 70

Qy      74 PNYEFYKLYLVGGAQGRRCAPPAPNLLLTCDRDLRLRFTIKFQEYSPNLWGHEFRSHH 133
      ||:|::|:| | || || | :|| |::|||::||| ||: :
Db      71 GQYEYYKVYMVDDKDQADRCTIKKENTPLLNCAKPDQDIKFTIKFQEFSPNLWGLEFQKNK 130

Qy     134 DYYIIATSDGTREGLESLQGGVCLTRGMKVLLRVGQ-SPRGGAVPRKPVSEMP-MER-DR 190
      ||||::||::| ||::: :||| || ||:|::||| : | : | : | :|
Db     131 DYYIIISTNGSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSTPNKDPTRRPELEAGTN 190

Qy     191 GAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMC 250
      | : : | : || | :: : : : : || | | : : : : :
Db     191 GRSTTSPFVKPNPGSSTDGNSAGHSGNNILGSEVALFAGIASGCIIFIVIIITLVVLLL 250

Qy     251 WRRRRRAKPSESRRHPGPGSFGRGGSGLGLGGGGMGPREAEPGELGIALRGGAADPPFCPH 310
      ||| : :| : | : | : || :| :| | || || |||
Db     251 KYRRRRHRKHSPQHHTTTLSTLATPKRSGNN----NGSEPSDIIIPLR---TADSVFCPH 303

Qy     311 YEKVSGDYGHPVYIVQDGPPQSPNNIYYKV 340
      |||||::|||::|||::|||::|||::|||::|||::|||
Db     304 YEKVSGDYGHPVYIVQEMPPQSPANNIYYKV 333
  
```

RESULT 12

US-10-138-787-5

; Sequence 5, Application US/10138787

; Publication No. US20020172984A1

; GENERAL INFORMATION:

; APPLICANT: Holland, Sacha

; APPLICANT: Mbamalu, Geraldine

; APPLICANT: Pawson, Tony

; TITLE OF INVENTION: OLIGOMERIZED RECEPTORS WHICH AFFECT PATHWAYS REGULATED

; TITLE OF INVENTION: BY TRANSMEMBRANE LIGANDS FOR ELK-RELATED RECEPTOR

; TITLE OF INVENTION: TYROSINE KINASES

; FILE REFERENCE: 11757.23USWO

; CURRENT APPLICATION NUMBER: US/10/138,787

; CURRENT FILING DATE: 2002-05-03

; PRIOR APPLICATION NUMBER: US/09/214,631

; PRIOR FILING DATE: 1999-03-12

; PRIOR APPLICATION NUMBER: PCT/CA97/00473

; PRIOR FILING DATE: 1997-07-04

; PRIOR APPLICATION NUMBER: 60/021,272

; PRIOR FILING DATE: 1996-07-05

; NUMBER OF SEQ ID NOS: 13

; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 5

; LENGTH: 345

; TYPE: PRT

; ORGANISM: Homo sapiens

US-10-138-787-5

Query Match 32.9%; Score 608.5; DB 13; Length 345;
 Best Local Similarity 38.7%; Pred. No. 3e-39;
 Matches 142; Conservative 50; Mismatches 116; Indels 59; Gaps 10;

```

Qy      8 PGGVRVG----ALLLLGLVGLVSG--SLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLL 61
      ||| :| |:: : | : | :||| |:| | :| : | :||:||||:|::
Db      4 PGGRWLGKWLYAMVWALCRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDII 63

Qy     62 CPRARPPGPHSSPNYEFYKLYLVGGAQGRRCCEAPPAPNLLLTCDRPLDLRFTIKFQEYS 121
      || | | | | | | | | | | | | | | :|:|:|:|:|:|:|:|:|:|:|
Db     64 CPPAEAGRP-----YEYYKLYLVRPEQAAACSTVLDPMLVLTNRPEQEIRFTIKFQEFS 118

Qy    122 PNLWGHEFRSHHDYIIATSDGTREGLESLOGGVCLTRGMKVLLRVGQSPRGGAVPRKPV 181
      || | | | : | | | | | :|:|:|: | | | : | | | | | | | | :
Db    119 PNYMGLEFKKHHDYITSTSNGLSLEGLNREGGVCRTRTMKIIMKVGQDPNAVTPQLTT 178

Qy    182 SEMPMERDRGAAHSLE-PGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLA---- 236
      | | | | : : | | | | | : | | | | | | | | | | | :|:|:|
Db    179 SRPSKEADNTVKMATQAPGSRGSLGDSGKHETVNTQEEKSGP-----GASGGSSGDPD 231

Qy    237 -----LLLLGVAGAGGA-----MCWRRRRRAKPSESRRHPGPGSFGRGGSGLGL 277
      : | | | | : : | | : | | : | | : | | : | | : | |
Db    232 GFFNSKVALFAAVGAGCVIFLLIIIFLTVLLLLKLPKRHRKHTQ-----RAAALSL 281

Qy    278 ----GGGGGMGPRAEAPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
      || | | | | : : | | : : | | | | | | | | | | | : | | | |
Db    282 STIASPKGSGTAGTEPSDIIPL---FTTENNYCPHYEKVSGDYGHPVYIVQEMPPQSP 338

Qy    334 PNIYYKV 340
      |||||
Db    339 ANIYYKV 345
  
```

RESULT 13

US-09-862-179A-17
 ; Sequence 17, Application US/09862179A
 ; Patent No. US20020147306A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Lin, Danny
 ; APPLICANT: Pawson, Anthony
 ; TITLE OF INVENTION: PEPTIDES THAT MODULATE THE INTERACTION OF B CLASS EPHRINS
 ; TITLE OF INVENTION: AND PDZ DOMAINS
 ; FILE REFERENCE: MTSI-P01-009
 ; CURRENT APPLICATION NUMBER: US/09/862,179A
 ; CURRENT FILING DATE: 2001-05-21
 ; NUMBER OF SEQ ID NOS: 44
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 17
 ; LENGTH: 89
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-09-862-179A-17

Query Match 26.9%; Score 498; DB 9; Length 89;
 Best Local Similarity 100.0%; Pred. No. 2.4e-31;
 Matches 89; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

Qy      252 RRRRAKPSESRHPGPGSFGRGGS LGLGGGGMGMPREAE PGELGIALRG GGAADPPFCPHY 311
          |||||||
Db      1 RRRRAKPSESRHPGPGSFGRGGS LGLGGGGMGMPREAE PGELGIALRG GGAADPPFCPHY 60

Qy      312 EKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
          |||||||
Db      61 EKVSGDYGHPVYIVQDGPPQSPPNIYYKV 89

```

RESULT 14

US-10-138-787-13

```

; Sequence 13, Application US/10138787
; Publication No. US20020172984A1
; GENERAL INFORMATION:
; APPLICANT: Holland, Sacha
; APPLICANT: Mbamalu, Geraldine
; APPLICANT: Pawson, Tony
; TITLE OF INVENTION: OLIGOMERIZED RECEPTORS WHICH AFFECT PATHWAYS REGULATED
; TITLE OF INVENTION: BY TRANSMEMBRANE LIGANDS FOR ELK-RELATED RECEPTOR
; TITLE OF INVENTION: TYROSINE KINASES
; FILE REFERENCE: 11757.23USWO
; CURRENT APPLICATION NUMBER: US/10/138,787
; CURRENT FILING DATE: 2002-05-03
; PRIOR APPLICATION NUMBER: US/09/214,631
; PRIOR FILING DATE: 1999-03-12
; PRIOR APPLICATION NUMBER: PCT/CA97/00473
; PRIOR FILING DATE: 1997-07-04
; PRIOR APPLICATION NUMBER: 60/021,272
; PRIOR FILING DATE: 1996-07-05
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 13
; LENGTH: 89
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-138-787-13

```

```

Query Match      26.9%; Score 498; DB 13; Length 89;
Best Local Similarity 100.0%; Pred. No. 2.4e-31;
Matches 89; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      252 RRRRAKPSESRHPGPGSFGRGGS LGLGGGGMGMPREAE PGELGIALRG GGAADPPFCPHY 311
          |||||||
Db      1 RRRRAKPSESRHPGPGSFGRGGS LGLGGGGMGMPREAE PGELGIALRG GGAADPPFCPHY 60

Qy      312 EKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
          |||||||
Db      61 EKVSGDYGHPVYIVQDGPPQSPPNIYYKV 89

```

RESULT 15

US-09-864-761-48262

```

; Sequence 48262, Application US/09864761
; Patent No. US20020048763A1
; GENERAL INFORMATION:
; APPLICANT: Penn, Sharron G.

```

; APPLICANT: Rank, David R.
; APPLICANT: Hanzel, David K.
; APPLICANT: Chen, Wensheng
; TITLE OF INVENTION: HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES
USEFUL FOR
; TITLE OF INVENTION: GENE EXPRESSION ANALYSIS BY MICROARRAY
; FILE REFERENCE: Aeomica-X-1
; CURRENT APPLICATION NUMBER: US/09/864,761
; CURRENT FILING DATE: 2001-05-23
; PRIOR APPLICATION NUMBER: US 60/180,312
; PRIOR FILING DATE: 2000-02-04
; PRIOR APPLICATION NUMBER: US 60/207,456
; PRIOR FILING DATE: 2000-05-26
; PRIOR APPLICATION NUMBER: US 09/632,366
; PRIOR FILING DATE: 2000-08-03
; PRIOR APPLICATION NUMBER: GB 24263.6
; PRIOR FILING DATE: 2000-10-04
; PRIOR APPLICATION NUMBER: US 60/236,359
; PRIOR FILING DATE: 2000-09-27
; PRIOR APPLICATION NUMBER: PCT/US01/00666
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00667
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00664
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00669
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00665
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00668
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00663
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00662
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00661
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00670
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: US 60/234,687
; PRIOR FILING DATE: 2000-09-21
; PRIOR APPLICATION NUMBER: US 09/608,408
; PRIOR FILING DATE: 2000-06-30
; PRIOR APPLICATION NUMBER: US 09/774,203
; PRIOR FILING DATE: 2001-01-29
; NUMBER OF SEQ ID NOS: 49117
; SOFTWARE: Annomax Sequence Listing Engine vers. 1.1
; SEQ ID NO 48262
; LENGTH: 92
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; OTHER INFORMATION: MAP TO AL136092.7
; OTHER INFORMATION: EXPRESSED IN LUNG, SIGNAL = 4.1
; OTHER INFORMATION: EXPRESSED IN PLACENTA, SIGNAL = 1.9
; OTHER INFORMATION: SWISSPROT HIT: P98172, EVALUE 4.00e-51
; OTHER INFORMATION: EST_HUMAN HIT: BE562822.1, EVALUE 3.00e-50

US-09-864-761-48262

Query Match 15.4%; Score 284.5; DB 9; Length 92;
Best Local Similarity 54.2%; Pred. No. 1e-14;
Matches 52; Conservative 15; Mismatches 24; Indels 5; Gaps 1;

```
Qy      42 FQAEGGYVLYPQIGDRDLLCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLL 101
      | : | | : | | : | | : | | | | | | | | | | | | | | | | | | |
Db      1 FLSGKGLVIYPKIGDKLDIICPRAEAGRP-----YEYYKLYLVRPEQAAACSTVLDPNVL 55

Qy     102 LTCDRPDLDLRFTIKFQEYSPNLWGHEFRSHHDYYI 137
      : | | : | | : : | | | | | | | | | | | | | | | | | |
Db     56 VTCNRPEQEIRFTIKFQEFSPPNYMGLEFKKHHDYYI 91
```

Search completed: April 13, 2004, 09:39:50
Job time : 32.0755 secs

GenCore version 5.1.6
 Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: April 13, 2004, 09:22:17 ; Search time 50.0377 Seconds
 (without alignments)
 2143.906 Million cell updates/sec

Title: US-10-021-121-4
 Perfect score: 1850
 Sequence: 1 MGPPHSGPGGVRVGALLLLG.....PVYIVQDGPPQSPNNIYYKV 340

Scoring table: BLOSUM62
 Gapop 10.0 , Gapext 0.5

Searched: 1017041 seqs, 315518202 residues

Total number of hits satisfying chosen parameters: 1017041

Minimum DB seq length: 0
 Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
 Maximum Match 100%
 Listing first 45 summaries

Database : SPTREMBL_25:*
 1: sp_archaea:*
 2: sp_bacteria:*
 3: sp_fungi:*
 4: sp_human:*
 5: sp_invertebrate:*
 6: sp_mammal:*
 7: sp_mhc:*
 8: sp_organelle:*
 9: sp_phage:*
 10: sp_plant:*
 11: sp_rodent:*
 12: sp_virus:*
 13: sp Vertebrate:*
 14: sp_unclassified:*
 15: sp_rvirus:*
 16: sp_bacteriap:*
 17: sp_archeap:*

Pred. No. is the number of results predicted by chance to have a
 score greater than or equal to the score of the result being printed,
 and is derived by analysis of the total score distribution.

SUMMARIES

		%			
Result	Query				
No.	Score	Match	Length	DB ID	Description

1	923	49.9	331	13	Q90Z31	Q90z31 brachydanio
2	919	49.7	327	13	Q9PT69	Q9pt69 xenopus lae
3	629.5	34.0	333	13	Q9PUJ4	Q9puj4 gallus gall
4	616	33.3	341	13	Q90Z33	Q90z33 brachydanio
5	605.5	32.7	334	13	Q90Z32	Q90z32 brachydanio
6	340	18.4	205	13	Q9W6H9	Q9w6h9 xenopus lae
7	214.5	11.6	237	5	Q9U3M2	Q9u3m2 caenorhabdi
8	198.5	10.7	279	5	Q9U474	Q9u474 caenorhabdi
9	182	9.8	652	5	Q9V4E1	Q9v4e1 drosophila
10	178.5	9.6	202	13	Q98TZ1	Q98tz1 gallus gall
11	168.5	9.1	205	4	Q8N578	Q8n578 homo sapien
12	167	9.0	205	11	Q9D7K8	Q9d7k8 mus musculu
13	163.5	8.8	206	11	Q9CZS8	Q9czs8 mus musculu
14	156	8.4	675	6	Q9N178	Q9n178 sus scrofa
15	155	8.4	229	13	Q93431	Q93431 brachydanio
16	153.5	8.3	217	13	Q7SY61	Q7sy61 xenopus lae
17	153.5	8.3	1691	11	Q9ESQ2	Q9esq2 mus musculu
18	151.5	8.2	1447	13	Q9IB91	Q9ib91 xenopus lae
19	149	8.1	325	5	O17036	O17036 caenorhabdi
20	149	8.1	569	5	Q17208	Q17208 bombyx mori
21	148.5	8.0	316	5	Q19111	Q19111 caenorhabdi
22	147	7.9	921	11	Q8BSQ4	Q8bsq4 mus musculu
23	147	7.9	2936	6	Q7YRK8	Q7yrk8 canis famil
24	146.5	7.9	888	11	Q8CCZ8	Q8ccz8 mus musculu
25	146.5	7.9	1140	11	Q61434	Q61434 mus musculu
26	146.5	7.9	1449	13	Q802B5	Q802b5 xenopus lae
27	146.5	7.9	1491	13	Q91718	Q91718 xenopus lae
28	146.5	7.9	1491	13	Q7ZTM4	Q7ztm4 xenopus lae
29	146	7.9	675	13	Q90800	Q90800 gallus gall
30	146	7.9	1669	11	Q9QZS0	Q9qzs0 mus musculu
31	145.5	7.9	305	5	O17805	O17805 caenorhabdi
32	145.5	7.9	308	5	Q94620	Q94620 meloidogyne
33	145	7.8	680	11	Q9D0D2	Q9d0d2 mus musculu
34	144.5	7.8	309	5	Q25466	Q25466 meloidogyne
35	144.5	7.8	1269	13	Q7T2Z7	Q7t2z7 gallus gall
36	144.5	7.8	1347	4	Q96QB3	Q96qb3 homo sapien
37	144.5	7.8	1420	13	Q90W37	Q90w37 gallus gall
38	143.5	7.8	775	16	Q9F342	Q9f342 streptomyce
39	143	7.7	445	5	Q8MZ49	Q8mz49 drosophila
40	143	7.7	1684	6	Q8HYC1	Q8hycl1 canis famil
41	143	7.7	1688	6	Q866Z2	Q866z2 canis famil
42	143	7.7	1747	5	Q26640	Q26640 strongyloce
43	142	7.7	1034	11	Q8K229	Q8k229 mus musculu
44	142	7.7	1497	11	Q7TMS0	Q7tms0 mus musculu
45	142	7.7	1835	13	Q9IAU4	Q9iau4 gallus gall

ALIGNMENTS

RESULT 1

Q90Z31

ID Q90Z31 PRELIMINARY; PRT; 331 AA.

AC Q90Z31;

DT 01-DEC-2001 (TrEMBLrel. 19, Created)

DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)

DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)

ID Q9PT69 PRELIMINARY; PRT; 327 AA.
AC Q9PT69;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Ephrin-B3 precursor.
OS Xenopus laevis (African clawed frog).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Amphibia; Batrachia; Anura; Mesobatrachia; Pipoidae; Pipidae;
OC Xenopodinae; Xenopus.
OX NCBI_TaxID=8355;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Embryo;
RX MEDLINE=20099673; PubMed=10633856;
RA Helbling P.M., Saulnier D.M.E., Robinson V., Christiansen J.H.,
RA Wilkinson D.G., Brandli A.W.;
RT "Comparative analysis of embryonic gene expression defines potential
RT interaction sites for Xenopus EphB4 receptors with ephrin-B ligands.";
RL Dev. Dyn. 216:361-373(1999).
DR EMBL; AJ236866; CAB65511.1; -.
DR GO; GO:0016020; C:membrane; IEA.
DR GO; GO:0016491; F:oxidoreductase activity; IEA.
DR GO; GO:0008152; P:metabolism; IEA.
DR InterPro; IPR002086; Aldehyde_dehydr.
DR InterPro; IPR008972; Cupredoxin.
DR InterPro; IPR001799; Ephrin.
DR Pfam; PF00812; Ephrin; 1.
DR PRINTS; PR01347; EPHRIN.
DR ProDom; PD002533; Ephrin; 1.
DR PROSITE; PS00687; ALDEHYDE_DEHYDR_GLU; 1.
DR PROSITE; PS01299; EPHRIN; 1.
KW Signal.
FT SIGNAL 1 24 POTENTIAL.
SQ SEQUENCE 327 AA; 35913 MW; 4BB0FA39D4C22DCD CRC64;

Query Match 49.7%; Score 919; DB 13; Length 327;
Best Local Similarity 60.4%; Pred. No. 1.6e-63;
Matches 192; Conservative 30; Mismatches 82; Indels 14; Gaps 8;

Qy 25 VSGLSLEPVYWSANKRFQAEAGGYVLPQIGDRDLLCPRARPPGPHSSPNYEFYKLYLV 84
:| |||:|:||||:||||: |||||:| || || ||:|||||
Db 22 ISALSLDPIYWSSNKRFEDETEGYVLPQIGDRDLLCPRSEPQGPFS SSPYEYKLYLV 81
Qy 85 GGAQG-RRCEAPPAPNLLLTCDRPDLDLRFITKFQEYSPNLWGHEFRSHHDYIIATSDG 143
| : | ||||| |||||:|||||:| |||||
Db 82 GTKEEMSSCSILRTPNLLLTCDRPSQDLRFITKFQEFSPNLWGHEFQSQRDYIIATSDG 141
Qy 144 TREGLES LQGGVCLTRGMKVLLRVGQSPRGGA VPRKPVSEMPMERDRGAHSL-EPGKEN 202
| :|:|:||||| |:|||| |:|||| | ||:| | :| | :| |
Db 142 TMDGIETLQGGVCETKGMKVTLKVGQSPNGATPPRRPSS---AGKDSGISPSVNPDPIN 198
Qy 203 LPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMCWRRRRAKPSER 262
: | : | || | |||| :| ||||| ||||| | | :| |||:| | :| |
Db 199 V-GETSGNATKTGENGPLISHVPLVAGAAGGAALLLL-VFGVVGWVCHRRRQAKHSDTR 256
Qy 263 HPGPGSFGRGSLGLGGGGMGPREAEPGELGIALRGGGAADPPFCPHYEKVSGDYGHPV 322

Db 190 GTNGKSSTTSPFVKDHSGSSTDG--SKAGHSSILGSEVALFAGIASGCIIFIVIIITLVV 247

Qy 248 AMCWRRRRRAKPSERHPGPGSFGRGGSLLGLGGGGMGPREAEPGELGIALRGGGAADPPF 307
: ||| : :| | : | :|| :: || |

Db 248 LLLKYRRRRHRKHSPQHTTTLSLSTLATPKRSGNN---NGSEPSDIIIPLR---TADSVF 300

Qy 308 CPHYEKVSGDYGHPVYIVQDGPPQSPNIIYYKV 340
|||||||: |||| |

Db 301 CPHYEKVSGDYGHPVYIVQEMPPQSPANIIYYKV 333

RESULT 4

Q90Z33

ID Q90Z33 PRELIMINARY; PRT; 341 AA.
AC Q90Z33;
DT 01-DEC-2001 (TrEMBLrel. 19, Created)
DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Ephrin B1.
GN EFNBl.
OS Brachydanio rerio (Zebrafish) (Danio rerio).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Danio.
OX NCBI_TaxID=7955;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=21290827; PubMed=11397014;
RA Chan J., Mably J.D., Serluca F.C., Chen J.N., Goldstein N.B.,
RA Thomas M.C., Cleary J.A., Brennan C., Fishman M.C., Roberts T.M.;
RT "Morphogenesis of prechordal plate and notochord requires intact
RT eph/ephrin b signaling.";
RL Dev. Biol. 234:470-482(2001).
DR EMBL; AF375224; AAK64274.1; -.
DR ZFIN; ZDB-GENE-010618-2; efnbl.
DR GO; GO:0016020; C:membrane; IEA.
DR InterPro; IPR008972; Cupredoxin.
DR InterPro; IPR001799; Ephrin.
DR Pfam; PF00812; Ephrin; 1.
DR PRINTS; PR01347; EPHRIN.
DR ProDom; PD002533; Ephrin; 1.
DR PROSITE; PS01299; EPHRIN; 1.
SQ SEQUENCE 341 AA; 37849 MW; CB922F20E0D93E94 CRC64;

Query Match 33.3%; Score 616; DB 13; Length 341;
Best Local Similarity 41.8%; Pred. No. 6e-40;
Matches 141; Conservative 49; Mismatches 109; Indels 38; Gaps 11;

Qy 24 LVSGLSLEPVYWNSANKRFQAEAGGYVLYPQIGDRDLLCPRARPPGPHSSPNYEFYKLYL 83
| : ||| | ||| | :| : | :||:|:|:|:|:| | | |||||

Db 23 LPAAKSLESVVWNSQNPKEFVSGKGLVIYPEIGDKLDIICPK---GDMGRP-YEFYKLYL 77

Qy 84 VGGAQGRRCEAPPAPNLLLTCDRPDLRLFTIKFQEYSPNLWGHEFRSHHDYIIATSDG 143
| | | ||:|:|:|:|:|:|:|:| ||: :||| :||:|

Db 78 VKKEQAESCSTILDPNVLVTCNKPEKDIKFTIKFQEFSPNYMGLEFKRFTNYIITSTSG 137

Qy 144 TREGLESQGGVCLTRGMKVLLRVGQSPRG-----GAVPRKPVSEMPMERDRGAAHSLEP 198


```

      |   :   ||| ||:| |::| | |||:| || | |   ||:| |:| | | | | |
Db      86 ETCHVTKSDMLLLNCDKPDQDVKFTFKFQEFSPNLWGLEFLRGKDYHIISTSNSTFEGLD 145

Qy      150 SLQGGVCLTRGMKVLLRVGQSPRGGA---PRKPVSEMPMERDRGAHSLPEPGKENLPG 205
      :   ||| | : | |::| || || | | | | | | | | | | | | | | | | | | |
Db      146 NHHGGVCRSKSMKLVLRVGQSPTDSFSAKNHPTRNPPKYPENKDQNTF-----SKENDVS 200

Qy      206 --DPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLLGVAGAGGAMCW-----RR 253
      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
Db      201 QIDSMQNGESGGKSG-----ESVGSAGSDVALFAGV--ASGAVIFILIIIIALVALLH 250

Qy      254 RRAKPSESRHPGPGSFGRGSSLGLGGGGMGMPREAEPGELGIALRGGGAADPPFCPHYEK 313
      || :   :: |   |   |   |   |   |   |   |   |   |   |   |   |
Db      251 RRHQKHSAQCSGQLPLNTLPKRGSGASGGSNNNGSEPSDIIFPIRTSGSM---YCPHYEK 307

Qy      314 VSGDYGHPVYIVQDGPPQSPPNIYYKV 340
      ||||| ||||| ||||| : ||| : | |||||
Db      308 VSGDYGHPVYIVQEMPPQNPNANIYYKV 334

```

RESULT 6

Q9W6H9

```

ID   Q9W6H9          PRELIMINARY;          PRT;    205 AA.
AC   Q9W6H9;
DT   01-NOV-1999 (TrEMBLrel. 12, Created)
DT   01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   Ephrin-B2 (Fragment).
OS   Xenopus laevis (African clawed frog).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Amphibia; Batrachia; Anura; Mesobatrachia; Pipoidae; Pipidae;
OC   Xenopodinae; Xenopus.
OX   NCBI_TaxID=8355;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=97411149; PubMed=9259557;
RA   Smith A., Robinson V., Patel K., Wilkinson D.G.;
RT   "The EphA4 and EphB1 receptor tyrosine kinases and ephrin-B2 ligand
RT   regulate targeted migration of branchial neural crest cells.";
RL   Curr. Biol. 7:561-570(1997).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=20099673;
RA   Helbling P.M., Saulnier D.M., Robinson V., Christiansen J.H.,
RA   Wilkinson D.G., Brandli A.W.;
RT   "Comparative analysis of embryonic gene expression defines potential
RT   interaction sites for Xenopus EphB4 receptors with ephrin-B ligands.";
RL   Dev. Dyn. 216:361-373(1999).
DR   EMBL; AF128844; AAD32610.1; -.
DR   GO; GO:0016020; C:membrane; IEA.
DR   InterPro; IPR008972; Cupredoxin.
DR   InterPro; IPR001799; Ephrin.
DR   Pfam; PF00812; Ephrin; 1.
DR   ProDom; PD002533; Ephrin; 1.
FT   NON_TER      1          1
SQ   SEQUENCE      205 AA;  22256 MW;  7DEDD34277260C87 CRC64;

```

Query Match 18.4%; Score 340; DB 13; Length 205;
 Best Local Similarity 37.0%; Pred. No. 9.6e-19;
 Matches 84; Conservative 35; Mismatches 72; Indels 36; Gaps 7;

```

Qy      128 EFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSP-----RGGAVPRKPVS 182
      ||:  |||||:||||: ||::: |||||:| ||:|::||| |   || : |:|
Db      1 EFQRDKDYIIISTSNGLSLEGVNQE GGVCVTKAMKILMKVGQDPNFHNHRGASSTRRPDH 60

Qy      183 EMPM--ERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
      |   :   : | | : |   :: | : | |   || | | : ::
Db      61 ESGTNGKSSTTSPHVNGPEGSSTEGKNAGHSSILGSEVAL-----FAGIASGSIIFIV 113

Qy      241 GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGS LGLG-----GGGGMGPREAEPGEL 293
      :   :   ||| :   : |   : | |   |   | : || ::
Db      114 IIITLVVLLLLKYRRRRHRKHSPQHT-----TSLSLSTLATPKRSGNNNG---SEPSDI 161

Qy      294 GIALRGGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIIYYKV 340
      | ||   |:  ||||| ||||| ||||| : |||| | |||| |
Db      162 IIPLR---TAEGVFCPHYEKVSGDYGHPVYIVQEMPPQSPANIYYKV 205
  
```

RESULT 7

Q9U3M2

```

ID   Q9U3M2          PRELIMINARY;          PRT;    237 AA.
AC   Q9U3M2;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   C43F9.8 protein.
GN   C43F9.8.
OS   Caenorhabditis elegans.
OC   Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC   Rhabditidae; Peloderinae; Caenorhabditis.
OX   NCBI_TaxID=6239;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Mortimore B.J.;
RL   Submitted (NOV-1996) to the EMBL/GenBank/DDBJ databases.
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=99069613; PubMed=9851916;
RA   none;
RT   "Genome sequence of the nematode C.elegans: A platform for
RT   investigating biology.";
RL   Science 282:2012-2018(1998).
DR   EMBL; Z82262; CAB54195.1; -.
DR   PIR; T19914; T19914.
DR   WormPep; C43F9.8; CE23593.
DR   GO; GO:0016020; C:membrane; IEA.
DR   InterPro; IPR008972; Cupredoxin.
DR   InterPro; IPR001799; Ephrin.
DR   Pfam; PF00812; Ephrin; 1.
DR   PRINTS; PR01347; EPHRIN.
DR   ProDom; PD002533; Ephrin; 1.
SQ   SEQUENCE    237 AA;  26748 MW;  B9B2D9FCC71FE4FC CRC64;
  
```

Query Match 11.6%; Score 214.5; DB 5; Length 237;

Best Local Similarity 25.7%; Pred. No. 6.5e-09;
Matches 53; Conservative 41; Mismatches 83; Indels 29; Gaps 6;

```

Qy      11 VRVGALLLLGVLGLVS-GLSLEPVYWNSANKRFQAEQ-GYVLYPQIGDRLDLLCPRARPP 68
      ::  :|| :  :  :  : | | : |  :|  ||| :  : ||::
Db      1 MQIATFILLSLFPFIGWARKIPDINWISSNPIFDVSNTHVVISVHIGDRVSIRCPKSDDET 60

Qy      69 GPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRLFTIKFQEYSPNLWGHE 128
      |  :|| :|| :  :  |  | : ||  :  :  | : :|  | |
Db      61 G-----KYEYSYIYMVSDEEYDHCFL-SKPRLVGACDNQTINASINIVRSFTPTPGGFE 114

Qy     129 FRSHHDYIIA-----TSDGTREGLESQGGVCLTRGMKVLLRVGQ 169
      | :  :|| :|  :  ||| | || :  : | : | : |||
Db     115 FQPGKNYFLISKSEVDALIIYETANQIFPGTSDGTLEGIDRKKDGLCTAKQMKIKFEVGQ 174

Qy     170 SPRGGAVPRKPVSEMPMERDRGAAHS 195
      ||  | :  :  : :|| | ||
Db     175 DRRGIENPK--FAARTLKKDRDAEHS 198

```

RESULT 8

Q9U474

```

ID   Q9U474          PRELIMINARY;          PRT;    279 AA.
AC   Q9U474;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   VAB-2 (Hypothetical protein Y37E11AR.6).
GN   VAB-2 OR Y37E11AR.6.
OS   Caenorhabditis elegans.
OC   Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC   Rhabditidae; Peloderinae; Caenorhabditis.
OX   NCBI_TaxID=6239;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=N2;
RX   MEDLINE=20084449; PubMed=10619431;
RA   Chin-Sang I.D., George S.E., Ding M., Moseley S.L., Lynch A.S.,
RA   Chisholm A.D.;
RT   "The ephrin VAB-2/EFN-1 functions in neuronal signaling to regulate
RT   epidermal morphogenesis in C. elegans.";
RL   Cell 99:781-790(1999).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=Bristol N2;
RX   MEDLINE=99069613; PubMed=9851916;
RA   None;
RT   "Genome sequence of the nematode C. elegans: a platform for
RT   investigating biology. The C. elegans Sequencing Consortium.";
RL   Science 282:2012-2018(1998).
RN   [3]
RP   SEQUENCE FROM N.A.
RC   STRAIN=Bristol N2;
RA   Miller N., Maggi L.;
RT   "The sequence of C. elegans cosmid Y37E11AR.";
RL   Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
RN   [4]

```

RP SEQUENCE FROM N.A.
 RC STRAIN=Bristol N2;
 RA Waterston R.;
 RT "Direct Submission."
 RL Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AF201079; AAF25647.1; -.
 DR EMBL; AC024759; AAK68436.1; -.
 DR WormPep; Y37E11AR.6; CE27606.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 SQ SEQUENCE 279 AA; 32068 MW; 8C291A92D97D39EF CRC64;

Query Match 10.7%; Score 198.5; DB 5; Length 279;
 Best Local Similarity 27.8%; Pred. No. 1.4e-07;
 Matches 64; Conservative 35; Mismatches 90; Indels 41; Gaps 8;

Qy	1	MGPPHSGPGGVRVGALLLLGLVGLV--SGLSLEPVYWN	SANKRFQAE	GGYVLYPQIGDRL	58
			:::	:	
Db	1	MHPP-----IKIQTILLF-ILTTVHCSAKRLPQIYWN	STNPLVER-----YAAIGDTL	47	
Qy	59	DLPCPRARPPGPHSSPNYEFYKLYLVGGAQGR	RCEAPPAPNLLLTCDR	PDLDLRFTIKFQ	118
		::	:		:
Db	48	DIVCPFF---DENSDELTEQSIIYRVTEEEYENC	ERRSKAKELGRCTQ	PYQEEKLKVAFR	104
Qy	119	EYSPNLWGHEFRSHHDYIIATSDGTREGLES	LQGGVCLTRGMKVLLRV	QSPRGGA	178
			::		::
Db	105	LMSPNPGLDYRPGVTTYFISTSTGSRKGLYNEQ	GGLCASHNLKMMVIHI--TDRNG----	158	
Qy	179	KPVSEMPMERDRGAAHSLEPGKENLPGDPTS	SNATSRGAEGPLPPPS	MPAV	228
			:		:
Db	159	-----DIGPHHHRHHHKTTTTTTTSTSTS-----	TPKTIPPV	191	

RESULT 9

Q9V4E1

ID Q9V4E1 PRELIMINARY; PRT; 652 AA.
 AC Q9V4E1;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Ephrin protein (LD11109p).
 GN EPHRIN OR CG1862 OR DSIM\EPHRIN;EPHRIN.
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
 OC Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.
 OX NCBI_TaxID=7227;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Dai Y., Kunes S.;
 RT "Isolation and Characterization of Drosophila Ephrin."
 RL Submitted (DEC-1999) to the EMBL/GenBank/DDBJ databases.
 RN [2]

RP SEQUENCE FROM N.A.
 RC STRAIN=Berkeley;
 RX MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferriera S., Fleischmann W.,
 RA Fosler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirska R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstock G.M., Weissenbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of *Drosophila melanogaster*.";
 RL Science 287:2185-2195(2000).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Berkley;
 RA Stapleton M., Brokstein P., Hong L., Agbayani A., Carlson J.,
 RA Champe M., Chavez C., Dorsett V., Dresnek D., Farfan D., Frise E.,
 RA George R., Gonzalez M., Guarin H., Kronmiller B., Li P., Liao G.,
 RA Miranda A., Mungall C.J., Nunoo J., Pacleb J., Paragas V., Park S.,
 RA Patel S., Phouanavong S., Wan K., Yu C., Lewis S.E., Rubin G.M.,
 RA Celniker S.;
 RL Submitted (MAR-2003) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AF216287; AAF28394.1; -.
 DR EMBL; AE003843; AAF59335.2; -.
 DR EMBL; BT005199; AAO61756.1; -.
 DR FlyBase; FBgn0040324; Ephrin.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR008972; Cupredoxin.

DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 SQ SEQUENCE 652 AA; 72302 MW; 5BA2F02F15964594 CRC64;

Query Match 9.8%; Score 182; DB 5; Length 652;
 Best Local Similarity 22.9%; Pred. No. 7.2e-06;
 Matches 88; Conservative 50; Mismatches 136; Indels 110; Gaps 18;

```

Qy      33 VYWNSANKRFQAEQ-GYVLYPQIG-----DRLLCPRARPPGPHSSPNYEFYKLYLVG 85
      :|||:| | : : : : | | : :|| | | : | | :| |
Db      219 MHWNTSNSIFRIDNTDHIIDVKNKGNLAFEFQVHIICP-VYEPGTFENET-EKYIINYVS 276

Qy      86 GAQGRRCCEAPPA-PNLLLTCDRDLRLFTIKFQEYSPNLWGHEFRSHHDYIIATSDGT 144
      : | | | : | :| : | | : :| | | :||| | :| | :
Db      277 KVEYETCRITNADPRVIAICDKPQKLMFFTITFRPFTPQPGGLEFLPGNDYYFISTS--S 334

Qy     145 REGLESLOGGVCLTRGMKVLLRVGQSPRGGAVPRKPVSEMPMERDRGAAHSL-----EPG 199
      : : | | | | | | : : | : | : | | | : : :
Db     335 KDDLRYRRIGGRCSTNNMKVVFKVCCAPEDNN-KTTALSNSKSVTDTGGAINVNIANNDES 393

Qy     200 KENLPGDPTSNATSRGAEG-----PLPP-----P 223
      | | : : | : | | | : | | | | | | | |
Db     394 HVNSHGNNIAIGTNIGINGGQIIIGGPQSAGIPINPLSGNNNINGIPTTINSNIDQFNRI 453

Qy     224 SMPAVAGAAGGLALLLLGVAGAGGAMCWRRRRAKPSERHPGPG-SFGRGGSLGLGGGGG 282
      | : | | : | : | | : | | : | | | | |
Db     454 IQPNIIGNHVGTNAVGTGIVGGGGIIL-----TPGHAHGNINMLQPGRGGI 499

Qy     283 MGPRAEPG----ELGIALRG-----GGAADPPFCPHYEKVSGDYGH 320
      | | | | : | : | | | | | | | | |
Db     500 NG---AYPGHHHIQTGIRINNVTQHNYPSHKGANSNINGNDDH---HHYK-----H 547

Qy     321 PVYIVQD-----GPPQSPPNIY 337
      | :| : : | | | | |
Db     548 PNEVVKNEELTYNSGAATSDGNIF 571
  
```

RESULT 10

Q98TZ1

ID Q98TZ1 PRELIMINARY; PRT; 202 AA.
 AC Q98TZ1;
 DT 01-JUN-2001 (TrEMBLrel. 17, Created)
 DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Ephrin-A6 (Fragment).
 OS Gallus gallus (Chicken).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
 OC Gallus.
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Menzel P., Valencia F., Godement P., Dodelet V.C., Pasquale E.B.;
 RT "Ephrin-A6, a new ligand for EphA receptors in the developing visual
 system.";

RL Submitted (OCT-2000) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AF317286; AAK00944.1; -.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 FT NON_TER 1 1
 SQ SEQUENCE 202 AA; 22624 MW; 91E2716FF91353F9 CRC64;

Query Match 9.6%; Score 178.5; DB 13; Length 202;
 Best Local Similarity 27.5%; Pred. No. 3.4e-06;
 Matches 56; Conservative 27; Mismatches 84; Indels 37; Gaps 7;

Qy 33 VYWNSANKRFQAEAGGYVLPQIGDRLDLLCPRARPPGPHSSPNYEFYKLYLVGGAQGRRRC 92
 |||| :| || : | : | | ||: || | | : | : || | |
 Db 25 VYWNGSNPRF-LQDDYSIQVSINDHLDIYCPHYSAPTPWA----ESFTLFMVDEEGYRGC 79
 Qy 93 EAPPAPNLLLTCDR---PDLDLRFTIKFQEYSPNLWGHEFRSHHDYIIAT-SDGTREGL 148
 | | :| : | : ||: | | :| | | | | | | : | :
 Db 80 SETPGAFKRWECKNPFAPFVPVRFSEKIQRFTPFSLGFEFRPGETYYYYISVPTPGS---- 135
 Qy 149 ESLQGGVCLTRGMKVLLRVGQSPRGGA VPRKPVSEMPMERDRGAAHSLEPGKENLPGDPT 208
 | || : | | | :| :| :| : | | | | | |
 Db 136 ----AGRCLKLRVSVCCR-----ASTPEPLTEVPNSQPRGR-----GGPE 171
 Qy 209 SNATSRGAEGPLPPPSMPAVAGAA 232
 :| | :| | : |
 Db 172 GDAGSPRDAAPIPQRSRTRLVALA 195

RESULT 11

Q8N578

ID Q8N578 PRELIMINARY; PRT; 205 AA.
 AC Q8N578;
 DT 01-OCT-2002 (TrEMBLrel. 22, Created)
 DT 01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Ephrin-A1.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Liver;
 RA Strausberg R.;
 RL Submitted (JUN-2002) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; BC032698; AAH32698.1; -.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR InterPro; IPR001680; WD40.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.

RA Nordone P., Ring B., Ringwald M., Rodriguez I., Sakamoto N.,
 RA Sasaki H., Sato K., Schoenbach C., Seya T., Shibata Y., Storch K.-F.,
 RA Suzuki H., Toyo-oka K., Wang K.H., Weitz C., Whittaker C., Wilming L.,
 RA Wynshaw-Boris A., Yoshida K., Hasegawa Y., Kawaji H., Kohtsuki S.,
 RA Hayashizaki Y.;
 RT "Functional annotation of a full-length mouse cDNA collection."
 RL Nature 409:685-690(2001).
 DR EMBL; AK009144; BAB26102.1; -.
 DR MGD; MGI:103236; Efnal.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR InterPro; IPR001680; WD40.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 DR PROSITE; PS00678; WD_REPEATS_1; 1.
 SQ SEQUENCE 205 AA; 23772 MW; E37E55767459A4EC CRC64;

Query Match 9.0%; Score 167; DB 11; Length 205;
 Best Local Similarity 26.1%; Pred. No. 2.7e-05;
 Matches 43; Conservative 34; Mismatches 76; Indels 12; Gaps 4;

QY 18 LLGVLGLVSGLSLEPVYWSANKRFQAEGGYVLYPQIGDRLDLLCPRARPPGPHSSPNYE 77
 |||: :: |:|:| |:| | | :: |:| ||::|| : |
 Db 8 LLGLCCSLAAADRHIVFWNSSNPKFREE-DYTVHVQLNDYLDIICPHYEDDSV-ADAAME 65
 QY 78 FYKLYLVGGAQGRRCEAPPAPNLLLTCDRDL---DLRFTIKFQEYSPNLWGHEFRSHHD 134
 | ||:| : |: : |:| : ::||| ::| : | ||: |
 Db 66 RYTLYMVEHQEYVACQPQSKDQVRWNCNRPSAKHGPEKLSVKFQRFPTPFILGKEFKEGHS 125
 QY 135 YYIIATSDGTREGLESLOGGVCLTRGMKVLLRVGQSPRGGA VPRK 179
 || |: :| || :| :: :|: |::
 Db 126 YYYISKPIYHQE-----SQCLKLKVTVNGKITHNPQAHVNPQE 163

RESULT 13

Q9CZS8

ID Q9CZS8 PRELIMINARY; PRT; 206 AA.

AC Q9CZS8;

DT 01-JUN-2001 (TrEMBLrel. 17, Created)

DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)

DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)

DE 10 days embryo cDNA, RIKEN full-length enriched library,

DE clone:2610529M21, full insert sequence.

GN EFNA4.

OS Mus musculus (Mouse).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

OX NCBI_TaxID=10090;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=C57BL/6J; TISSUE=Embryo;

RX MEDLINE=21085660; PubMed=11217851;

RA Kawai J., Shinagawa A., Shibata K., Yoshino M., Itoh M., Ishii Y.,

RA Arakawa T., Hara A., Fukunishi Y., Konno H., Adachi J., Fukuda S.,

RA Aizawa K., Izawa M., Nishi K., Kiyosawa H., Kondo S., Yamanaka I.,
 RA Saito T., Okazaki Y., Gojobori T., Bono H., Kasukawa T., Saito R.,
 RA Kadota K., Matsuda H.A., Ashburner M., Batalov S., Casavant T.,
 RA Fleischmann W., Gaasterland T., Gissi C., King B., Kochiwa H.,
 RA Kuehl P., Lewis S., Matsuo Y., Nikaido I., Pesole G., Quackenbush J.,
 RA Schriml L.M., Staubli F., Suzuki R., Tomita M., Wagner L., Washio T.,
 RA Sakai K., Okido T., Furuno M., Aono H., Baldarelli R., Barsh G.,
 RA Blake J., Boffelli D., Bojunga N., Carninci P., de Bonaldo M.F.,
 RA Brownstein M.J., Bult C., Fletcher C., Fujita M., Gariboldi M.,
 RA Gustincich S., Hill D., Hofmann M., Hume D.A., Kamiya M., Lee N.H.,
 RA Lyons P., Marchionni L., Mashima J., Mazzairelli J., Mombaerts P.,
 RA Nordone P., Ring B., Ringwald M., Rodriguez I., Sakamoto N.,
 RA Sasaki H., Sato K., Schoenbach C., Seya T., Shibata Y., Storch K.-F.,
 RA Suzuki H., Toyo-oka K., Wang K.H., Weitz C., Whittaker C., Wilming L.,
 RA Wynshaw-Boris A., Yoshida K., Hasegawa Y., Kawaji H., Kohtsuki S.,
 RA Hayashizaki Y.;
 RT "Functional annotation of a full-length mouse cDNA collection.";
 RL Nature 409:685-690(2001).
 DR EMBL; AK012195; BAB28092.1; -.
 DR MGD; MGI:106643; Efna4.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 SQ SEQUENCE 206 AA; 22859 MW; 675E32971D1C6EBC CRC64;

Query Match 8.8%; Score 163.5; DB 11; Length 206;
 Best Local Similarity 28.1%; Pred. No. 5.1e-05;
 Matches 61; Conservative 17; Mismatches 80; Indels 59; Gaps 10;

QY 32 PVYWNSANKRFQAEGGYVLYPQIGDRLDLLCPRARPPGPHSSPNYEFYKLYLVGGAQGRR 91
 |:||||:| | | | : | ||: || || | | : ||:| :
 Db 29 PIYWNSSNPRL-LRGDAVVELGFNDYLDIFCPHYESPGPPEGP--ETFALYIVDWSGYEA 85
 QY 92 CEAPPAPNL-LLTCDRDPDL---DLRFETIKFQEYSPNLWGHEFRSHHDYIIATSDGTREG 147
 | | | : | | :||: | | |:| | | | || | : |
 Db 86 CTAEGANSFQRWNC SMPFAPFSPVRFSEKIQRYPFPLGFEFLPGETYIIYISVPTPESPG 145
 QY 148 -LESLQGGVCLTRGMKVLLRVGQSPRGGA VPRKPVSEMPMERDRGA AH-SLEPGKENLPG 205
 || || : ||:| | | | |
 Db 146 RCLRLQVSVCC-----KESGSSHESAHP-----VG 170
 QY 206 DPTSNATS--RGAEGPLPPPSMPAVAGAAGGLALLLL 240
 | : || || | | | ||||
 Db 171 SPGESGTSGWRGGHAPSP-----LCLLLL 194

RESULT 14

Q9N178

ID Q9N178 PRELIMINARY; PRT; 675 AA.
 AC Q9N178;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)

Db

475 PP-GPAGIATK 484

RESULT 15

093431

ID 093431 PRELIMINARY; PRT; 229 AA.
AC 093431;
DT 01-NOV-1998 (TrEMBLrel. 08, Created)
DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Ephrin A-L1.
OS Brachydanio rerio (Zebrafish) (Danio rerio).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Danio.
OX NCBI_TaxID=7955;
RN [1]
RP SEQUENCE FROM N.A.
RA Durbin L., Brennan C.H., Shiomi K., Cooke J.;
RT "Eph signalling is required for segmentation and differentiation of
RT the somites."
RL Submitted (JUN-1998) to the EMBL/GenBank/DDBJ databases.
DR EMBL; AJ006838; CAA07264.1; -.
DR GO; GO:0016020; C:membrane; IEA.
DR InterPro; IPR008972; Cupredoxin.
DR InterPro; IPR001799; Ephrin.
DR InterPro; IPR003006; Ig_MHC.
DR Pfam; PF00812; Ephrin; 1.
DR PRINTS; PR01347; EPHRIN.
DR ProDom; PD002533; Ephrin; 1.
DR PROSITE; PS01299; EPHRIN; 1.
DR PROSITE; PS00290; IG_MHC; 1.
SQ SEQUENCE 229 AA; 26115 MW; 8684462F67AF6F5C CRC64;

Query Match 8.4%; Score 155; DB 13; Length 229;
Best Local Similarity 27.2%; Pred. No. 0.00026;
Matches 56; Conservative 23; Mismatches 93; Indels 34; Gaps 7;

QY 33 VYWNSANKRFQAEAGGYVLQPQIGDRDLLCPRARPPGPHSSPNYEFYKLYLVGGAQGRRRC 92
| | | | | : | : : | | | : | | : | |
Db 25 VYWNSTNANFLWD-DYTVDVRLNDYLDIICPH-YAHGEIASQEAERYVLYMVELEDYENC 82
QY 93 EAPPAPNLLLTCDR---PDLDLRFTIKFQEYSPNLWGHEFRSHHDYIIATSDGTREGLE 149
: | | | : : | | | | : :
Db 83 KPHSFDQLRWECRPFAPHAPEKFSEKFQRFPTFTLGKEFRQGESYYYYIS-----K 133
QY 150 SL--QGGVCLTRGMKVLLRVGQSPRGAVPRKPVSEMPMERDRGAHSLPEPGKENLPGDP 207
| | | : : | : : : : | |
Db 134 PLHHHGQECLRLKVDVV-----GPHGSKNKKKMVEKVEEIEGKMAAGGVHNPSNRLPADD 188
QY 208 TSNATSRGAEGPLPPPSMPAVAGAAG 233
| : | : |
Db 189 -----PIAMIPVVQRSVG 201

Search completed: April 13, 2004, 09:28:09

Job time : 51.0377 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: April 13, 2004, 09:22:17 ; Search time 17.9623 Seconds
(without alignments)
985.614 Million cell updates/sec

Title: US-10-021-121-4
Perfect score: 1850
Sequence: 1 MGPPHSGPGGVRVGALLLLG.....PVYIVQDGPPQSPPNIYYKV 340

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 141681 seqs, 52070155 residues

Total number of hits satisfying chosen parameters: 141681

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_42:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query		DB	ID	Description
		Match	Length			
1	1850	100.0	340	1	EFB3_HUMAN	Q15768 homo sapien
2	1780	96.2	340	1	EFB3_MOUSE	O35393 mus musculu
3	637.5	34.5	336	1	EFB2_MOUSE	P52800 mus musculu
4	632	34.2	346	1	EFB1_HUMAN	P98172 homo sapien
5	629.5	34.0	333	1	EFB2_HUMAN	P52799 homo sapien
6	628	33.9	334	1	EFB1_CHICK	O73612 gallus gall
7	626.5	33.9	332	1	EFB2_BRARE	O73874 brachydanio
8	613.5	33.2	345	1	EFB1_MOUSE	P52795 mus musculu
9	608.5	32.9	345	1	EFB1_RAT	P52796 rattus norv
10	600	32.4	327	1	EFB1_XENLA	O13097 xenopus lae
11	185	10.0	195	1	EFA2_BRARE	P79727 brachydanio
12	179	9.7	238	1	EFA3_HUMAN	P52797 homo sapien
13	176	9.5	209	1	EFA2_MOUSE	P52801 mus musculu
14	175.5	9.5	213	1	EFA2_HUMAN	O43921 homo sapien
15	172	9.3	200	1	EFA2_CHICK	P52802 gallus gall
16	170.5	9.2	228	1	EFA5_CHICK	P52804 gallus gall
17	169.5	9.2	201	1	EFA4_HUMAN	P52798 homo sapien

18	169.5	9.2	228	1	EFA5_BRARE	P79728	brachydanio
19	167.5	9.1	216	1	EFA1_XENLA	P52794	xenopus lae
20	167.5	9.1	228	1	EFA5_HUMAN	P52803	homo sapien
21	167.5	9.1	228	1	EFA5_MOUSE	O08543	mus musculu
22	167.5	9.1	228	1	EFA5_RAT	P97605	rattus norv
23	166	9.0	205	1	EFA1_HUMAN	P20827	homo sapien
24	162.5	8.8	205	1	EFA1_RAT	P97553	rattus norv
25	161	8.7	205	1	EFA1_MOUSE	P52793	mus musculu
26	160.5	8.7	206	1	EFA4_MOUSE	O08542	mus musculu
27	159	8.6	680	1	CA1A_MOUSE	Q05306	mus musculu
28	154.5	8.4	1049	1	CA13_BOVIN	P04258	bos taurus
29	151.5	8.2	301	1	CC02_CAEL	P17656	caenorhabdi
30	148.5	8.0	1670	1	CA34_HUMAN	Q01955	homo sapien
31	146.5	7.9	1774	1	CA1H_MOUSE	P39061	mus musculu
32	146	7.9	1027	1	CAFF_RIFPA	P30754	riftia pach
33	145	7.8	674	1	CA1A_BOVIN	P23206	bos taurus
34	145	7.8	1745	1	CA35_HUMAN	P25940	homo sapien
35	144.5	7.8	1516	1	CA1H_HUMAN	P39060	homo sapien
36	144	7.8	675	1	CA39_CHICK	P32017	gallus gall
37	144	7.8	921	1	CA19_HUMAN	P20849	homo sapien
38	143	7.7	674	1	CA1A_CHICK	P08125	gallus gall
39	142.5	7.7	1496	1	CA25_HUMAN	P05997	homo sapien
40	142	7.7	744	1	CA18_HUMAN	P27658	homo sapien
41	142	7.7	1029	1	CA26_MOUSE	Q02788	mus musculu
42	142	7.7	1763	1	CA24_ASCSU	P27393	ascaris suu
43	141.5	7.6	1466	1	CA13_HUMAN	P02461	homo sapien
44	141	7.6	744	1	CA18_RABIT	P14282	oryctolagus
45	140.5	7.6	743	1	CA18_MOUSE	Q00780	mus musculu

ALIGNMENTS

RESULT 1

EFB3_HUMAN

ID EFB3_HUMAN STANDARD; PRT; 340 AA.

AC Q15768; O00680; Q8TBH7; Q92875;

DT 01-NOV-1997 (Rel. 35, Created)

DT 01-NOV-1997 (Rel. 35, Last sequence update)

DT 15-MAR-2004 (Rel. 43, Last annotation update)

DE Ephrin-B3 precursor (EPH-related receptor tyrosine kinase ligand 8)

DE (LERK-8) (EPH-related receptor transmembrane ligand ELK-L3).

GN EFN3 OR EPLG8 OR LERK8.

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

RA Cerretti D.P.;

RL Submitted (JUL-1996) to the EMBL/GenBank/DDBJ databases.

RN [2]

RP SEQUENCE FROM N.A.

RC TISSUE=Brain;

RX MEDLINE=97271551; PubMed=9126477;

RA Tang X.X., Pleasure D.E., Ikegaki N.;

RT "cDNA cloning, chromosomal localization, and expression pattern of

RT EPLG8, a new member of the EPLG gene family encoding ligands of EPH-
 RT related protein-tyrosine kinase receptors.";
 RL Genomics 41:17-24(1997).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain cortex;
 RX MEDLINE=96404527; PubMed=8808709;
 RA Gale N.W., Flenniken A., Compton D.C., Jenkins N.A., Copeland N.G.,
 RA Gilbert D.J., Davis S., Wilkinson D.G., Yancopoulos G.D.;
 RT "Elk-L3, a novel transmembrane ligand for the Eph family of receptor
 RT tyrosine kinases, expressed in embryonic floor plate, roof plate and
 RT hindbrain segments.";
 RL Oncogene 13:1343-1352(1996).
 RN [4]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=22388257; PubMed=12477932;
 RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
 RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
 RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
 RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
 RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
 RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
 RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
 RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
 RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
 RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
 RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length
 RT human and mouse cDNA sequences.";
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 CC -!- FUNCTION: May play a pivotal role in forebrain function. Binds to,
 CC and induce the collapse of, commissural axons/growth cones in
 CC vitro. May play a role in constraining the orientation of
 CC longitudinally projecting axons (By similarity).
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
 CC -!- TISSUE SPECIFICITY: Highly expressed in brain; expressed in
 CC embryonic floor plate, roof plate and hindbrain segments.
 CC -!- SIMILARITY: Belongs to the ephrin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U57001; AAB05170.1; -.
 DR EMBL; U66406; AAC51203.1; -.
 DR EMBL; U62775; AAC50707.1; -.

DR EMBL; BC022499; AAH22499.1; -.
 DR EMBL; BC042944; AAH42944.1; -.
 DR Genew; HGNC:3228; EFNB3.
 DR MIM; 602297; -.
 DR GO; GO:0005887; C:integral to plasma membrane; TAS.
 DR GO; GO:0005005; F:transmembrane-ephrin receptor activity; TAS.
 DR GO; GO:0007267; P:cell-cell signaling; TAS.
 DR GO; GO:0007399; P:neurogenesis; TAS.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 KW Developmental protein; Neurogenesis; Transmembrane; Glycoprotein;
 KW Signal; Polymorphism.
 FT SIGNAL 1 27 POTENTIAL.
 FT CHAIN 28 340 EPHRIN-B3.
 FT DOMAIN 28 226 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 227 247 POTENTIAL.
 FT DOMAIN 248 340 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 338 340 PDZ RECOGNITION MOTIF (POTENTIAL).
 FT DISULFID 62 104 BY SIMILARITY.
 FT DISULFID 92 156 BY SIMILARITY.
 FT CARBOHYD 210 210 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT VARIANT 166 166 R -> Q.
 FT /FTid=VAR_002356.
 SQ SEQUENCE 340 AA; 35834 MW; EDFF2A23C2FDE79F CRC64;

Query Match 100.0%; Score 1850; DB 1; Length 340;
 Best Local Similarity 100.0%; Pred. No. 1.3e-112;
 Matches 340; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60
 |||||
 Db 1 MGPPHSGPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60

 Qy 61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY 120
 |||||
 Db 61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRPDLDLRFTIKFQEY 120

 Qy 121 SPNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180
 |||||
 Db 121 SPNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180

 Qy 181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
 |||||
 Db 181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240

 Qy 241 GVAGAGGAMCWRRRRRAKPSES RHPGPSFGRGGS LGLGGGGMGPREAEPGELGIALRGG 300
 |||||
 Db 241 GVAGAGGAMCWRRRRRAKPSES RHPGPSFGRGGS LGLGGGGMGPREAEPGELGIALRGG 300

 Qy 301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
 |||||
 Db 301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340

RESULT 2

EFB3_MOUSE

ID EFB3_MOUSE STANDARD; PRT; 340 AA.
AC 035393;
DT 15-JUL-1999 (Rel. 38, Created)
DT 15-JUL-1999 (Rel. 38, Last sequence update)
DT 15-MAR-2004 (Rel. 43, Last annotation update)
DE Ephrin-B3 precursor.
GN EFNB3.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=98143367; PubMed=9484836;
RA Bergemann A.D., Zhang L., Chiang M.-K., Brambilla R., Klein R.,
RA Flanagan J.G.;
RT "Ephrin-B3, a ligand for the receptor EphB3, expressed at the midline
RT of the developing neural tube.";
RL Oncogene 16:471-480(1998).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=C57BL/6; TISSUE=Brain;
RX MEDLINE=22388257; PubMed=12477932;
RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA Villalón D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA Schnierch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT "Generation and initial analysis of more than 15,000 full-length
RT human and mouse cDNA sequences.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN [3]
RP FUNCTION.
RX MEDLINE=20171264; PubMed=10704386;
RA Imondi R., Wideman C., Kaprielian Z.;
RT "Complementary expression of transmembrane ephrins and their receptors
RT in the mouse spinal cord: a possible role in constraining the
RT orientation of longitudinally projecting axons.";
RL Development 127:1397-1410(2000).
CC -!- FUNCTION: May play a pivotal role in forebrain function. Binds to,
CC and induce the collapse of, commissural axons/growth cones in

```

CC      vitro. May play a role in constraining the orientation of
CC      longitudinally projecting axons.
CC      -!- SUBCELLULAR LOCATION: Type I membrane protein.
CC      -!- TISSUE SPECIFICITY: Expressed on lateral floor plate cells,
CC      specifically on commissural axon segments that have passed through
CC      the floor plate. Expressed in cells of the retinal ganglion cell
CC      layer during retinal axon guidance to the optic disk.
CC      -!- DEVELOPMENTAL STAGE: Expressed in the floor plate throughout the
CC      period of commissural axon pathfinding.
CC      -!- SIMILARITY: Belongs to the ephrin family.
CC      -----
CC      This SWISS-PROT entry is copyright. It is produced through a collaboration
CC      between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC      the European Bioinformatics Institute. There are no restrictions on its
CC      use by non-profit institutions as long as its content is in no way
CC      modified and this statement is not removed. Usage by and for commercial
CC      entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC      or send an email to license@isb-sib.ch).
CC      -----
DR      EMBL; AF025288; AAC53537.1; -.
DR      EMBL; BC052001; AAH52001.1; -.
DR      EMBL; BC058617; AAH58617.1; -.
DR      MGD; MGI:109196; Efnb3.
DR      GO; GO:0007628; P:adult walking behavior; IMP.
DR      GO; GO:0007411; P:axon guidance; IMP.
DR      InterPro; IPR008972; Cupredoxin.
DR      InterPro; IPR001799; Ephrin.
DR      Pfam; PF00812; Ephrin; 1.
DR      PRINTS; PR01347; EPHRIN.
DR      ProDom; PD002533; Ephrin; 1.
DR      PROSITE; PS01299; EPHRIN; 1.
KW      Developmental protein; Neurogenesis; Transmembrane; Glycoprotein;
KW      Signal.
FT      SIGNAL          1      27      POTENTIAL.
FT      CHAIN           28     340     EPHRIN-B3.
FT      DOMAIN          28     227     EXTRACELLULAR (POTENTIAL).
FT      TRANSMEM        228     248     POTENTIAL.
FT      DOMAIN          249     340     CYTOPLASMIC (POTENTIAL).
FT      DOMAIN          338     340     PDZ RECOGNITION MOTIF (POTENTIAL).
FT      DISULFID         62     104     BY SIMILARITY.
FT      DISULFID         92     156     BY SIMILARITY.
FT      CARBOHYD        210     210     N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ      SEQUENCE      340 AA;  35884 MW;  52F3D58FD209A6B8 CRC64;

Query Match          96.2%;  Score 1780;  DB 1;  Length 340;
Best Local Similarity 95.6%;  Pred. No. 4.3e-108;
Matches 325;  Conservative 7;  Mismatches 8;  Indels 0;  Gaps 0;

Qy      1 MGPPHSGPGGVRVGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60
      || || |||||:||||||| ||||||||||||||||||||||||||||
Db      1 MGAPHFPGGVQVGALLLLGFAGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDL 60

Qy      61 LCPRARPPGPHSSPNYEFYKLYLVGGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEY 120
      |||||||||||||:||||||| ||||||||||||||||||||||||
Db      61 LCPRARPPGPHSSPSYEFYKLYLVEGAQGRRCEAPPAPNLLLTCDRDLRFTIKFQEY 120

Qy      121 SPNLWGHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGGA VPRKP 180

```

```

Db      121 SPNLWGHEFRSHHDYIIATSDGTREGLESLQGGVCLTRGMKVLLRVGQSPRGGAVPRKP 180
Qy      181 VSEMPMERDRGAAHSLEPGKENLPGDPTSNAISRGAEGPLPPPSMPAVAGAAGGLALLLL 240
Db      181 VSEMPMERDRGAAHSAEPGRDTIPGDPSSNAISRGAEGPLPPPSMPAVAGAAGGMALLLL 240
Qy      241 GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGSGLGLGGGGMGMPREAEPEGELGIALRGG 300
Db      241 GVAGAGGAMCWRRRRRAKPSERHPGPGSFGRGGSGLGLGGGGMGMPREAEPEGELGIALRGG 300
Qy      301 GAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340
Db      301 GTADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIYYKV 340

```

RESULT 3

EFB2_MOUSE

```

ID EFB2_MOUSE STANDARD; PRT; 336 AA.
AC P52800;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-MAR-2004 (Rel. 43, Last annotation update)
DE Ephrin-B2 precursor (EPH-related receptor tyrosine kinase ligand 5)
DE (LERK-5) (HTK ligand) (HTK-L) (ELF-2).
GN EFNB2 OR EPLG5 OR LERK5 OR HTKL OR ELF2 OR EPL5.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=96145238; PubMed=8559144;
RA Cerretti D.P., Vanden Bos T., Nelson N., Kozlosky C.J., Reddy P.,
RA Maraskovsky E., Park L.S., Lyman S.D., Copeland N.G.,
RA Gilbert D.J., Jenkins N.A., Fletcher R.A.;
RT "Isolation of LERK-5: a ligand of the eph-related receptor tyrosine
RT kinases.";
RL Mol. Immunol. 32:1197-1205(1995).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=CB57BL/6J X SJL/J;
RX MEDLINE=95199254; PubMed=7534404;
RA Bennett B.D., Zeigler F.C., Gu Q., Fendly B., Goddard A.D.,
RA Gillett N., Matthews W.;
RT "Molecular cloning of a ligand for the EPH-related receptor protein-
RT tyrosine kinase Htk.";
RL Proc. Natl. Acad. Sci. U.S.A. 92:1866-1870(1995).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=ICR; TISSUE=Brain;
RX MEDLINE=95379837; PubMed=7651410;
RA Bergemann A.D., Cheng H.J., Brambilla R., Klein R., Flanagan J.G.;
RT "ELF-2, a new member of the Eph ligand family, is segmentally
RT expressed in mouse embryos in the region of the hindbrain and newly
RT forming somites.";
RL Mol. Cell. Biol. 15:4921-4929(1995).

```

RN [4]
 RP SEQUENCE FROM N.A.
 RC STRAIN=C57BL/6; TISSUE=Brain;
 RX MEDLINE=22388257; PubMed=12477932;
 RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
 RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
 RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
 RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
 RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
 RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
 RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
 RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
 RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
 RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
 RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length
 RT human and mouse cDNA sequences."
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 RN [5]
 RP FUNCTION.
 RX MEDLINE=20171264; PubMed=10704386;
 RA Imondi R., Wideman C., Kaprielian Z.;
 RT "Complementary expression of transmembrane ephrins and their receptors
 RT in the mouse spinal cord: a possible role in constraining the
 RT orientation of longitudinally projecting axons."
 RL Development 127:1397-1410(2000).
 RN [6]
 RP X-RAY CRYSTALLOGRAPHY (1.92 ANGSTROMS) OF 30-170.
 RX MEDLINE=21563306; PubMed=11703926;
 RA Toth J., Cutforth T., Gelinas A.D., Bethoney K.A., Bard J.,
 RA Harrison C.J.;
 RT "Crystal structure of an ephrin ectodomain."
 RL Dev. Cell 1:83-92(2001).
 RN [7]
 RP X-RAY CRYSTALLOGRAPHY (2.7 ANGSTROMS) OF 31-168 IN COMPLEX WITH
 RP EPHB2.
 RX MEDLINE=21638766; PubMed=11780069;
 RA Himanen J.-P., Rajashankar K.R., Lackmann M., Cowan C.A.,
 RA Henkemeyer M., Nikolov D.B.;
 RT "Crystal structure of an Eph receptor-ephrin complex."
 RL Nature 414:933-938(2001).
 CC -!- FUNCTION: Binds to the receptor tyrosine kinases EPHB2 and EPHB4.
 CC May play a role in constraining the orientation of longitudinally
 CC projecting axons.
 CC -!- SUBUNIT: Binds to the receptor tyrosine kinase EPHB4.
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
 CC -!- TISSUE SPECIFICITY: Expressed on lateral floor plate cells,
 CC specifically on commissural axon segments that have passed through
 CC the floor plate. Expressed in cells of the retinal ganglion cell
 CC layer during retinal axon guidance to the optic disk.
 CC -!- DEVELOPMENTAL STAGE: Expressed in the floor plate throughout the

Db 134 DYYIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSARNHGPTRRPELEAGTN 193

Qy 191 GAAHSLEPGKENLPGDPTSNAISRGAEGPLPPSPMPAVAGAAGGLALLLLGVAGAGGAMC 250
| : : | : | | : : : | : | | : : : :

Db 194 GRSSTTSPFVKPNPGSSSTDGNSAGHSGNNLLGSEVALFAGIASGCIIFIVIIITLVVLLL 253

Qy 251 WRRRRRAKPSESRRHPGPGSFGRGGSLLGLGGGGMGPREAEPGELGIALRGGGAADPPFCPH 310
| | | : : | : | : | | : | | : | | | |

Db 254 KYRRRRHRKHSPQHTTTLSLSTLATPKRGGNN----NGSEPSDVIIPLR---TADSVFCPH 306

Qy 311 YEKVSGDYGHPVYIVQDGPPQSPNNIYYKV 340
| | | | | | | | | | : | | | | | | | |

Db 307 YEKVSGDYGHPVYIVQEMPPQSPANNIYYKV 336

RESULT 4

EFB1_HUMAN

ID EFB1_HUMAN STANDARD; PRT; 346 AA.

AC P98172;

DT 01-OCT-1996 (Rel. 34, Created)

DT 01-OCT-1996 (Rel. 34, Last sequence update)

DT 15-MAR-2004 (Rel. 43, Last annotation update)

DE Ephrin-B1 precursor (EPH-related receptor tyrosine kinase ligand 2)

DE (LERK-2) (ELK ligand) (ELK-L).

GN EFNBL OR EPLG2 OR LERK2 OR EFL-3.

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

RC TISSUE=Placenta;

RX MEDLINE=94349923; PubMed=8070404;

RA Beckmann M.P., Cerretti D.P., Baum P., Vanden Bos T., James L.,

RA Farrah T., Kozlosky C., Hollingsworth T., Shilling H., Maraskovsky E.,

RA Fletcher F.A., Lhotak V., Pawson T., Lyman S.D.;

RT "Molecular characterization of a family of ligands for eph-related

RT tyrosine kinase receptors.";

RL EMBO J. 13:3757-3762(1994).

RN [2]

RP SEQUENCE FROM N.A.

RA Davis S., Gale N.W., Aldrich T.H., Maisonpierre P.C., Lhotak V.,

RA Pawson T., Goldfarb M., Yancopoulos G.D.;

RL Submitted (NOV-1994) to the EMBL/GenBank/DDBJ databases.

RN [3]

RP SEQUENCE FROM N.A.

RA Fletcher F.A., Huebner K., Shaffer L.G., Monaco A., Mueller U.,

RA Kozlosky C., Druck T., Simoneaux D.K., Fairweather N., Chelly J.,

RA Cerretti D.P., Belmont J.W., Beckmann M.P., Lyman S.D.;

RL Submitted (JAN-1997) to the EMBL/GenBank/DDBJ databases.

RN [4]

RP SEQUENCE FROM N.A.

RA Howden P.;

RL Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.

RN [5]

RP SEQUENCE FROM N.A.

RC TISSUE=Eye, and Skin;

RX MEDLINE=22388257; PubMed=12477932;
 RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
 RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
 RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
 RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
 RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
 RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
 RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
 RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
 RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
 RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
 RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length
 RT human and mouse cDNA sequences."
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 CC -!- FUNCTION: Binds to the receptor tyrosine kinases EPHB1 and EPHA1.
 CC Binds to, and induce the collapse of, commissural axons/growth
 CC cones in vitro. May play a role in constraining the orientation of
 CC longitudinally projecting axons (By similarity).
 CC -!- SUBUNIT: Binds GRIP1 and GRIP2.
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
 CC -!- TISSUE SPECIFICITY: Heart, placenta, lung, liver, skeletal muscle,
 CC kidney, pancreas.
 CC -!- INDUCTION: By TNF-alpha.
 CC -!- PTM: Inducible phosphorylation of tyrosine residues in the
 CC cytoplasmic domain (By similarity).
 CC -!- SIMILARITY: Belongs to the ephrin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U09304; AAA53093.1; -.
 DR EMBL; L37361; AAA52369.1; -.
 DR EMBL; U09303; AAB41127.1; -.
 DR EMBL; AL136092; -; NOT_ANNOTATED_CDS.
 DR EMBL; BC016649; AAH16649.1; -.
 DR EMBL; BC052979; AAH52979.1; -.
 DR PIR; S46993; S46993.
 DR Genew; HGNC:3226; EFNBL.
 DR MIM; 300035; -.
 DR GO; GO:0005887; C:integral to plasma membrane; TAS.
 DR GO; GO:0005625; C:soluble fraction; TAS.
 DR GO; GO:0005108; F:transmembrane ephrin; TAS.
 DR GO; GO:0007155; P:cell adhesion; TAS.
 DR GO; GO:0007267; P:cell-cell signaling; TAS.
 DR InterPro; IPR008972; Cupredoxin.

DT 15-MAR-2004 (Rel. 43, Last annotation update)
 DE Ephrin-B2 precursor (EPH-related receptor tyrosine kinase ligand 5)
 DE (LERK-5) (HTK ligand) (HTK-L).
 GN EFNB2 OR EPLG5 OR LERK5 OR HTKL.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=96145238; PubMed=8559144;
 RA Cerretti D.P., Vanden Bos T., Nelson N., Kozlosky C.J., Reddy P.,
 RA Maraskovsky E., Park L.S., Lyman S.D., Copeland N.G., Gilbert D.J.,
 RA Jenkins N.A., Fletcher R.A.;
 RT "Isolation of LERK-5: a ligand of the eph-related receptor tyrosine
 RT kinases.";
 RL Mol. Immunol. 32:1197-1205(1995).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=95199254; PubMed=7534404;
 RA Bennett B.D., Zeigler F.C., Gu Q., Fendly B., Goddard A.D.,
 RA Gillett N., Matthews W.;
 RT "Molecular cloning of a ligand for the EPH-related receptor protein-
 RT tyrosine kinase Htk.";
 RL Proc. Natl. Acad. Sci. U.S.A. 92:1866-1870(1995).
 RN [3]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=98192220; PubMed=9533549;
 RA Vogt T., Stolz W., Welsh J., Jung B., Kerbel R.S., Kobayashi H.,
 RA Landthaler M., McClelland M.;
 RT "Overexpression of Lerk-5/Eplg5 messenger RNA: a novel marker for
 RT increased tumorigenicity and metastatic potential in human malignant
 RT melanomas.";
 RL Clin. Cancer Res. 4:791-797(1998).
 CC -!- FUNCTION: Binds to the receptor tyrosine kinases EPHB4 and EPHA3.
 CC May play a role in constraining the orientation of longitudinally
 CC projecting axons (By similarity).
 CC -!- SUBUNIT: Binds to the receptor tyrosine kinases EPHB4 and EPHA3.
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
 CC -!- TISSUE SPECIFICITY: Lung and kidney.
 CC -!- PTM: Inducible phosphorylation of tyrosine residues in the
 CC cytoplasmic domain (By similarity).
 CC -!- SIMILARITY: Belongs to the ephrin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U16797; AAA99707.1; -.
 DR EMBL; L38734; AAC41752.1; -.
 DR EMBL; U81262; AAD03786.1; -.

RESULT 6

EFB1_CHICK

ID EFB1_CHICK STANDARD; PRT; 334 AA.

AC 073612;

DT 15-JUL-1999 (Rel. 38, Created)

DT 15-JUL-1999 (Rel. 38, Last sequence update)

DT 15-MAR-2004 (Rel. 43, Last annotation update)

DE Ephrin-B1 precursor (CEK5 ligand) (CEL5-L).

GN EFNB1.

OS Gallus gallus (Chicken).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;

OC Gallus.

OX NCBI_TaxID=9031;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=97223524; PubMed=9070326;

RA Holash J.A., Soans C., Chong L.D., Shao H., Dixit V.M.,

RA Pasquale E.B.;

RT "Reciprocal expression of the Eph receptor Cek5 and its ligand(s) in
the early retina.";

RL Dev. Biol. 182:256-269(1997).

CC -!- SUBUNIT: Binds to the receptor tyrosine kinase EPHB2.

CC -!- SUBCELLULAR LOCATION: Type I membrane protein.

CC -!- PTM: Inducible phosphorylation of tyrosine residues in the
cytoplasmic domain (By similarity).

CC -!- SIMILARITY: Belongs to the ephrin family.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; U72394; AAC07986.1; -.

DR InterPro; IPR008972; Cupredoxin.

DR InterPro; IPR001799; Ephrin.

DR Pfam; PF00812; Ephrin; 1.

DR PRINTS; PR01347; EPHRIN.

DR ProDom; PD002533; Ephrin; 1.

DR PROSITE; PS01299; EPHRIN; 1.

KW Developmental protein; Neurogenesis; Transmembrane; Glycoprotein;

KW Signal; Phosphorylation.

FT SIGNAL 1 25 POTENTIAL.

FT CHAIN 26 334 EPHRIN-B1.

FT DOMAIN 26 231 EXTRACELLULAR (POTENTIAL).

FT TRANSMEM 232 252 POTENTIAL.

FT DOMAIN 253 334 CYTOPLASMIC (POTENTIAL).

FT DOMAIN 332 334 PDZ RECOGNITION MOTIF (POTENTIAL).

FT DISULFID 60 97 BY SIMILARITY.

FT DISULFID 85 149 BY SIMILARITY.

FT CARBOHYD 135 135 N-LINKED (GLCNAC. . .) (POTENTIAL).

SQ SEQUENCE 334 AA; 36858 MW; 48AF556E9ED56CD5 CRC64;

Query Match

33.9%; Score 628; DB 1; Length 334;

Best Local Similarity 39.7%; Pred. No. 7.7e-34;

Matches 146; Conservative 50; Mismatches 100; Indels 72; Gaps 13;

```
Qy      8 PGGVR--VGALLLLGVLGLVSGLSLEPVYWNSANKRFQAEGGYVLYPQIGDRLDLLCPRA 65
      | | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db      4 PRGGRWLLGVLLALCRLAAPLAKSLEPVSWWSAGNPKFMSGKGLVIYPEIGDKLDIICPKA 63

Qy     66 RPPGPHSSPNYEFYKLYLVGGAQGRRCAPPAPNLLLTCDRDLRFTIKFQEYSPNLW 125
      | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db     64 EPSKP-----YDYYKLYLVKKDQADACSTVMDPNVLVTCNRPEQEIRFTIKFQEFSPNYM 118

Qy    126 GHEFRSHHDYIIATSDGTREGLESQGQVCLTRGMKVLLRVGQSPRGGA VPRKPVSEMP 185
      | | | : | | | : | | | : | | | : | | | : | | | : | | | : | |
Db    119 GLEFKRQQDYFITSTSNGLDGLNREGGVCQTRSMKIVMKVGQDP-NAVIPEQLTTSRP 177

Qy    186 MER-----DRGAHSL----EPGKENLPGDPTSNA--TSRGAEGPLPPPSMPAVAGA 231
      : : : | : | | | | | | | | | | | | | | | | | | | | |
Db    178 SKEADNTVKIVTQSPRHKVPTVEEPGK---PGSVNQNGQETQGPSDGFL--SSKVAVFAA 232

Qy    232 AGG-----LALLLLGVAGAGGAMCWRRRRAKPSERH-----PGPGSFGRG 272
      | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    233 IGAGCVIFILIIIFLVLLIKI-----RKRHRKHTQQRAAALSSTLASPKCSGNA 283

Qy    273 GSLGLGGGGMGMPREAEPELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQS 332
      || | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    284 GS-----EPSDIIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPQS 326

Qy    333 PPNIYYKV 340
      | | | | | |
Db    327 PANIYYKV 334
```

RESULT 7

EFB2_BRARE

ID EFB2_BRARE STANDARD; PRT; 332 AA.

AC O73874;

DT 15-JUL-1999 (Rel. 38, Created)

DT 15-JUL-1999 (Rel. 38, Last sequence update)

DT 15-MAR-2004 (Rel. 43, Last annotation update)

DE Ephrin-B2 precursor (Ephrin B2a).

GN EFN2 OR EFN2A.

OS Brachydanio rerio (Zebrafish) (Danio rerio).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;

OC Cyprinidae; Danio.

OX NCBI_TaxID=7955;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=98438455; PubMed=9765210;

RA Durbin L., Brennan C., Shiomi K., Cooke J., Barrios A.,

RA Shanmugalingam S., Guthrie B., Lindberg R., Holder N.;

RT "Eph signaling is required for segmentation and differentiation of

RT the somites.";

RL Genes Dev. 12:3096-3109(1998).

RN [2]

RP SEQUENCE FROM N.A.

RX MEDLINE=21290827; PubMed=11397014;

RA Chan J., Mably J.D., Serluca F.C., Chen J.N., Goldstein N.B.,
 RA Thomas M.C., Cleary J.A., Brennan C., Fishman M.C., Roberts T.M.;
 RT "Morphogenesis of prechordal plate and notochord requires intact
 RT eph/ephrin b signaling.";
 RL Dev. Biol. 234:470-482(2001).
 CC -!- SUBUNIT: Binds to the receptor tyrosine kinase EPHB4.
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
 CC -!- PTM: Inducible phosphorylation of tyrosine residues in the
 CC cytoplasmic domain (By similarity).
 CC -!- SIMILARITY: Belongs to the ephrin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AJ004863; CAA06168.1; -.
 DR EMBL; AF375225; AAK64275.1; -.
 DR ZFIN; ZDB-GENE-990415-67; efnb2a.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 KW Developmental protein; Neurogenesis; Transmembrane; Glycoprotein;
 KW Signal; Phosphorylation.
 FT SIGNAL 1 24 POTENTIAL.
 FT CHAIN 25 332 EPHRIN-B2.
 FT DOMAIN 25 225 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 226 246 POTENTIAL.
 FT DOMAIN 247 332 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 330 332 PDZ RECOGNITION MOTIF (POTENTIAL).
 FT DISULFID 59 98 BY SIMILARITY.
 FT DISULFID 86 150 BY SIMILARITY.
 FT CARBOHYD 20 20 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 33 33 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 136 136 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 211 211 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 332 AA; 36724 MW; 189ED82372C71C8B CRC64;

Query Match 33.9%; Score 626.5; DB 1; Length 332;
 Best Local Similarity 42.2%; Pred. No. 9.6e-34;
 Matches 145; Conservative 54; Mismatches 106; Indels 39; Gaps 12;

QY 14 GALLLLGVLGLVSGLSLEPVYWNSANKRFQAEAGGYVLYPQIGDRDLLCPRARPPGPHSS 73
 | :: : | | : : ||| : | : | ||||| ::| ::||| |
 Db 11 GVLVIACKVNLSRALILDSIYWNNTNTKVFPGQGLVLYPQIGDKMDIVCPRVE---GGSM 67
 QY 74 PNYEFYKLYLVGGAQGRRC EAPPAPNLLLTCDRPDLRLRFTIKFQEYSPNLWGHEFRSHH 133
 | : |||| : | : | : || | : || : : ||| : ||||| ||
 Db 68 EGVEYYKLYMVPLEQLKSCQVTKADTPLLNCVKPDQDVKFTLKFQEFSPNLWGLEFFRGK 127
 QY 134 DYYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRK-PVSEMPMERDRGA 192

```

      |||||:|:| | |:: :||| |: ||:::| |::| | | | |
Db      128 DYYIISTSNGTMEGLDNQEGGVCKTKSMKIIMKVGQNPSDPISPKDYPTSYPPKHPDLGG 187

Qy      193 AHS-----LEP-----GKENLPGDPTSNAISRGAEGPLPPPSMPAVAGAAGGLALLLLGV 242
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db      188 KDSKSNEVLKPDASPHGEDK--GDGNKSSSVIGSEVAL----FACIASASVIVIIIIIML 241

Qy      243 AGAGGAMCWRRRRRAKPSERHPGPGSFG-----RGGSLGLGGGGMGPREAEPGELGIA 296
      : :| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db      242 VFL--LLKYRRRHRKHS-PQHATTLSLSTLATPKRGGS---GGNNNG---SEPSDIIIP 291

Qy      297 LRGGGAADPPFCPHYEKVSGDYGHPVYIVQDGPQSPNIIYKV 340
      || | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db      292 LR---TADSVFCPHYEKVSGDYGHPVYIVQEMPPQSPANIYKV 332

```

RESULT 8

EFB1_MOUSE

```

ID      EFB1_MOUSE          STANDARD;          PRT;      345 AA.
AC      P52795;
DT      01-OCT-1996 (Rel. 34, Created)
DT      01-OCT-1996 (Rel. 34, Last sequence update)
DT      15-MAR-2004 (Rel. 43, Last annotation update)
DE      Ephrin-B1 precursor (EPH-related receptor tyrosine kinase ligand 2)
DE      (LERK-2) (ELK ligand) (ELK-L) (STRA1 protein) (CEK5 receptor ligand)
DE      (CEK5-L).
GN      EFNBI OR EPLG2 OR LERK2 OR STRA1 OR EPL2.
OS      Mus musculus (Mouse).
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC      Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX      NCBI_TaxID=10090;
RN      [1]
RP      SEQUENCE FROM N.A.
RC      STRAIN=129/Sv;
RX      MEDLINE=95203867; PubMed=7896266;
RA      Fletcher F.A., Renshaw B., Hollingsworth T., Baum P., Lyman S.D.,
RA      Jenkins N.A., Gilbert D.J., Copeland N.G., Davison B.L.;
RT      "Genomic organization and chromosomal localization of mouse Eplg2, a
RT      gene encoding a binding protein for the receptor tyrosine kinase
RT      elk.";
RL      Genomics 24:127-132(1994).
RN      [2]
RP      SEQUENCE FROM N.A.
RX      MEDLINE=95377533; PubMed=7649373;
RA      Bouillet P., Oulad-Abdelghani M., Vicaire S., Garnier J.M.,
RA      Schuhbaur B., Dolle P., Chambon P.;
RT      "Efficient cloning of cDNAs of retinoic acid-responsive genes in P19
RT      embryonal carcinoma cells and characterization of a novel mouse gene,
RT      Stra1 (mouse LERK-2/Eplg2).";
RL      Dev. Biol. 170:420-433(1995).
RN      [3]
RP      SEQUENCE FROM N.A.
RC      TISSUE=Brain;
RX      MEDLINE=95014510; PubMed=7929389;
RA      Shao H., Lou L., Pandey A., Pasquale E.B., Dixit V.M.;
RT      "cDNA cloning and characterization of a ligand for the Cek5 receptor
RT      protein-tyrosine kinase.";

```

RL J. Biol. Chem. 269:26606-26609(1994).
 RN [4]
 RP SEQUENCE FROM N.A.
 RC STRAIN=FVB/N; TISSUE=Mammary gland;
 RX MEDLINE=22388257; PubMed=12477932;
 RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
 RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
 RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
 RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
 RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
 RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
 RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
 RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
 RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
 RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
 RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length
 RT human and mouse cDNA sequences."
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 RN [5]
 RP FUNCTION.
 RX MEDLINE=20171264; PubMed=10704386;
 RA Imondi R., Wideman C., Kaprielian Z.;
 RT "Complementary expression of transmembrane ephrins and their receptors
 RT in the mouse spinal cord: a possible role in constraining the
 RT orientation of longitudinally projecting axons."
 RL Development 127:1397-1410(2000).
 CC -!- FUNCTION: Binds to the receptor tyrosine kinases EPHB1 and EPHA1.
 CC Binds to, and induce the collapse of, commissural axons/growth
 CC cones in vitro. May play a role in constraining the orientation of
 CC longitudinally projecting axons.
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
 CC -!- TISSUE SPECIFICITY: Expressed on lateral floor plate cells,
 CC specifically on commissural axon segments that have passed through
 CC the floor plate. Expressed in cells of the retinal ganglion cell
 CC layer during retinal axon guidance to the optic disc.
 CC -!- DEVELOPMENTAL STAGE: Expressed in the floor plate throughout the
 CC period of commissural axon pathfinding.
 CC -!- PTM: Inducible phosphorylation of tyrosine residues in the
 CC cytoplasmic domain.
 CC -!- SIMILARITY: Belongs to the ephrin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U07602; AAC53247.1; -.

DR EMBL; U07598; AAC53247.1; JOINED.
 DR EMBL; U07599; AAC53247.1; JOINED.
 DR EMBL; U07600; AAC53247.1; JOINED.
 DR EMBL; Z48781; CAA88695.1; -.
 DR EMBL; U12983; AAA53231.1; -.
 DR EMBL; BC006797; AAH06797.1; -.
 DR PIR; I48780; I48780.
 DR MGD; MGI:102708; Efnb1.
 DR GO; GO:0045121; C:lipid raft; IDA.
 DR GO; GO:0007411; P:axon guidance; IMP.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 KW Developmental protein; Neurogenesis; Transmembrane; Glycoprotein;
 KW Signal; Phosphorylation.
 FT SIGNAL 1 24 POTENTIAL.
 FT CHAIN 25 345 EPHRIN-B1.
 FT DOMAIN 25 236 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 237 257 POTENTIAL.
 FT DOMAIN 258 345 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 343 345 PDZ RECOGNITION MOTIF (POTENTIAL).
 FT DISULFID 64 101 BY SIMILARITY.
 FT DISULFID 89 153 BY SIMILARITY.
 FT CARBOHYD 139 139 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CONFLICT 90 90 S -> T (IN REF. 2).
 SQ SEQUENCE 345 AA; 37859 MW; 8C96FD3DC5CBC405 CRC64;

Query Match 33.2%; Score 613.5; DB 1; Length 345;
 Best Local Similarity 38.2%; Pred. No. 6.9e-33;
 Matches 138; Conservative 51; Mismatches 107; Indels 65; Gaps 10;

QY 15 ALLLLGLVGLVSGL--SLEPVYWSANKRFQAEAGGYVLYPQIGDRLLDLCPRARPPGPHS 72
 |:::| : | : | :||| |::| :| : | :||:|::|::|::| |
 Db 15 AMVVLTLCLRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDIICPRAEAGRP-- 72

 QY 73 SPNYEFYKLYLVGGAQGRRC EAPPAPNLLLTCDRDLRLRFTIKFQEYSPNLWGHEFRSH 132
 ||:||||| | | ||:|::| :|:|||||:| | |::: |
 Db 73 ---Y EYKLYLVRPEQAAACSTVLDPNVLVTCNKP HQEIRFTIKFQEFSPNYMGLEFKKY 129

 QY 133 HDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVPRKPVSEMPMERDRGA 192
 ||||| :||:|: |||: :||| || ||:::| | | : : | :
 Db 130 HDYITSTSNGLSLEGLNREGGVCRTRTMKIVMKVGQDP-NAVTPQLTTSRPSKESDNT 188

 QY 193 AHSLEPGKENLPGDPTSNATSRGAEGP-----LPPPSMPAVAGAAGG-----LA 236
 : : | ||::| | | | |
 Db 189 VKT-----ATQAPGRGSQGDSDGKHETVNQEEKSGPGAGGGGSGDSDSFFNSK 236

 QY 237 LLLLVGAGAGGA-----MCWRRRRRAKPSERHPGPGSFGRGGS LGL----GG 279
 : | || | : | | : : | : |
 Db 237 VALFAAVGAGCVIFLLIIIFLTVLLKLRKRHRKHTQQ-----RAAALSSTLASP 287

 QY 280 GGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPQSPNIIYYK 339
 || | || : | | : : ||||| | | | | | : | | | | |
 Db 288 KGGSGTAGTEPSDIIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSPANIYYK 344

Qy 340 V 340
 |
Db 345 V 345

RESULT 9

EFB1_RAT

ID EFB1_RAT STANDARD; PRT; 345 AA.
AC P52796;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-MAR-2004 (Rel. 43, Last annotation update)
DE Ephrin-B1 precursor (EPH-related receptor tyrosine kinase ligand 2)
DE (LERK-2) (ELK ligand) (ELK-L).
GN EFNBl OR EPLG2 OR LERK2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=95022634; PubMed=7936648;
RA Fletcher F.A., Carpenter M., Shilling H., Baum P., Ziegler S.,
RA Gimpel S., Hollingsworth T., Vanden Bos T., Davison B.L.,
RA Lyman S.D., Beckmann M.P.;
RT "LERK-2, a binding protein for the receptor-tyrosine kinase ELK, is
RT evolutionarily conserved and expressed in a developmentally regulated
RT pattern.";
RL Oncogene 9:3241-3248(1994).
CC -!- FUNCTION: Binds to the receptor tyrosine kinases EPHB3
CC (preferred), EPHB1 and EPHA1. Binds to, and induce the collapse
CC of, commissural axons/growth cones in vitro. May play a role in
CC constraining the orientation of longitudinally projecting axons
CC (By similarity).
CC -!- SUBUNIT: Binds to the receptor tyrosine kinases EPHB3 (preferred),
CC EPHB1 and EPHB2.
CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
CC -!- PTM: Inducible phosphorylation of tyrosine residues in the
CC cytoplasmic domain (By similarity).
CC -!- SIMILARITY: Belongs to the ephrin family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U07560; AAA53092.1; -.
DR PIR; I58406; I58406.
DR InterPro; IPR008972; Cupredoxin.
DR InterPro; IPR001799; Ephrin.
DR Pfam; PF00812; Ephrin; 1.
DR PRINTS; PR01347; EPHRIN.

DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 KW Developmental protein; Neurogenesis; Transmembrane; Glycoprotein;
 KW Signal; Phosphorylation.
 FT SIGNAL 1 24 POTENTIAL.
 FT CHAIN 25 345 EPHRIN-B1.
 FT DOMAIN 25 236 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 237 257 POTENTIAL.
 FT DOMAIN 258 345 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 343 345 PDZ RECOGNITION MOTIF (POTENTIAL).
 FT DISULFID 64 101 BY SIMILARITY.
 FT DISULFID 89 153 BY SIMILARITY.
 FT CARBOHYD 139 139 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 345 AA; 37951 MW; 1B3045C5C7358F7E CRC64;

Query Match 32.9%; Score 608.5; DB 1; Length 345;
 Best Local Similarity 38.0%; Pred. No. 1.4e-32;
 Matches 137; Conservative 52; Mismatches 107; Indels 65; Gaps 10;

Qy 15 ALLLLGLVGLVSGL--SLEPVYWN SANKRFQ AEGGYVLYPQIGDRLDLLCPRARPPGPHS 72
 |:::| : | : | :||| | :| | :| : | :||:|::|::|::|::| |
 Db 15 AMVVLTLCLRLATPLAKNLEPVSWSSLNPKFLSGKGLVIYPKIGDKLDIICPRAEAGRP-- 72
 Qy 73 SPNYEFYKLYLVGGAQGRCEAPPAPNLLLTCDRPDLRLFTIKFQEYSPNLWGHEFRSH 132
 ||:||||| | | ||:|:::| :|||::|::|::|::| | ||: :
 Db 73 ---YEYKLYLVLRPEQAAACSTVLDPNVLVTCNKPQQEIRFTIKFQEFSPNYMGLEFKKY 129
 Qy 133 HDYYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGA VPRKPVSEMPMERDRGA 192
 ||||| :||:|: ||||: :||| || ||:::| || | : : | :
 Db 130 HDYYITSTSNGLSLEGLNREGGVCRTRTMKIVMKVGQDP-NAVTPQLTTSRPSKESDNT 188
 Qy 193 AHSLEPGKENLPGDPTSNATSRGAEGP-----LPPPSMPAVAGAAGG-----LA 236
 : : | ||:| | | | : | : |
 Db 189 VKT-----ATQAPGRGSQGDSDGKHETVNQQEKS GPGAGGSGSGDTSFFNSK 236
 Qy 237 LLLLG VAGAGGA-----MCWRRRRRAKPSERHPGPGSFGRGGS LGL----GG 279
 : | ||| : | :| | : : | : |
 Db 237 VALFAAVGAGCVIFLLIIIFLTVLL LKLRKRHRKHTQQ-----RAAALS LSTLASP 287
 Qy 280 GGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSPPNIIYK 339
 | | || : : | | : : |||||::|::|::|::|::|::|::|::|::|::|::|::|
 Db 288 KGDSGTAGTEPSDIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSPANIIYK 344
 Qy 340 V 340
 |
 Db 345 V 345

RESULT 10

EFB1_XENLA

ID EFB1_XENLA STANDARD; PRT; 327 AA.

AC 013097;

DT 01-NOV-1997 (Rel. 35, Created)

DT 01-NOV-1997 (Rel. 35, Last sequence update)

DT 15-MAR-2004 (Rel. 43, Last annotation update)

DE Ephrin-B1 precursor (EPH-related receptor tyrosine kinase ligand 2)

DE (LERK-2) (ELK ligand) (ELK-L) (XLERK).

GN EFN1 OR EPLG2 OR LERK2.
 OS *Xenopus laevis* (African clawed frog).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Amphibia; Batrachia; Anura; Mesobatrachia; Pipoidae; Pipidae;
 OC Xenopodinae; *Xenopus*.
 OX NCBI_TaxID=8355;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=97316777; PubMed=9174051;
 RA Jones T.L., Karavanova I., Chong L., Zhou R.P., Daar I.O.;
 RT "Identification of XLerk, an Eph family ligand regulated during
 RT mesoderm induction and neurogenesis in *Xenopus laevis*."
 RL Oncogene 14:2159-2166(1997).
 CC -!- FUNCTION: May have a role in the developing mesenchymal and
 CC nervous tissue.
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
 CC -!- TISSUE SPECIFICITY: In the adult, expressed at low levels in most
 CC adult tissues with increased levels observed in the kidney,
 CC oocytes, ovary and testis.
 CC -!- PTM: Inducible phosphorylation of tyrosine residues in the
 CC cytoplasmic domain (By similarity).
 CC -!- SIMILARITY: Belongs to the ephrin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U31427; AAC35995.1; -.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 KW Developmental protein; Neurogenesis; Transmembrane; Glycoprotein;
 KW Signal; Phosphorylation.
 FT SIGNAL 1 20 POTENTIAL.
 FT CHAIN 21 327 EPHRIN-B1.
 FT DOMAIN 21 225 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 226 246 POTENTIAL.
 FT DOMAIN 247 327 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 325 327 PDZ RECOGNITION MOTIF (POTENTIAL).
 FT DISULFID 57 93 BY SIMILARITY.
 FT DISULFID 81 145 BY SIMILARITY.
 FT CARBOHYD 131 131 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 202 202 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 327 AA; 36621 MW; 71230CE7F6BE5974 CRC64;

Query Match 32.4%; Score 600; DB 1; Length 327;
 Best Local Similarity 39.8%; Pred. No. 4.8e-32;
 Matches 146; Conservative 43; Mismatches 100; Indels 78; Gaps 12;

Qy 10 GVR--VGALLLLGVLGLVSGLSLEPVYWN SANKRFQ AEGGYVLYPQIGDRLDLLCPRA-- 65

```

      |::| :| ||:| | :||| ||| | | : | |||:|||||::||:
Db      3 GLRRLGLLLVLYRLCSALGKNLEPVTWNSQNPRFISGKGLVLYPEIGDRLDIICPKGLF 62
Qy      66 RPPGPHSSPNYEFYKLYLVGGAQGRRCAPPAPNLLLTCDRPDLDRFTIKFQEYSPNLW 125
      :| ||:||||:| | | ||:|::| : |||||:||||
Db      63 QP-----YEYKLYMVRRDQLEACSTVIDPNVLVTCNQPGKEYRFTIKFQEFSPNYM 114
Qy      126 GHEFRSHHDYIIATSDGTREGLESQGGVCLTRGMKVLLRVGQSPRGGAVPRKPVSEMP 185
      | ||| : |||| :||: | :||: :||| || ||:::|||| | ||| : ::
Db      115 GLEFRNQDYIITSTSNSTLQGLENREGGVCQTRSMKIIMKVGQDP--NAVPEQLT--- 169
Qy      186 MERDRGAHSLLEPGKENLPGDPTSNATSRGA-EGPLPPP-----SMPAVAGAAGGLA 236
      : | || | | : | ||: | | | |
Db      170 -----TTRPSKE---ADNTGKIATFGPWNGPVQNPNGKSDTNLSDKPTGRWGVGDGFF 217
Qy      237 LLLLGVAAGAGGAMC-----WRRRRRAKPSE-----SRHPGPGSFGRGG 273
      : | | || | | ||: | :: | | | |
Db      218 NSKIAVFAAIGAGCVIFILIIIFLVLLIKIRKRRHKHTQQAALSLSTLASPKCSGNAG 277
Qy      274 SLGLGGGGGMGPREAEPGELGIALRGGAADPPFCPHYEKVSGDYGHPVYIVQDGPPQSP 333
      | || : : | || : : |||||:|||||: |||||
Db      278 S-----EPSDIIPLR---TTENNYCPHYEKVSGDYGHPVYIVQEMPPQSP 320
Qy      334 PNIYYKV 340
      |||||
Db      321 ANIYYKV 327

```

RESULT 11

EFA2_BRARE

ID EFA2_BRARE STANDARD; PRT; 195 AA.

AC P79727;

DT 01-NOV-1997 (Rel. 35, Created)

DT 01-NOV-1997 (Rel. 35, Last sequence update)

DT 15-MAR-2004 (Rel. 43, Last annotation update)

DE Ephrin-A2 precursor (EPH-related receptor tyrosine kinase ligand 6)

DE (LERK-6) (ELF-1) (ZFEPHL3).

GN EFNA2 OR EPLG6 OR LERK6.

OS Brachydanio rerio (Zebrafish) (Danio rerio).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;

OC Cyprinidae; Danio.

OX NCBI_TaxID=7955;

RN [1]

RP SEQUENCE FROM N.A.

RC TISSUE=Embryo;

RX MEDLINE=97195707; PubMed=9043080;

RA Brennan C., Monschau B., Lindberg R., Guthrie B., Drescher U.,

RA Bonhoeffer F., Holder N.;

RT "Two Eph receptor tyrosine kinase ligands control axon growth and may

RT be involved in the creation of the retinotectal map in the

RT zebrafish.";

RL Development 124:655-664(1997).

CC -!- FUNCTION: Control axon growth and may be involved in the creation

CC of the retino-tectal map.

CC -!- SUBCELLULAR LOCATION: Attached to the membrane by a GPI-anchor

CC (Potential).

CC -!- TISSUE SPECIFICITY: Widespread expression in the embryo.
 CC -!- DEVELOPMENTAL STAGE: Expressed in the presumptive midbrain of
 CC developing embryos from the six-somite stage. By 24 hours,
 CC expressed throughout the midbrain including the region of the
 CC presumptive tectum. At later stages, expressed in a graded fashion
 CC throughout the tectum.
 CC -!- SIMILARITY: Belongs to the ephrin family.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; Y09668; CAA70863.1; -.
 DR ZFIN; ZDB-GENE-990415-66; efna2.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 KW Developmental protein; Neurogenesis; Glycoprotein; Lipoprotein;
 KW Membrane; GPI-anchor; Signal.
 FT SIGNAL 1 16 POTENTIAL.
 FT CHAIN 17 174 EPHRIN-A2.
 FT PROPEP 175 195 REMOVED IN MATURE FORM (POTENTIAL).
 FT DISULFID 57 97 BY SIMILARITY.
 FT LIPID 174 174 GPI-anchor amidated cysteine (Potential).
 FT CARBOHYD 32 32 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 195 AA; 22688 MW; 9EE284FEB61D0C42 CRC64;

Query Match 10.0%; Score 185; DB 1; Length 195;
 Best Local Similarity 29.9%; Pred. No. 1.6e-05;
 Matches 63; Conservative 21; Mismatches 71; Indels 56; Gaps 7;

QY 33 VYWNSANKRFQAEAGGYVLYPQIGDRLDLLCPRARPPGPHSSPNYEFYKLYLVGGAQGRRC 92
 |||||:| || :| | : | | ||: || | || | | :| |
 Db 29 VYWSSNSRFEW-QGEYTVAVSINDYLDVYCPYYESPQPHS--RMERYILEFMVNHGGLTC 85
 QY 93 EAPPAPNLLLTCDR---PDLDLRFITKIQEYSPNLWGHEFRSHHDYIIATSDGTREGLE 149
 | :| || |||: ||| ::| | || | :|| |:: |
 Db 86 EHRMRGFKRWECNRPQSPDGPLRFSEKFLFTPFSLGFEFRPGHEYYYISSPHPNHAGKP 145
 QY 150 SLQGGVCLTRGMKVLLRVGQSPRGAVPRKPVSEMPMERDRGAAHSLEPGKENLPGDPTS 209
 |: :|| : || | | | :| |
 Db 146 CLK-----LKVYV-----KPTSS-----GYESPEPFLTD 169
 QY 210 NATSRGAEGPLPPPSMPAVAGAAGGLALLLL 240
 : ||:| | ||:| |
 Db 170 QSQRCGADGPC-----LAVLML 186

RESULT 12
 EFA3_HUMAN

ID EFA3_HUMAN STANDARD; PRT; 238 AA.
 AC P52797;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 15-MAR-2004 (Rel. 43, Last annotation update)
 DE Ephrin-A3 precursor (EPH-related receptor tyrosine kinase ligand 3)
 DE (LERK-3) (EHK1 ligand) (EHK1-L).
 GN EFNA3 OR EPLG3 OR LERK3 OR EFL2.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=95140419; PubMed=7838529;
 RA Kozlosky C.J., Maraskovsky E., McGrew J.T., Vanden Bos T.,
 RA Teepe M., Lyman S.D., Srinivasan S., Fletcher F.A., Gayle R.B. III,
 RA Cerretti D.P., Beckmann M.P.;
 RT "Ligands for the receptor tyrosine kinases hek and elk: isolation of
 RT cDNAs encoding a family of proteins.";
 RL Oncogene 10:299-306(1995).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=95063919; PubMed=7973638;
 RA Davis S., Gale N.W., Aldrich T.H., Maisonpierre P.C., Lhotak V.,
 RA Pawson T., Goldfarb M., Yancopoulos G.D.;
 RT "Ligands for EPH-related receptor tyrosine kinases that require
 RT membrane attachment or clustering for activity.";
 RL Science 266:816-819(1994).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Duodenum;
 RX MEDLINE=22388257; PubMed=12477932;
 RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
 RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
 RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
 RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
 RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
 RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
 RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
 RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
 RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
 RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalón D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
 RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length
 RT human and mouse cDNA sequences.";
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 CC -!- SUBCELLULAR LOCATION: Attached to the membrane by a GPI-anchor.
 CC -!- TISSUE SPECIFICITY: Expressed in brain, skeletal muscle, spleen,
 CC thymus, prostate, testis, ovary, small intestine, and peripheral
 CC blood leukocytes.

CC -!- SIMILARITY: Belongs to the ephrin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U14187; AAC50078.1; -.
 DR EMBL; L37360; AAA52368.1; -.
 DR EMBL; BC017722; AAH17722.1; -.
 DR PIR; I38849; I38849.
 DR Genew; HGNC:3223; EFNA3.
 DR MIM; 601381; -.
 DR GO; GO:0005887; C:integral to plasma membrane; TAS.
 DR GO; GO:0005005; F:transmembrane-ephrin receptor activity; TAS.
 DR GO; GO:0007267; P:cell-cell signaling; TAS.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 KW Glycoprotein; Lipoprotein; Membrane; GPI-anchor; Signal.
 FT SIGNAL 1 22 POTENTIAL.
 FT CHAIN 23 214 EPHRIN-A3.
 FT PROPEP 215 238 REMOVED IN MATURE FORM (POTENTIAL).
 FT DISULFID 63 110 BY SIMILARITY.
 FT LIPID 214 214 GPI-anchor amidated glycine (Potential).
 FT CARBOHYD 38 38 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 67 67 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 100 100 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CONFLICT 71 74 MISSING (IN REF. 2).
 SQ SEQUENCE 238 AA; 26350 MW; 8EFD6AE8FE33FDDA CRC64;

Query Match 9.7%; Score 179; DB 1; Length 238;
 Best Local Similarity 28.4%; Pred. No. 4.8e-05;
 Matches 65; Conservative 24; Mismatches 80; Indels 60; Gaps 12;

```

QY      7  GPGGVRVGALLLLGLVGLVSGLSLEPVYWNSANKRFQAEAGGYVLYPQIGDRLDLLCP--R 64
      |||          | ||      :   ||||:|:  : | || :   : | ||: ||
Db      24  GPG-----GALG-----NRHAVYWNSSNQHLRRE-GYTVQVNVNDYLDIYCPHYN 67

QY      65  ARPPGPHSSP----NYEFYKLYLVGGAQGRRC EAPPAPNLLLTCDRPDL---DLRFTIKF 117
      :   || : |      | | ||:|      | | |      | :||      : :|: ||
Db      68  SSGVGPGAGPGPGGGAEQYVLYMVSRNGYRTCNASQGFK-RWECNRPHAPHSPIKFSEKF 126

QY     118  QEYSPNLWGHEFRSHHDYIIATSDGTREGLES LQGGVCLTRGMKVLLRVGQSPRGGAVP 177
      | ||      | :|| : | :|| | :|      ||      ||| :   :   |
Db     127  QRYSAFSLGYEFHAGHEYIIIPTPHNLH-----WKCLR--MKVFVCCASTSHSG--- 174

QY     178  RKPVSEMP-----MERDRGAHSL E-----PGKENLP 204
      ||| :|      | :      ||      | : :||
Db     175  EKPVP TLPQFTMGP NVKINVLEDFEGENPQVPKLEKSISGTSPKREHLP 223

```

RESULT 13

EFA2_MOUSE

ID EFA2_MOUSE STANDARD; PRT; 209 AA.

AC P52801;

DT 01-OCT-1996 (Rel. 34, Created)

DT 01-OCT-1996 (Rel. 34, Last sequence update)

DT 15-MAR-2004 (Rel. 43, Last annotation update)

DE Ephrin-A2 precursor (EPH-related receptor tyrosine kinase ligand 6)

DE (LERK-6) (ELF-1) (CEK7-ligand) (CEK7-L).

GN EFNA2 OR EPLG6 OR LERK6 OR ELF1 OR EPL6.

OS Mus musculus (Mouse).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

OX NCBI_TaxID=10090;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=Swiss Webster; TISSUE=Brain;

RX MEDLINE=95007776; PubMed=7522971;

RA Cheng H.J., Flanagan J.G.;

RT "Identification and cloning of ELF-1, a developmentally expressed

RT ligand for the Mek4 and Sek receptor tyrosine kinases.";

RL Cell 79:157-168(1994).

RN [2]

RP SEQUENCE FROM N.A.

RC TISSUE=Brain;

RX MEDLINE=95181289; PubMed=7876076;

RA Shao H., Lou L., Pandey A., Verderame M.F., Siever D.A., Dixit V.M.;

RT "cDNA cloning and characterization of a Cek7 receptor

RT protein-tyrosine kinase ligand that is identical to the ligand

RT (ELF-1) for the Mek-4 and Sek receptor protein-tyrosine kinases.";

RL J. Biol. Chem. 270:3467-3470(1995).

CC -!- SUBUNIT: Binds to the receptor tyrosine kinases EPHA3, EPHA4 and
CC EPHA5.

CC -!- SUBCELLULAR LOCATION: Attached to the membrane by a GPI-anchor
CC (Potential).

CC -!- SIMILARITY: Belongs to the ephrin family.

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; U14941; AAA53636.1; -.

DR EMBL; U14752; AAA68520.1; -.

DR PIR; A54984; A54984.

DR MGD; MGI:102707; Efna2.

DR InterPro; IPR008972; Cupredoxin.

DR InterPro; IPR001799; Ephrin.

DR Pfam; PF00812; Ephrin; 1.

DR PRINTS; PR01347; EPHRIN.

DR ProDom; PD002533; Ephrin; 1.

DR PROSITE; PS01299; EPHRIN; 1.

KW Glycoprotein; Lipoprotein; Membrane; GPI-anchor; Signal.

FT	SIGNAL	1	20	POTENTIAL.
FT	CHAIN	21	184	EPHRIN-A2.
FT	PROPEP	185	209	REMOVED IN MATURE FORM (POTENTIAL).
FT	DISULFID	69	110	BY SIMILARITY.
FT	LIPID	184	184	GPI-anchor amidated asparagine
FT				(Potential).
FT	CARBOHYD	38	38	N-LINKED (GLCNAC. . .) (POTENTIAL).
FT	CARBOHYD	170	170	N-LINKED (GLCNAC. . .) (POTENTIAL).
FT	CARBOHYD	184	184	N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ	SEQUENCE	209 AA;	23586 MW;	F1997545F25B9ABC CRC64;

Query Match 9.5%; Score 176; DB 1; Length 209;
 Best Local Similarity 29.3%; Pred. No. 6.6e-05;
 Matches 58; Conservative 19; Mismatches 69; Indels 52; Gaps 7;

Qy	33	VYWNSANKRFQAE-----GGYVLYPQIGDRLDLLCPRARPPGPHSSPNYEFYKLYLVGGA	87
		: : : : :	
Db	35	VYWNRSNPRFQVSAVGDDGGGYTVEVSINDYLDIYCPHYGAPLP-PAERMERYILYMNVE	93
Qy	88	QGRRCCEAPPAPNLLLTCDRPDL---DLRFTIKFQEYSPNLWGHEFRSHHDYIIATSDGT	144
		: : : : : :	
Db	94	GHASCDHRQRGFKRWECNRPAAPGGPLKFSEKFQLFTPFSLGFEFRPGHEYYYISATP--	151
Qy	145	REGLESLQGGVCLTRGMKVLLRVGQSPRGGAVPRKPVSEMPMERDRGAAHSLEPGKENLP	204
		: : :	
Db	152	----PNLVDRPCLR--LKVVYV-----PTNETLY	174
Qy	205	GDP----TSNATSRGAEG	218
		: :	
Db	175	EAEPEIFTSNSSCSGLGG	192

RESULT 14

EFA2_HUMAN

ID EFA2_HUMAN STANDARD; PRT; 213 AA.
 AC O43921; O76020;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-JUL-1999 (Rel. 38, Last sequence update)
 DT 15-MAR-2004 (Rel. 43, Last annotation update)
 DE Ephrin-A2 precursor (EPH-related receptor tyrosine kinase ligand 6)
 DE (LERK-6) (HEK7-ligand) (HEK7-L).
 GN EFNA2 OR EPLG6 OR LERK6.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=98126446; PubMed=9465306;
 RA Cerretti D.P., Nelson N.;
 RT "Characterization of the genes for mouse LERK-3/Ephrin-A3 (Epl3),
 RT mouse LERK-4/Ephrin-A4 (Epl4), and human LERK-6/Ephrin-A2 (EPLG6):
 RT conservation of intron/exon structure."
 RL Genomics 47:131-135(1998).
 RN [2]
 RP SEQUENCE FROM N.A.
 RA Lamerdin J.E., McCready P.M., Skowronski E., Adamson A.W.,

RA Burkhart-Schultz K., Gordon L., Kyle A., Ramirez M., Stilwagen S.,
RA Phan H., Velasco N., Garnes J., Danganan L., Poundstone P.,
RA Christensen M., Georgescu A., Avila J., Liu S., Attix C., Andreise T.,
RA Trankheim M., Amico-Keller G., Coefield J., Duarte S., Lucas S.,
RA Bruce R., Thomas P., Quan G., Kronmiller B., Arellano A.,
RA Montgomery M., Ow D., Nolan M., Trong S., Kobayashi A., Olsen A.O.,
RA Carrano A.V.;

RL Submitted (MAR-1998) to the EMBL/GenBank/DDBJ databases.

RN [3]

RP SEQUENCE FROM N.A.

RC TISSUE=Brain;

RX MEDLINE=99045414; PubMed=9826538;

RA Aasheim H.C., Pedetour F., Grosgeorge J., Logtenberg T.;

RT "Cloning, chromosomal mapping, and tissue expression of the gene

RT encoding the human Eph-family kinase ligand ephrin-A2.";

RL Biochem. Biophys. Res. Commun. 252:378-382(1998).

CC -!- SUBUNIT: Binds to the receptor tyrosine kinases EPHA3, EPHA4 and
CC EPHA5.

CC -!- SUBCELLULAR LOCATION: Attached to the membrane by a GPI-anchor
CC (Potential).

CC -!- SIMILARITY: Belongs to the ephrin family.

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; U92896; AAC39577.1; -.

DR EMBL; U92893; AAC39577.1; JOINED.

DR EMBL; U92894; AAC39577.1; JOINED.

DR EMBL; AC004258; AAC04896.1; -.

DR EMBL; AJ007292; CAA07435.1; -.

DR PIR; JE0322; JE0322.

DR Genew; HGNC:3222; EFNA2.

DR MIM; 602756; -.

DR GO; GO:0005106; F:ephrin; TAS.

DR GO; GO:0007267; P:cell-cell signaling; TAS.

DR InterPro; IPR008972; Cupredoxin.

DR InterPro; IPR001799; Ephrin.

DR Pfam; PF00812; Ephrin; 1.

DR PRINTS; PR01347; EPHRIN.

DR ProDom; PD002533; Ephrin; 1.

DR PROSITE; PS01299; EPHRIN; 1.

KW Glycoprotein; Lipoprotein; Membrane; GPI-anchor; Signal.

FT SIGNAL 1 24 POTENTIAL.

FT CHAIN 25 188 EPHRIN-A2.

FT PROPEP 189 213 REMOVED IN MATURE FORM (POTENTIAL).

FT DISULFID 73 114 BY SIMILARITY.

FT LIPID 188 188 GPI-anchor amidated asparagine
FT (Potential).

FT CARBOHYD 42 42 N-LINKED (GLCNAC. . .) (POTENTIAL).

FT CARBOHYD 174 174 N-LINKED (GLCNAC. . .) (POTENTIAL).

FT CARBOHYD 188 188 N-LINKED (GLCNAC. . .) (POTENTIAL).

FT CONFLICT 6 6 R -> A (IN REF. 3).

FT CONFLICT 25 26 RA -> PP (IN REF. 3).
 FT CONFLICT 29 30 AA -> RR (IN REF. 3).
 SQ SEQUENCE 213 AA; 23878 MW; 33C9FB1A8168B2D0 CRC64;

Query Match 9.5%; Score 175.5; DB 1; Length 213;
 Best Local Similarity 36.8%; Pred. No. 7.2e-05;
 Matches 43; Conservative 14; Mismatches 51; Indels 9; Gaps 3;

QY 33 VYWNSANKRFQA-----EGGYVLYPQIGDRLLCPRARPPGPHSSPNYEFYKLYLVGGA 87
 |||| :| || | ||| : | | ||: || | | : | | ||:| |
 Db 39 VYWNRSNPRFHAGAGDDGGGYTVEVSINDYLDIYCPHYGAPLP-PAERMEHYVLYMVNGE 97
 QY 88 QGRRCEAPPAPNLLLTCDRDL---DLRFTIKFQEYSPNLWGHEFRSHHDYIIATS 141
 |: ||| |:|: ||| :| | ||| |:| | : :
 Db 98 GHASCDHRQRGFKRWEENRPAAPGGPLKFSEKFLFTPFSLGFEFRPGHEYIYISAT 154

RESULT 15

EFA2_CHICK

ID EFA2_CHICK STANDARD; PRT; 200 AA.

AC P52802;

DT 01-OCT-1996 (Rel. 34, Created)

DT 01-OCT-1996 (Rel. 34, Last sequence update)

DT 15-MAR-2004 (Rel. 43, Last annotation update)

DE Ephrin-A2 precursor (EPH-related receptor tyrosine kinase ligand 6)
 DE (LERK-6) (ELF-1).

GN EFNA2 OR EPLG6 OR LERK6 OR ELF1.

OS Gallus gallus (Chicken).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;

OC Gallus.

OX NCBI_TaxID=9031;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=95360981; PubMed=7634327;

RA Cheng H.J., Nakamoto M., Bergemann A.D., Flanagan J.G.;

RT "Complementary gradients in expression and binding of ELF-1 and Mek4
 RT in development of the topographic retinotectal projection map.";

RL Cell 82:371-381(1995).

CC -!- SUBUNIT: Binds to the receptor tyrosine kinases EPHA3, EPHA4 and
 CC EPHA5 (By similarity).

CC -!- SUBCELLULAR LOCATION: Attached to the membrane by a GPI-anchor
 CC (Potential).

CC -!- TISSUE SPECIFICITY: Expressed in a gradient across the tectum
 CC being more strongly expressed at the posterior pole.

CC -!- SIMILARITY: Belongs to the ephrin family.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; L40932; AAC42229.1; -.

DR InterPro; IPR008972; Cupredoxin.

DR InterPro; IPR001799; Ephrin.
 DR Pfam; PF00812; Ephrin; 1.
 DR PRINTS; PR01347; EPHRIN.
 DR ProDom; PD002533; Ephrin; 1.
 DR PROSITE; PS01299; EPHRIN; 1.
 KW Glycoprotein; Lipoprotein; Membrane; GPI-anchor; Signal.
 FT SIGNAL 1 22 POTENTIAL.
 FT CHAIN 23 175 EPHRIN-A2.
 FT PROPEP 176 200 REMOVED IN MATURE FORM (POTENTIAL).
 FT DISULFID 61 101 BY SIMILARITY.
 FT LIPID 175 175 GPI-anchor amidated asparagine
 FT (Potential).
 FT CARBOHYD 36 36 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 161 161 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 175 175 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 200 AA; 23049 MW; 8FAB1AE5E45EED96 CRC64;

Query Match 9.3%; Score 172; DB 1; Length 200;
 Best Local Similarity 35.3%; Pred. No. 0.00011;
 Matches 49; Conservative 16; Mismatches 58; Indels 16; Gaps 5;

QY 15 ALLLLGLVGLVSGLSLEP-----VYWNSANKRFQAEGGYVLYPQIGDRLDLLCPRA 65
 | | | : : | | : | | | | : | | : | | | : | |
 Db 7 AALLAAIVG-VCVWSDDPGKVISDRYAVYWNRSNPRFH-RGDYTVEVSINDYLDIYCPHY 64
 QY 66 RPPGPHSSPNYEFYKLYLVGGAQGRRCCEAPPAPNLLLTCDRPDL---DLRFTIKFQEYSP 122
 | | : | | | : | : | | | : | | : | | : | |
 Db 65 EEPLP--AERMERYVLYMVNYEGHASCDHRQKGFKRWECNRPDSPSGPLKFSEKFQLFTP 122
 QY 123 NLWGHEFRSHHDYIIATS 141
 | | | | : | | : | |
 Db 123 FSLGFEFPRPGHEYIIISAS 141

Search completed: April 13, 2004, 09:25:56
 Job time : 18.9623 secs